

# Package ‘MBESS’

January 2, 2012

**Title** MBESS

**Version** 3.2.1

**Date** 2011-5-5

**Author** Ken Kelley and Keke Lai

**Maintainer** Keke Lai <Lai.15@ND.Edu>

**Depends** R (>= 2.6.0)

**Suggests** MASS, sem, gsl, boot, nlme

**Description** MBESS implements methods that are especially useful to researchers working within the behavioral, educational, and social sciences (both substantive researchers and methodologists). Many of the methods contained within MBESS are applicable to quantitative research in general,

**License** GPL (>= 2)

**URL** <http://nd.edu/~kkelley/site/MBESS.html>

**Repository** CRAN

**Date/Publication** 2011-05-09 07:56:09

## R topics documented:

aipe.smd . . . . .	3
ancova.random.data . . . . .	5
CFA.1 . . . . .	6
ci.c . . . . .	7
ci.c.ancova . . . . .	9
ci.cv . . . . .	11
ci.pvaf . . . . .	13
ci.R . . . . .	14
ci.R2 . . . . .	16

ci.rc . . . . .	19
ci.reg.coef . . . . .	20
ci.reliability . . . . .	22
ci.reliability.bs . . . . .	24
ci.rmsea . . . . .	25
ci.sc . . . . .	26
ci.sc.ancova . . . . .	28
ci.sm . . . . .	30
ci.smd . . . . .	31
ci.smd.c . . . . .	33
ci.snr . . . . .	35
ci.src . . . . .	36
ci.srsnr . . . . .	38
conf.limits.nc.chisq . . . . .	40
conf.limits.ncf . . . . .	41
conf.limits.nct . . . . .	43
conf.limits.nct.M1 . . . . .	45
conf.limits.nct.M2 . . . . .	46
conf.limits.nct.M3 . . . . .	47
Cor.Mat.Lomax . . . . .	48
Cor.Mat.MM . . . . .	49
cor2cov . . . . .	51
covmat.from.cfm . . . . .	52
cv . . . . .	53
Expected.R2 . . . . .	54
F.and.R2.Noncentral.Conversion . . . . .	55
Gardner.LD . . . . .	56
HS.data . . . . .	57
intr.plot . . . . .	59
intr.plot.2d . . . . .	61
MBESS . . . . .	63
mediation . . . . .	63
mediation.effect.bar.plot . . . . .	67
mediation.effect.plot . . . . .	68
power.density.equivalence.md . . . . .	70
power.equivalence.md . . . . .	71
power.equivalence.md.plot . . . . .	73
prof.salary . . . . .	74
s.u . . . . .	75
Sigma.2.SigmaStar . . . . .	76
signal.to.noise.R2 . . . . .	80
smd . . . . .	82
smd.c . . . . .	84
ss.aipe.c . . . . .	85
ss.aipe.c.ancova . . . . .	87
ss.aipe.c.ancova.sensitivity . . . . .	88
ss.aipe.cv . . . . .	91
ss.aipe.cv.sensitivity . . . . .	92

ss.aipe.pcm . . . . .	93
ss.aipe.R2 . . . . .	95
ss.aipe.R2.sensitivity . . . . .	98
ss.aipe.rc . . . . .	100
ss.aipe.rc.sensitivity . . . . .	102
ss.aipe.reg.coef . . . . .	104
ss.aipe.reg.coef.sensitivity . . . . .	107
ss.aipe.reliability . . . . .	109
ss.aipe.rmsea . . . . .	111
ss.aipe.rmsea.sensitivity . . . . .	112
ss.aipe.sc . . . . .	118
ss.aipe.sc.ancova . . . . .	119
ss.aipe.sc.ancova.sensitivity . . . . .	122
ss.aipe.sc.sensitivity . . . . .	124
ss.aipe.sem.path . . . . .	127
ss.aipe.sem.path.sensitiv . . . . .	129
ss.aipe.sm . . . . .	133
ss.aipe.sm.sensitivity . . . . .	134
ss.aipe.smd . . . . .	137
ss.aipe.smd.sensitivity . . . . .	139
ss.aipe.src . . . . .	143
ss.aipe.src.sensitivity . . . . .	145
ss.power.pcm . . . . .	147
ss.power.R2 . . . . .	148
ss.power.rc . . . . .	149
ss.power.reg.coef . . . . .	152
t.and.smd.conversion . . . . .	156
theta.2.Sigma.theta . . . . .	157
Variance.R2 . . . . .	159
verify.ss.aipe.R2 . . . . .	160
vit . . . . .	161
vit.fitted . . . . .	163

**Index****166**

---

aipe.smd*Sample size planning for the standardized mean different from the accuracy in parameter estimation approach*

---

**Description**

A set of functions that `ss.aipe.smd` calls upon to calculate the appropriate sample size for the standardized mean difference such that the expected value of the confidence interval is sufficiently narrow.

## Usage

```
ss.aipe.smd.full(delta, conf.level, width, ...)
ss.aipe.smd.lower(delta, conf.level, width, ...)
ss.aipe.smd.upper(delta, conf.level, width, ...)
```

## Arguments

delta	the population value of the standardized mean difference
conf.level	the desired degree of confidence (i.e., 1-Type I error rate)
width	desired width of the specified (i.e., Lower, Upper, Full) region of the confidence interval
...	specify additional parameters in functions these functions call upon

## Value

n	The necessary sample size <b>per group</b> in order to satisfy the specified goals.
---	---

## Warning

The returned value is the sample size **per group**. Currently only `ss.aipe.smd.full` returns the exact value. However, `ss.aipe.smd.lower` and `ss.aipe.smd.upper` provide approximate sample size values.

## Note

The function `ss.aipe.smd` is the function users should generally use. The function `ss.aipe.smd` calls upon these functions as needed. They can be thought of loosely as internal MBESS functions.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

- Cohen, J. (1988) Statistical power analysis for the behavioral sciences (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Kelley, K., Maxwell, S. E., \& Rausch, J. R. (2003) Obtaining Power or Obtaining Precision: Delineating Methods of Sample-Size Planning, *Evaluation and the Health Professions*, 26, 258–287.

Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods, 11*(4), 363-385.

Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik,&J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

## See Also

`ss.aipe.smd`

`ancova.random.data`      *Generate random data for an ANCOVA model*

## Description

Generate random data for a simple (one-response-one-covariate) ANCOVA model considering the covariate as random. Data can be generated in the contexts of both randomized design (same population covariate mean across groups) and non-randomized design (different population covariate means across groups).

## Usage

```
ancova.random.data(mu.y, mu.x, sigma.y, sigma.x, rho, J,
n, randomized = TRUE)
```

## Arguments

<code>mu.y</code>	a vector of the population group means of the response variable
<code>mu.x</code>	the population mean of the covariate (in the randomized design context), or a vector of the population group means of the covariate (in the non-randomized design context)
<code>sigma.y</code>	the population standard deviation of the response variable
<code>sigma.x</code>	the population standard deviation of the covariate
<code>rho</code>	the population correlation coefficient between the response and the covariate
<code>J</code>	the number of groups
<code>n</code>	the number of sample size per group
<code>randomized</code>	a logical statement of whether randomized design is used

## Details

This function uses multivariate normal distribution to generate the random data; the covariate is considered as random in the model. This function uses `mvrnorm` in the MASS package as an internal function, and thus it requires the MASS package be installed first.

This function assumes homogeneous covariance matrix among groups, in both the randomized design and non-randomized design contexts.

**Value**

This function returns an n by J\*2 matrix, where n and J are what are defined in the argument. The first J columns of the matrix contains the random data for the response, and the second J columns of the matrix contains the random data for the covariate.

**Author(s)**

Keke Lai <Lai.15@ND.edu>

**See Also**

`mvrnorm` in the MASS package

**Examples**

```
random.data <- ancova.random.data(mu.y=c(3,5), mu.x=10, sigma.y=1,
sigma.x=2, rho=.8, J=2, n=20)
```

CFA.1

*One-factor confirmatory factor analysis model*

**Description**

Returns the MLE estimates and the estimated asymptotic covariance matrix of parameter estimates for one-factor confirmatory factor analysis model

**Usage**

```
CFA.1(S, N, equal.loading = FALSE, equal.error = FALSE)
```

**Arguments**

S	covariance matrix of the indicators
N	total sample size
equal.loading	logical statement indicating whether the path coefficients are the same
equal.error	logical statement indicating whether the manifest variables have the same error variances

**Value**

Model	the factor analysis model specified by the user
Factor.Loadings	factor loadings
Indicator.var	the error variances of the indicator variables
Parameter.cov	the covariance matrix of the parameters

**Author(s)**

Keke Lai (University of Notre Dame, <Lai.15@ND.Edu>)

**See Also**

[sem](#), covmat.from.cfm

**Examples**

```
## Not run:
# Construct covariance matrix
library(sem)
cov.mat<-read.moments()
1.384
1.484 2.756
1.988 2.874 4.845
2.429 3.588 4.894 6.951
3.031 4.390 6.080 7.476 10.313

tran.cov.mat <- t(cov.mat)
cov.mat[upper.tri(cov.mat)] <- tran.cov.mat[upper.tri(tran.cov.mat)]
CFA.1(N=300, S=cov.mat)

## End(Not run)
```

ci.c

*Confidence interval for a contrast in a fixed effects ANOVA*

**Description**

Function to calculate the exact confidence interval for a contrast in a fixed effects analysis of variance context.

**Usage**

```
ci.c(means = NULL, error.variance = NULL, c.weights = NULL, n = NULL,
N = NULL, Psi = NULL, conf.level = 0.95, alpha.lower = NULL,
alpha.upper = NULL, df.error = NULL, ...)
```

**Arguments**

- |                |   |
|----------------|---|
| means          | a vector of the group means or the means of the particular level of the effect (for fixed effect designs) |
| error.variance | the common variance of the error (i.e., the mean square error)  |
| c.weights      | the contrast weights (the sum of the contrast weights should be zero)                                     |

n	sample sizes per group or level of the particular factor (if length 1 it is assumed that the per group/level sample sizes are equal)
N	total sample size
Psi	the (unstandardized) contrast effect, obtained by multiplying the $j$ th mean by the $j$ th contrast weight (this is the unstandardized effect)
conf.level	confidence interval coverage (i.e., 1- Type I error rate); default is .95
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
df.error	the degrees of freedom for the error. In one-way designs, this is simply $N$ -length (means) and need not be specified; it must be specified if the design has multiple factors.
...	allows one to potentially include parameter values for inner functions

### Value

Returns the confidence limits for the contrast:

Lower.Conf.Limit.Contrast	The lower confidence limit for the contrast effect
Contrast	the value of the estimated unstandardized contrast effect
Upper.Conf.Limit.Contrast	The upper confidence limit for the contrast effect

### Note

Be sure to use the error variance and not its square root (i.e., the standard deviation of the errors).

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Steiger, J. H. (2004). Beyond the  $F$  Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

### See Also

conf.limits.nct, ci.sc, ci.src, ci.smd, ci.smd.c, ci.sm

## Examples

```

ci.c(means=c(2, 4, 9, 13), error.variance=1, c.weights=c(1, -1, -1, 1),
n=c(3, 3, 3, 3), N=12, conf.level=.95)

ci.c(means=c(2, 4, 9, 13), error.variance=1, c.weights=c(1, -1, -1, 1),
n=c(3, 3, 3, 3), N=12, conf.level=.95)

ci.c(means=c(1.6, 0), error.variance=1, c.weights=c(1, -1), n=c(10, 10),
N=20, conf.level=.95)

# An example given by Maxwell and Delaney (2004, pp. 155--171) :
# 24 subjects of mild hypertensives are assigned to one of four treatments: drug
# therapy, biofeedback, dietary modification, and a treatment combining all the
# three previous treatments. Subjects' blood pressure is measured two weeks
# after the termination of treatment. Now we want to form a 95% level
# confidence interval for the difference in blood pressure between subjects
# received drug treatment and those received biofeedback treatment

## Drug group's mean = 94; group size=4
## Biofeedback group's mean = 91; group size=6
## Diet group's mean = 92; group size=5
## Combination group's mean = 83; group size=5
## Mean Square Within (i.e., 'error.variance') = 67.375

ci.c(means=c(94, 91, 92, 83), error.variance=67.375, c.weights=c(1, -1, 0, 0),
n=c(4, 6, 5, 5), N=20, conf.level=.95)

```

ci.c.ancova

*Confidence Interval for an (unstandardized) contrast in ANCOVA with  
one covariate*

## Description

To calculate the confidence interval for an unstandardized contrast in the one-covariate ANCOVA.

## Usage

```
ci.c.ancova(Psi, means, error.var.ancova = NULL, c.weights, n,
x.bar, SSwithin.x, conf.level = 0.95, ...)
```

## Arguments

- |                  |   |
|------------------|---|
| Psi              | the unstandardized contrast of adjusted means   |
| means            | the vector that contains the adjusted mean of each group  |
| error.var.ancova | the error variance obtained from the ANCOVA summary table; i.e., mean square within in the ANCOVA table |

c.weights	the contrast weights
n	either a single number that indicates the sample size per group, or a vector that contains the sample size of each group
x.bar	a vector that contains the group means of the covariate
SSwithin.x	the sum of squares within groups obtained from the summary table for ANOVA on the covariate
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
...	allows one to potentially include parameter values for inner functions

### Value

lower.limit	the lower confidence limit of the (unstandardized) ANCOVA contrast
upper.limit	the upper confidence limit of the (unstandardized) ANCOVA contrast

### Note

Be sure to use the error variance and not its square root (i.e., the standard deviation of the errors). If n receives a single number, that number is considered as the sample size per group. If n receives a vector, the vector is considered as the sample size of each group.

Be sure to use fractions not the integers to specify c.weights. For example, in an ANCOVA of four groups, if the user wants to compare the mean of group 1 and 2 with the mean of group 3 and 4, c.weights should be specified as c(0.5, 0.5, -0.5, -0.5) rather than c(1, 1, -1, -1). Make sure the sum of the contrast weights are zero.

### Author(s)

Keke Lai (University of Notre Dame; <Lai.15@ND.Edu>)

### References

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Maxwell, S. E., & Delaney, H. D. (2004). *Designing experiments and analyzing data: A model comparison perspective*. Mahwah, NJ: Erlbaum.

### See Also

ci.c, ci.sc.ancova

### Examples

```
# Maxwell & Delaney (2004, pp. 428-468) offer an example that 30 depressive
# individuals are randomly assigned to three groups, 10 in each, and ANCOVA
# is performed on the posttest scores using the participants' pretest
# scores as the covariate. The means of pretest scores of group 1 to 3 are
# 17, 17.7, and 17.4, respectively, and the adjusted means of groups 1 to 3
# are 7.5, 12, and 14, respectively. The error variance in ANCOVA is 29,
# and the sum of squares within groups from ANOVA on the covariate is
```

```
# 313.37.

# To obtained the confidence interval for adjusted mean of group 1 versus
# group 2:
ci.c.ancova(means=c(7.5, 12, 14), error.var.ancova=29, c.weights=c(1, -1, 0),
n=10, x.bar=c(17, 17.7, 17.4), SSwithin.x=313.37)
```

**ci.cv***Confidence interval for the coefficient of variation***Description**

Function to calculate the confidence interval for the population coefficient of variation using the noncentral t-distribution.

**Usage**

```
ci.cv(cv=NULL, mean = NULL, sd = NULL, n = NULL, data = NULL,
conf.level = 0.95, alpha.lower = NULL, alpha.upper = NULL, ...)
```

**Arguments**

<code>cv</code>	coefficient of variation
<code>mean</code>	sample mean
<code>sd</code>	sample standard deviation (square root of the unbiased estimate of the variance)
<code>n</code>	sample size
<code>data</code>	vector of data for which the confidence interval for the coefficient of variation is to be calculated
<code>conf.level</code>	desired confidence level (1-Type I error rate)
<code>alpha.lower</code>	the proportion of values beyond the lower limit of the confidence interval (cannot be used with <code>conf.level</code> ).
<code>alpha.upper</code>	the proportion of values beyond the upper limit of the confidence interval (cannot be used with <code>conf.level</code> ).
<code>...</code>	allows one to potentially include parameter values for inner functions

**Details**

Uses the noncentral t-distribution to calculate the confidence interval for the population coefficient of variation.

**Value**

Lower.Limit.CofV	Lower confidence interval limit
Prob.Less.Lower	Proportion of the distribution beyond Lower.Limit.CofV
Upper.Limit.CofV	Upper confidence interval limit
Prob.Greater.Upper	Proportion of the distribution beyond Upper.Limit.CofV
C.of.V	Observed coefficient of variation

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Johnson, B. L., & Welch, B. L. (1940). Applications of the non-central  $t$ -distribution. *Biometrika*, 31, 362–389.
- Kelley, K. (2007). Sample size planning for the coefficient of variation from the accuracy in parameter estimation approach. *Behavior Research Methods*, 39 (4), 755-766.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- McKay, A. T. (1932). Distribution of the coefficient of variation and the extended  $t$  distribution, *Journal of the Royal Statistical Society*, 95, 695–698.

**Examples**

```
set.seed(113)
N <- 15
X <- rnorm(N, 5, 1)
mean.X <- mean(X)
sd.X <- var(X)^.5

ci.cv(mean=mean.X, sd=sd.X, n=N, alpha.lower=.025, alpha.upper=.025,
conf.level=NULL)
ci.cv(data=X, conf.level=.95)
ci.cv(cv=sd.X/mean.X, n=N, conf.level=.95)
```

---

ci.pvaf	<i>Confidennce Interval for the Proportion of Variance Accounted for (in the dependent variable by knowing the levels of the factor)</i>
---------	--

---

## Description

Function to obtain the exact confidence limits for the proportion of variance of the dependent variable accounted for by knowing the levels of the factor (or the grouping factor in a single factor design) group status in a fixed factor analysis of variance.

## Usage

```
ci.pvaf(F.value = NULL, df.1 = NULL, df.2 = NULL, N = NULL,
conf.level = 0.95, alpha.lower = NULL, alpha.upper = NULL, ...)
```

## Arguments

F.value	observed <i>F</i> -value from fixed effects analysis of variance
df.1	numerator degrees of freedom
df.2	denominator degrees of freedom
N	sample size
conf.level	confidence interval coverage (i.e., 1-Type I error rate); default is .95
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
...	allows one to potentially include parameter values for inner functions

## Details

The confidence level must be specified in one of following two ways: using confidence interval coverage (`conf.level`), or lower and upper confidence limits (`alpha.lower` and `alpha.upper`).

This function uses the confidence interval transformation principle (Steiger, 2004) to transform the confidence limits for the noncentality parameter to the confidence limits for the population proportion of variance accounted for by knowing the group status. The confidence interval for the noncentral *F* parameter can be obtained from the function `conf.limits.ncf` in MBESS, which is used within this function.

## Value

Returns the exact confidennce interval for the proportion of variance of the dependent variable accounted for by knowing group status in a fixed factor analysis of variance.

`Lower.Limit.Proportion.of.Variance.Accounted.for`

The lower confidence limit for the proportion of variance accounted for in the deviation by group status.

**Upper.Limit.Proportion.of.Variance.Accounted.for**

The upper confidence limit for the proportion of variance accounted for in the deviation by group status.

**Note**

This function can be used for single or factorial ANOVA designs.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Fleishman, A. I. (1980). Confidence intervals for correlation ratios. *Educational and Psychological Measurement*, 40, 659–670.
- Steiger, J. H. (2004). Beyond the *F* Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

**See Also**

`conf.limits.ncf`

**Examples**

```
## Bargman (1970) gave an example in which a 5-group ANOVA with 11 subjects in each
## group is conducted and the observed F value is 11.2213. This exmaple was used
## in Venables (1975), Fleishman (1980), and Steiger (2004). If one wants to calculate the
## exact confidence interval for the proportion of variance accounted for in that example,
## this function can be used.

ci.pvaf(F.value=11.221, df.1=4, df.2=50, N=55)

ci.pvaf(F.value=11.221, df.1=4, df.2=50, N=55, conf.level=.90)

ci.pvaf(F.value=11.221, df.1=4, df.2=50, N=55, alpha.lower=0, alpha.upper=.05)
```

**Description**

Function to obtain the exact confidence interval for the multiple correlation coefficient when predictors are random (the default) or fixed.

## Usage

```
ci.R(R = NULL, df.1 = NULL, df.2 = NULL, conf.level = 0.95,
Random.Predictors = TRUE, Random.Regressors, F.value = NULL,
N = NULL, K=NULL, alpha.lower = NULL, alpha.upper = NULL, ...)
```

## Arguments

R	multiple correlation coefficient
df.1	numerator degrees of freedom
df.2	denominator degrees of freedom
conf.level	confidence interval coverage (i.e., 1- Type I error rate); default is .95
Random.Predictors	whether or not the predictor variables are random or fixed (random is default)
Random.Regressors	an alias for Random.Predictors; Random.Regressors overrides Random.Predictors
F.value	obtained <i>F</i> -value
N	sample size
K	number of predictors
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
...	allows one to potentially include parameter values for inner functions

## Details

This function is based on the function ci.R2 in MBESS package.

This function can be used with random predictor variables (Random.Predictors=TRUE) or when predictor variables are fixed (Random.Predictors=FALSE). In most applications in the behavioral, educational, and social sciences predictor variables are random, which is the default for this function.

For random predictors, the function implements the procedure of Lee (1971), which was implemented by Algina and Olejnik (2000; specifically in their ci.smec.bisec.sas SAS script). When Random.Predictors=TRUE, the function implements code that is in part based on the Algina and Olejnik (2000) SAS script.

When Random.Predictors=FALSE, and thus the predictors are planned and thus fixed in hypothetical replications of the study, the confidence limits are based on a noncentral *F*-distribution (see conf.limits.ncf).

## Value

Returns the confidence limits of the multiple correlation coefficient:

Lower.Conf.Limit.R

lower limit of the confidence interval around the population multiple correlation coefficient

**Prob.Less.Lower**

proportion of the distribution less than Lower.Conf.Limit.R

**Upper.Conf.Limit.R**

upper limit of the confidence interval around the population multiple correlation coefficient

**Prob.Greater.Upper**

proportion of the distribution greater than Lower.Conf.Limit.R

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Algina, J. & Olejnik, S. (2000) Determining sample size for accurate estimation of the squared multiple correlation coefficient. *Multivariate Behavioral Research*, 35, 119–136.
- Lee, Y. S. (1971). Some results on the sampling distribution of the multiple correlation coefficient. *Journal of the Royal Statistical Society, B*, 33, 117–130.
- Smithson, M. (2003). *Confidence intervals*. New York, NY: Sage Publications.
- Steiger, J. H. (2004). Beyond the *F* Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.
- Steiger, J. H. & Fouladi, R. T. (1992) R2: A computer program for interval estimation, power calculation, and hypothesis testing for the squared multiple correlation. *Behavior research methods, instruments and computers*, 4, 581–582.

**See Also**

`ci.R2`, `ss.aipe.R2`, `conf.limits.nct`

`ci.R2`

*Confidence intervals for the squared multiple correlation coefficient*

**Description**

A function to calculate the exact confidence interval for the multiple correlation coefficient.

**Usage**

```
ci.R2(R2 = NULL, df.1 = NULL, df.2 = NULL, conf.level = .95,
Random.Predictors=TRUE, Random.Regressors, F.value = NULL, N = NULL,
p = NULL, K, alpha.lower = NULL, alpha.upper = NULL, tol = 1e-09)
```

## Arguments

R2	multiple correlation coefficient
df.1	numerator degrees of freedom
df.2	denominator degrees of freedom
conf.level	confidence interval coverage; 1-Type I error rate
Random.Predictors	whether or not the predictor variables are random or fixed (random is default)
Random.Regressors	an alias for Random.Predictors; Random.Regressors overrides Random.Predictors
F.value	obtained F-value
N	sample size
p	number of predictors
K	alias for p, the number of predictors
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
tol	tolerance for iterative convergence

## Details

This function can be used with random predictor variables (Random.Predictors=TRUE) or when predictor variables are fixed (Random.Predictors=FALSE). In most applications in the *behavioral, educational, and social sciences* predictor variables are random, which is the default in this function.

For random predictors, the function implements the procedure of Lee (1971), which was implemented by Algina and Olejnik (2000; specifically in their *ci.smcc.bisec.sas* SAS script). When Random.Predictors=TRUE, the function implements code that is in part based on the Algina and Olejnik (2000) SAS script.

When Random.Predictors=FALSE, and thus the predictors are planned and thus fixed in hypothetical replications of the study, the confidence limits are based on a noncentral F-distribution (see conf.limits.ncf).

## Value

Lower.Conf.Limit.R2	upper limit of the confidence interval around the population multiple correlation coefficient
Prob.Less.Lower	proportion of the distribution less than Lower.Conf.Limit.R2
Upper.Conf.Limit.R2	upper limit of the confidence interval around the population multiple correlation coefficient
Prob.Greater.Upper	proportion of the distribution greater than Lower.Conf.Limit.R2

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Algina, J. \& Olejnik, S. (2000) Determining Sample Size for Accurate Estimation of the Squared Multiple Correlation Coefficient. *Multivariate Behavioral Research*, 35, 119–136.
- Lee, Y. S. (1971). Some results on the sampling distribution of the multiple correlation coefficient. *Journal of the Royal Statistical Society, B*, 33, 117–130.
- Smithson, M. (2003). *Confidence intervals*. New York, NY: Sage Publications.
- Steiger, J. H. \& Fouladi, R. T. (1992) R2: A computer program for interval estimation, power calculation, and hypothesis testing for the squared multiple correlation. *Behavior research methods, instruments and computers*, 4, 581–582.

### See Also

`ss.aipe.R2, conf.limits.nct`

### Examples

```
# For random predictor variables.
# ci.R2(R2=.25, N=100, K=5, conf.level=.95, Random.Predictors=TRUE)

# ci.R2(F.value=6.266667, N=100, K=5, conf.level=.95, Random.Predictors=TRUE)

# For fixed predictor variables.
# ci.R2(R2=.25, N=100, K=5, conf.level=.95, Random.Predictors=TRUE)

# ci.R2(F.value=6.266667, N=100, K=5, conf.level=.95, Random.Predictors=TRUE)

# One sided confidence intervals when predictors are random.
# ci.R2(R2=.25, N=100, K=5, alpha.lower=.05, alpha.upper=0, conf.level=NULL,
# Random.Predictors=TRUE)

# ci.R2(R2=.25, N=100, K=5, alpha.lower=0, alpha.upper=.05, conf.level=NULL,
# Random.Predictors=TRUE)

# One sided confidence intervals when predictors are fixed.
# ci.R2(R2=.25, N=100, K=5, alpha.lower=.05, alpha.upper=0, conf.level=NULL,
# Random.Predictors=FALSE)

# ci.R2(R2=.25, N=100, K=5, alpha.lower=0, alpha.upper=.05, conf.level=NULL,
# Random.Predictors=FALSE)
```

---

ci.rc*Confidence Interval for a Regression Coefficient*

---

**Description**

A function to calculate a confidence interval for the population regression coefficient of interest using the standard approach and the noncentral approach when the regression coefficients are standardized.

**Usage**

```
ci.rc(b.k, SE.b.k = NULL, s.Y = NULL, s.X = NULL, N, K, R2.Y_X = NULL,
R2.k_X.without.k = NULL, conf.level = 0.95, R2.Y_X.without.k = NULL,
t.value = NULL, alpha.lower = NULL, alpha.upper = NULL,
Noncentral = FALSE, Suppress.Statement = FALSE, ...)
```

**Arguments**

b.k	value of the regression coefficient for the $k$ th predictor variable
SE.b.k	standard error for the $k$ th predictor variable
s.Y	standard deviation of $Y$ , the dependent variable
s.X	standard deviation of $X$ , the predictor variable of interest
N	sample size
K	the number of predictors
R2.Y_X	the squared multiple correlation coefficient predicting $Y$ from the $k$ predictor variables
R2.k_X.without.k	the squared multiple correlation coefficient predicting the $k$ th predictor variable (i.e., the predictor of interest) from the remaining $K-1$ predictor variables
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
R2.Y_X.without.k	the squared multiple correlation coefficient predicting $Y$ from the $K-1$ predictor variable with the $k$ th predictor of interest excluded
t.value	the t-value evaluating the null hypothesis that the population regression coefficient for the $k$ th predictor equals zero
alpha.lower	the Type I error rate for the lower confidence interval limit
alpha.upper	the Type I error rate for the upper confidence interval limit
Noncentral	TRUE/FALSE statement specifying whether or not the noncentral approach to confidence intervals should be used
Suppress.Statement	TRUE/FALSE statement specifying whether or not a statement should be printed that identifies the type of confidence interval formed
...	optional additional specifications for nested functions

## Details

This function calls upon `ci.reg.coef` in MBESS, but has a different naming system. See `ci.reg.coef` for more details.

For standardized variables, do not specify the standard deviation of the variables and input the standardized regression coefficient for `b.k`.

## Value

Returns the confidence limits for the standardized regression coefficients of interest from the standard approach to confidence interval formation or from the noncentral approach to confidence interval formation using the noncentral t-distribution.

## Note

Not all of the values need to be specified, only those that contain all of the necessary information in order to compute the confidence interval (options are thus given for the values that need to be specified).

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

- Kelley, K. & Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accuracy, not simply significant. *Psychological Methods*, 8, 305–321.
- Kelley, K. & Maxwell, S. E. (In press). Power and accuracy for omnibus and targeted effects: Issues of sample size planning with applications to Multiple Regression. *Handbook of Social Research Methods*, J. Brannon, P. Alasutari, and L. Bickman (Eds.). New York, NY: Sage Publications.
- Smithson, M. (2003). *Confidence intervals*. New York, NY: Sage Publications.
- Steiger, J. H. (2004). Beyond the *F* Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

## See Also

`ss.aipe.reg.coef`, `conf.limits.nct`, `ci.reg.coef`, `ci.src`

`ci.reg.coef`

*confidence interval for a regression coefficient*

## Description

A function to calculate a confidence interval around the population regression coefficient of interest using the standard approach and the noncentral approach when the regression coefficients are standardized.

**Usage**

```
ci.reg.coef(b.j, SE.b.j=NULL, s.Y=NULL, s.X=NULL, N, p, R2.Y_X=NULL,
R2.j_X.without.j=NULL, conf.level=0.95, R2.Y_X.without.j=NULL,
t.value=NULL, alpha.lower=NULL, alpha.upper=NULL, Noncentral=FALSE,
Suppress.Statement=FALSE, ...)
```

**Arguments**

b.j	value of the regression coefficient for the jth predictor variable
SE.b.j	standard error for the jth predictor variable
s.Y	standard deviation of Y, the dependent variable
s.X	standard deviation of X, the predictor variable of interest
N	sample size
p	the number of predictors
R2.Y_X	the squared multiple correlation coefficient predicting Y from the p predictor variables
R2.j_X.without.j	the squared multiple correlation coefficient predicting the jth predictor variable (i.e., the predictor of interest) from the remaining p-1 predictor variables
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
R2.Y_X.without.j	the squared multiple correlation coefficient predicting Y from the p-1 predictor variable with the jth predictor of interest excluded
t.value	the t-value evaluating the null hypothesis that the population regression coefficient for the jth predictor equals zero
alpha.lower	the Type I error rate for the lower confidence interval limit
alpha.upper	the Type I error rate for the upper confidence interval limit
Noncentral	TRUE/FALSE statement specifying whether or not the noncentral approach to confidence intervals should be used
Suppress.Statement	TRUE/FALSE statement specifying whether or not a statement should be printed that identifies the type of confidence interval formed
...	optional additional specifications for nested functions

**Details**

For standardized variables, do not specify the standard deviation of the variables and input the standardized regression coefficient for b.j.

**Value**

Returns the confidence limits specified for the regression coefficient of interest from the standard approach to confidence interval formation or from the noncentral approach to confidence interval formation using the noncentral *t*-distribution.

### Note

Not all of the values need to be specified, only those that contain all of the necessary information in order to compute the confidence interval (options are thus given for the values that need to be specified).

The function `ci.rc` in MBESS also calculates the confidence interval for the population (unstandardized) regression coefficient. The function `ci.src` also calculates the confidence interval for the population (standardized) regression coefficient. These two functions perform the same tasks as `ci.reg.coef` does, and are preferred to it because of simpler arguments.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Kelley, K. \& Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accuracy, not simply significant. *Psychological Methods*, 8, 305–321.
- Kelley, K. \& Maxwell, S. E. (2008). Sample Size Planning with applications to multiple regression: Power and accuracy for omnibus and targeted effects. In P. Alasuuta, J. Brannen, \& L. Bickman (Eds.), *The Sage handbook of social research methods* (pp. 166-192). Newbury Park, CA: Sage.
- Smithson, M. (2003). *Confidence intervals*. New York, NY: Sage Publications.

### See Also

`ss.aipe.reg.coef`, `conf.limits.nct`, `ci.rc`, `ci.src`

*ci.reliability*

*Confidence Interval for a Reliability Coefficient*

### Description

A function to calculate the confidence interval for a reliability coefficient using the factor analytic approach or the normal theory approach.

### Usage

```
ci.reliability(S = NULL, data = NULL, N = NULL,
model = "True-Score Equivalent", type = "Factor Analytic", conf.level = 0.95,
interval = TRUE, Bootstrap = FALSE, B = 10000, BootstrapCI = "BCa")
```

### Arguments

S	symmetric covariance or correlation matrix
data	the data set that the reliability coefficient is obtained from
N	the total sample size
model	the type of measurement model (e.g., "parallel items", "true-score equivalent", or "congeneric model") for a homogeneous single common factor test
type	the type of method to base the formation of the confidence interval on, either the "Factor Analytic" (McDonald, 1999) or "Normal Theory" (van Zyl, Neudecker, & Nel, 2000)
conf.level	the confidence level (i.e., 1-Type I error rate)
interval	whether or not to compute a confidence interval. If FALSE, then only a point estimate of the reliability will be returned.
Bootstrap	whether or not to use the bootstrap to form a confidence interval. The default is to use analytic methods.
B	the number of bootstrap replications
BootstrapCI	the type of bootstrap confidence interval. It can be BCa or percentile.

### Details

This function calculates a reliability coefficient for a set of scores based on the measurement model chosen. Thus, coefficient alpha is calculated for parallel items and true-score equivalent; and coefficient omega is calculated for congeneric items. See McDonald (1999) for the assumptions of each of these models. Under the Normal Theory method the asymptotic distribution of the maximum likelihood estimator of coefficient alpha is used for the true-score equivalent model (van Zyl et al., 2000). Note that this model is not optimal for small samples (Yuan & Bentler, 2002), for instance with N<20.

### Value

ci.lower	the lower bound of the computed confidence interval
ci.upper	the upper bound of the computed confidence interval
Estimated.reliability	the estimated reliability coefficient
SE.reliability	the standard error of the reliability coefficient
Conf.Level	the confidence level (i.e., 1 - Type I error rate)

### Author(s)

Keke Lai (University of Notre Dame); Leann J. Terry (Indiana University; <ljterry@Indiana.Edu>); Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Sunthud Pornprasertmanit (University of Kansas; <PSunthud@KU.Edu>)

## References

- McDonald, R. P. (1999). *Test theory: A unified approach*. Mahwah, New Jersey: Lawrence Erlbaum Associates, Publishers.
- van Zyl, J. M., Neudecker, H., & Nel, D. G. (2000) On the distribution of the maximum likelihood estimator of Cronbach's alpha. *Psychometrika*, 65 (3), 271-280.
- Yuan, K. & Bentler, P. M. (2002) On robustness of the normal-theory based asymptotic distributions of three reliability coefficient estimates. *Psychometrika*, 67 (2), 251-259.

## See Also

[CFA.1](#); [sem](#)

## Examples

```
# library(sem)

## Forming a hypothetical population covariance matrix
# Pop.Cov.Mat <- matrix(.3, 9, 9)
# diag(Pop.Cov.Mat) <- 1

# ci.reliability(S=Pop.Cov.Mat, N=50, model="True-Score", type="Normal Theory")
```

**ci.reliability.bs**      *Bootstrap the confidence interval for reliability coefficient*

## Description

Obtain the confidence interval for reliability coefficient with bootstrap

## Usage

```
ci.reliability.bs(data, model = "Congeneric", type = "Factor Analytic", conf.level = 0.95, B = 100, ...)
```

## Arguments

<b>data</b>	the data set that the reliability coefficient is obtained from
<b>model</b>	the type of measurement model (e.g., "parallel items", "true-score equivalent", or "congeneric model") for a homogeneous single common factor test
<b>type</b>	the type of method to base the formation of the confidence interval on, either the "Factor Analytic" (McDonald, 1999) or "Normal Theory" (van Zyl, Neudecker, & Nel, 2000)
<b>conf.level</b>	the confidence level (i.e., 1-Type I error rate)
<b>B</b>	The number of bootstrap replicates
<b>...</b>	Any other arguments for the boot function

**Value**

Percentile.Method	Confidence interval obtained with the percentile bootstrap method
BCa.Method	confidence interval obtained with the bias-correct and accelerated bootstrap method

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai (University of Notre Dame)

**References**

Efron, B. & Tibshirani, R. J. (1993). *An introduction to the bootstrap*. New York: Chapman & Hall

**See Also**

[ci.reliability](#), [CFA.1](#), [boot](#)

---

ci.rmsea	<i>Confidence interval for the population root mean square error of approximation</i>
----------	---

---

**Description**

Confidence interval for the population root mean square error of approximation (RMSEA).

**Usage**

```
ci.rmsea(rmsea, df, N, conf.level = 0.95, alpha.lower = NULL,  
alpha.upper = NULL)
```

**Arguments**

rmsea	observed root mean square error of approximation
df	degrees of freedom of the model
N	sample size
conf.level	desired confidence level (e.g., .90, .95, .99)
alpha.lower	the Type I error rate for the lower tail
alpha.upper	the Type I error rate for the upper tail

**Details**

Provides a confidence interval for the population root mean square error of approximation (RMSEA) using the noncentral chi-square distribution (e.g., Steiger & Lind, 1980).

**Value**

returns the upper and lower limit as well as the observed value of the RMSEA.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

Steiger, J. H., & Lind, J. C. (1980). *Statistically-based tests for the number of common factors*. Paper presented at the annual Spring meeting of the Psychometric Society, Iowa City, IA.

**ci.sc**

*Confidence Interval for a Standardized Contrast in a Fixed Effects ANOVA*

**Description**

Function to obtain the confidence interval for a standardized contrast in a fixed effects analysis of variance context.

**Usage**

```
ci.sc(means = NULL, error.variance = NULL, c.weights = NULL, n = NULL,
      N = NULL, Psi = NULL, ncp = NULL, conf.level = 0.95,
      alpha.lower = NULL, alpha.upper = NULL, df.error = NULL, ...)
```

**Arguments**

<b>means</b>	a vector of the group means or the means of the particular level of the effect (for fixed effect designs)
<b>error.variance</b>	the common variance of the error (i.e., the mean square error)
<b>c.weights</b>	the contrast weights (the sum of the contrast weights should be zero)
<b>n</b>	sample sizes per group or level of the particular factor (if length 1 it is assumed that the per group/level sample sizes are equal)
<b>N</b>	total sample size
<b>Psi</b>	the (unstandardized) contrast effect, obtained by multiplying the $j$ th mean by the $j$ th contrast weight (this is the unstandardized effect)
<b>ncp</b>	the noncentrality parameter from the t-distribution
<b>conf.level</b>	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
<b>alpha.lower</b>	the Type I error rate for the lower confidence interval limit
<b>alpha.upper</b>	the Type I error rate for the upper confidence interval limit
<b>df.error</b>	the degrees of freedom for the error. In one-way designs, this is simply $N$ -length (means) and need not be specified; it must be specified if the design has multiple factors.
<b>...</b>	optional additional specifications for nested functions

**Value**

Lower.Conf.Limit.Standardized.Contrast  
the lower confidence limit for the standardized contrast  
Standardized.contrast  
standardized contrast  
Upper.Conf.Limit.Standardized.Contrast  
the upper confidence limit for the standardized contrast

**Note**

Be sure to use the error variance and not its square root (i.e., the standard deviation of the errors).

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Lai, K., & Kelley, K. (2007). Sample size planning for standardized ANCOVA and ANOVA contrasts: Obtaining narrow confidence intervals. *Manuscript submitted for publication*.
- Steiger, J. H. (2004). Beyond the *F* Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

**See Also**

conf.limits.nct, ci.src, ci.smd, ci.smd.c, ci.sm, ci.c

**Examples**

```
ci.sc(means=c(2, 4, 9, 13), error.variance=1, c.weights=c(1, -1, -1, 1),
n=c(3, 3, 3, 3), N=12, conf.level=.95)

ci.sc(means=c(2, 4, 9, 13), error.variance=1, c.weights=c(1, -1, -1, 1),
n=c(3, 3, 3, 3), N=12, conf.level=.95)

ci.sc(means=c(1.6, 0), error.variance=1, c.weights=c(1, -1), n=c(10, 10),
N=20, conf.level=.95)
```

---

ci.sc.ancova	<i>Confidence interval for a standardized contrast in ANCOVA with one covariate</i>
--------------	---

---

## Description

Calculate the confidence interval for a standardized contrast in ANCOVA with one covariate. The standardizer (i.e., the divisor) can be either the error standard deviation of the ANOVA model (i.e., the model excluding the covariate) or of the ANCOVA model.

## Usage

```
ci.sc.ancova(Psi=NULL, means=NULL, s.anova = NULL, s.ancova,
standardizer = "s.ancova", c.weights, n, x.bar, SSwithin.x,
conf.level = 0.95)
```

## Arguments

Psi	unstandardized contrast of adjusted means
means	the vector that contains the adjusted mean of each group
s.anova	the error standard deviation of the ANOVA model
s.ancova	the error standard deviation of the ANCOVA model
standardizer	which error standard deviation the user wants to use, the value of which can be either "s.ancova" or "s.anova"
c.weights	the contrast weights
n	either a single number that indicates the sample size per group, or a vector that contains the sample size of each group
x.bar	a vector that contains the group means of the covariate
SSwithin.x	the sum of squares within groups obtained from the summary table for ANOVA on the covariate
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)

## Value

standardizer	the divisor used in the standardization
psi.limit.lower	the lower confidence limit of the standardized contrast
psi.limit.upper	the upper confidence limit of the standardized contrast

### Note

Be sure to use the error variance and not its square root (i.e., the standard deviation of the errors).

If n receives a single number, that number is considered as the sample size per group. If n is assigned to a vector, the vector is considered as the sample size of each group.

Be sure to use fractions not the integers to specify c.weights. For example, in an ANCOVA of four groups, if the user wants to compare the mean of group 1 and 2 with the mean of group 3 and 4, c.weights should be specified as c(0.5, 0.5, -0.5, -0.5) rather than c(1, 1, -1, -1). Make sure the sum of the contrast weights are zero.

The argument to be assigned to standardizer must be either "s.ancova" or "s.anova".

### Author(s)

Keke Lai (University of Notre Dame; <Lai.15@ND.Edu>)

### References

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11 (4), 363-385.
- Lai, K., & Kelley, K. (under review). Accuracy in parameter estimation for ANCOVA and ANOVA contrasts: Sample size planning via narrow confidence intervals.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, & J.H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### See Also

ci.c.ancova, ci.sc

### Examples

```
# Maxwell & Delaney (2004, pp. 428-468) offer an example that 30 depressive
# individuals are randomly assigned to three groups, 10 in each, and ANCOVA
# is performed on the posttest scores using the participants' pretest
# scores as the covariate. The means of pretest scores of group 1 to 3 are
# 17, 17.7, and 17.4, respectively, and the adjusted means of groups 1 to 3
# are 7.5, 12, and 14, respectively. The error variance in ANCOVA is 29,
# and the sum of squares within groups from ANOVA on the covariate is
# 313.37.

# To obtain the confidence interval for the standardized adjusted
# mean difference between group 1 and 2, using the ANCOVA error standard
# deviation:
ci.sc.ancova(means=c(7.5, 12, 14), s.ancova=29, c.weights=c(1,-1,0),
n=10, x.bar=c(17, 17.7, 17.4), SSwithin.x=313.37)
```

---

**ci.sm***Confidence Interval for the Standardized Mean*

---

### Description

Function to obtain the exact confidence interval for the standardized mean.

### Usage

```
ci.sm(sm = NULL, Mean = NULL, SD = NULL, ncp = NULL, N = NULL,  
conf.level = 0.95, alpha.lower = NULL, alpha.upper = NULL, ...)
```

### Arguments

sm	standardized mean
Mean	mean
SD	standard deviation
ncp	noncentral parameter
N	sample size
conf.level	confidence interval coverage (i.e., 1 - Type I error rate); default is .95
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
...	allows one to potentially include parameter values for inner functions

### Details

The user must specify the standardized mean in one and only one of the three ways: a) mean and standard deviation (Mean and SD), b) standardized mean (sm), and c) noncentral parameter (ncp). The confidence level must be specified in one of following two ways: using confidence interval coverage (conf.level), or lower and upper confidence limits (alpha.lower and alpha.upper).

This function uses the exact confidence interval method based on noncentral t distribution. The confidence interval for noncentral t parameter can be obtained from function `conf.limits.nct` in MBESS.

### Value

<code>Lower.Conf.Limit.Standardized.Mean</code>	lower confidence limit of the standardized mean
<code>Standardized.Mean</code>	standardized mean
<code>Upper.Conf.Limit.Standardized.Mean</code>	upper confidence limit of the standardized mean

**Note**

The standardized mean is the mean divided by the standard deviation.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, & J.H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

**See Also**

conf.limits.nct

**Examples**

```
ci.sm(sm=2.037905, N=13, conf.level=.95)
ci.sm(Mean=30, SD=14.721, N=13, conf.level=.95)
ci.sm(ncp=7.347771, N=13, conf.level=.95)
ci.sm(sm=2.037905, N=13, alpha.lower=.05, alpha.upper=0)
ci.sm(Mean=50, SD=10, N=25, conf.level=.95)
```

---

ci.smd

*Confidence limits for the standardized mean difference.*

---

**Description**

Function to calculate the confidence limits for the population standardized mean difference using the square root of the pooled variance as the divisor. This function is thus to determine the confidence bounds for the population quantity of what is generally referred to as Cohen's  $d$  (delta being that population quantity).

**Usage**

```
ci.smd(ncp=NULL, smd=NULL, n.1=NULL, n.2=NULL, conf.level=.95,
alpha.lower=NULL, alpha.upper=NULL, tol=1e-9, ...)
```

### Arguments

<code>ncp</code>	is the estimated noncentrality parameter, this is generally the observed <i>t</i> -statistic from comparing the two groups and assumes homogeneity of variance
<code>smd</code>	is the standardized mean difference (using the pooled standard deviation in the denominator)
<code>n.1</code>	is the sample size for Group 1
<code>n.2</code>	is the sample size for Group 2
<code>conf.level</code>	is the confidence level (1-Type I error rate)
<code>alpha.lower</code>	is the Type I error rate for the lower tail
<code>alpha.upper</code>	is the Type I error rate for the upper tail
<code>tol</code>	is the tolerance of the iterative method for determining the critical values
<code>...</code>	allows one to potentially include parameter values for inner functions

### Value

<code>Lower.Conf.Limit.smd</code>	The lower bound of the computed confidence interval
<code>smd</code>	The standardized mean difference
<code>Upper.Conf.Limit.smd</code>	The upper bound of the computed confidence interval

### Warning

This function uses `conf.limits.nct`, which has as one of its arguments `tol` (and can be modified with `tol` of the present function). If the present function fails to converge (i.e., if it runs but does not report a solution), it is likely that the `tol` value is too restrictive and should be increased by a factor of 10, but probably by no more than 100. Running the function `conf.limits.nct` directly will report the actual probability values of the limits found. This should be done if any modification to `tol` is necessary in order to ensure acceptable confidence limits for the noncentral-*t* parameter have been achieved.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Cohen, J. (1988) Statistical power analysis for the behavioral sciences (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.

Kelley, K., Maxwell, S. E., & Rausch, J. R. (2003) Obtaining Power or Obtaining Precision: Delininging Methods of Sample-Size Planning, *Evaluation and the Health Professions*, 26, 258–287.

Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik,&J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

## See Also

smd.c, smd, ci.smd.c, conf.limits.nct

## Examples

```
# Examples Steiger and Fouladi example values.
ci.smd(ncp=2.6, n.1=10, n.2=10, conf.level=1-.05)
ci.smd(ncp=2.4, n.1=300, n.2=300, conf.level=1-.05)
```

**ci.smd.c**

*Confidence limits for the standardized mean difference using the control group standard deviation as the divisor.*

## Description

Function to calculate the confidence limits for the standardized mean difference using the control group standard deviation as the divisor (Glass's g).

## Usage

```
ci.smd.c(ncp = NULL, smd.c = NULL, n.C = NULL, n.E = NULL,
conf.level = 0.95, alpha.lower = NULL, alpha.upper = NULL,
tol = 1e-09, ...)
```

## Arguments

ncp	is the estimated noncentrality parameter, this is generally the observed <i>t</i> -statistic from comparing the control and experimental group (assuming homogeneity of variance)
smd.c	is the standardized mean difference (using the control group standard deviation in the denominator)
n.C	is the sample size for the control group
n.E	is the sample size for experimental group
conf.level	is the confidence level (1-Type I error rate)
alpha.lower	is the Type I error rate for the lower tail
alpha.upper	is the Type I error rate for the upper tail
tol	is the tolerance of the iterative method for determining the critical values
...	Potentially include parameter for inner functions

### Value

<code>Lower.Conf.Limit.smd.c</code>	The lower bound of the computed confidence interval
<code>smd.c</code>	The standardized mean difference based on the control group standard deviation
<code>Upper.Conf.Limit.smd.c</code>	The upper bound of the computed confidence interval

### Warning

This function uses `conf.limits.nct`, which has as one of its arguments `tol` (and can be modified with `tol` of the present function). If the present function fails to converge (i.e., if it runs but does not report a solution), it is likely that the `tol` value is too restrictive and should be increased by a factor of 10, but probably by no more than 100. Running the function `conf.limits.nct` directly will report the actual probability values of the limits found. This should be done if any modification to `tol` is necessary in order to ensure acceptable confidence limits for the noncentral-*t* parameter have been achieved.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Cohen, J. (1988) Statistical power analysis for the behavioral sciences (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Glass, G. V. (1976) Primary, secondary, and meta-analysis of research. *Educational Researcher*, 5, 3–8.
- Hedges, L. V. (1981) Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Steiger, J. H., \& Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, \& J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### See Also

`smd.c`, `smd`, `ci.smd`, `conf.limits.nct`

### Examples

```
ci.smd.c(smd.c=.5, n.C=100, conf.level=.95, n.E=100)
```

---

**ci.snr***Confidence Interval for the Signal-To-Noise Ratio*

---

## Description

Function to obtain the exact confidence interval for the signal-to-noise ratio (i.e., the variance of the specific factor over the error variance).

## Usage

```
ci.snr(F.value = NULL, df.1 = NULL, df.2 = NULL, N = NULL, conf.level = 0.95,
       alpha.lower = NULL, alpha.upper = NULL, ...)
```

## Arguments

F.value	observed F-value from the analysis of variance
df.1	numerator degrees of freedom
df.2	denominator degrees of freedom
N	sample size
conf.level	confidence interval coverage (i.e., 1 - Type I error rate), default is .95
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
...	allows one to potentially include parameter values for inner functions

## Details

The confidence level must be specified in one of following two ways: using confidence interval coverage (`conf.level`), or lower and upper confidence limits (`alpha.lower` and `alpha.upper`).

This function uses the confidence interval transformation principle (Steiger, 2004) to transform the confidence limits for the noncentrality parameter to the confidence limits for the population's signal-to-noise ratio. The confidence interval for noncentral  $F$  parameter can be obtained from function `conf.limits.ncf` in MBESS, which is used within this function.

## Value

Returns the confidence limits for the signal-to-noise ratio.

<code>Lower.Limit.Signal.to.Noise.Ratio</code>	lower limit for signal to noise ratio
<code>Upper.Limit.Signal.to.Noise.Ratio</code>	upper limit for signal to noise ratio

## Note

The signal to noise ratio is defined as the variance due to the particular factor over the error variance (i.e., the mean square error).

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Fleishman, A. I. (1980). Confidence intervals for correlation ratios. *Educational and Psychological Measurement*, 40, 659–670.
- Steiger, J. H. (2004). Beyond the *F* Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

## See Also

`ci.srsnr, conf.limits.ncf`

## Examples

```
## Bargman (1970) gave an example in which a 5-group ANOVA with 11 subjects in each
## group is conducted and the observed F value is 11.2213. This example was
## used in Venables (1975), Fleishman (1980), and Steiger (2004). If one wants to calculate
## the exact confidence interval for the signal-to-noise ratio of that example, this
## function can be used.

ci.snr(F.value=11.221, df.1=4, df.2=50, N=55)

ci.snr(F.value=11.221, df.1=4, df.2=50, N=55, conf.level=.90)

ci.snr(F.value=11.221, df.1=4, df.2=50, N=55, alpha.lower=.02, alpha.upper=.03)
```

## Description

Function to obtain the confidence interval for a standardized regression coefficient.

## Usage

```
ci.src(beta.k = NULL, SE.beta.k = NULL, N = NULL, K = NULL, R2.Y_X = NULL,
R2.k_X.without.k = NULL, conf.level = 0.95, R2.Y_X.without.k = NULL,
t.value = NULL, b.k = NULL, SE.b.k = NULL, s.Y = NULL, s.X = NULL,
alpha.lower = NULL, alpha.upper = NULL, Suppress.Statement = FALSE, ...)
```

## Arguments

beta.k	the standardized regression coefficient
SE.beta.k	the standard error of the standarized regression coefficient
N	sample size
K	the number of predictors
R2.Y_X	the squared multiple correlation coefficient predicting $Y$ from the $k$ predictor variables
R2.k_X.without.k	the squared multiple correlation coefficient predicting the $k$ th predictor variable (i.e., the predictor of interest) from the remaining $p-1$ predictor variables
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
R2.Y_X.without.k	the squared multiple correlation coefficient predicting $Y$ from the $p-1$ predictor variable with the $k$ th predictor of interest excluded
t.value	the t-value evaluating the null hypothesis that the population regression coefficient for the $k$ th predictor equals zero
b.k	the unstandardized regression coefficient
SE.b.k	the standard error of the unstandardized regression coefficient
s.Y	standard deviation of $Y$ , the dependent variable
s.X	standard deviation of $X$ , the predictor variable of interest
alpha.lower	the Type I error rate for the lower confidence interval limit
alpha.upper	the Type I error rate for the upper confidence interval limit
Suppress.Statement	TRUE/FALSE statement specifying whether or not a statement should be printed that identifies the type of confidence interval formed
...	optional additional specifications for nested functions

## Details

For standardized variables, do not specify the standard deviation of the variables and input the standardized regression coefficient for b.k.

## Value

Returns the confidence limits specified for the regression coefficient of interest from the standard approach to confidence interval formation or from the noncentral approach to confidence interval formation using the noncentral t-distribution.

### Note

This function calls upon `ci.reg.coef` in MBESS, but has a different naming scheme. See `ci.reg.coef` for more details.

To form a confidence interval for the unstandardized regression coefficient, use `ci.rc`. This function is used to form a confidence interval for the standardized regression coefficient.

Not all of the values need to be specified, only those that contain all of the necessary information in order to compute the confidence interval (options are thus given for the values that need to be specified).

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K. \& Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accuracy, not simply significant. *Psychological Methods*, 8, 305–321.
- Kelley, K. \& Maxwell, S. E. (2008). Sample Size Planning with applications to multiple regression: Power and accuracy for omnibus and targeted effects. In P. Alasuuta, J. Brannen, \& L. Bickman (Eds.), *The Sage handbook of social research methods* (pp. 166-192). Newbury Park, CA: Sage.
- Smithson, M. (2003). *Confidence intervals*. New York, NY: Sage Publications.
- Steiger, J. H. (2004). Beyond the *F* Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

### See Also

`ss.aipe.reg.coef`, `conf.limits.nct`, `ci.reg.coef`, `ci.rc`

`ci.srsnr`

*Confidence Interval for the Square Root of the Signal-To-Noise Ratio*

### Description

Function to calculate the exact confidence interval for the square root of the signal-to-noise ratio.

### Usage

```
ci.srsnr(F.value = NULL, df.1 = NULL, df.2 = NULL, N = NULL,
conf.level = 0.95, alpha.lower = NULL, alpha.upper = NULL, ...)
```

### Arguments

F.value	observed $F$ -value from the analysis of variance
df.1	numerator degrees of freedom
df.2	denominator degrees of freedom
N	sample size
conf.level	confidence interval coverage (i.e., 1 - Type I error rate); default is .95
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
...	allows one to potentially include parameter values for inner functions

### Details

The confidence level must be specified in one of following two ways: using confidence interval coverage (conf.level), or lower and upper confidence limits (alpha.lower and alpha.upper).

The square root of the signal-to-noise ratio is defined as the standard deviation due to the particular factor over the standard deviation of the error (i.e., the square root of the mean square error). This function uses the confidence interval transformation principle (Steiger, 2004) to transform the confidence limits for the noncentality parameter to the confidence limits for square root of signal-to-noise ratio. The confidence interval for noncentral  $F$  parameter can be obtained from function conf.limits.ncf in MBESS.

### Value

Returns the square root of the confidence limits for the signal to noise ratio.

`Lower.Limit.of.the.Square.Root.of.the.Signal.to.Noise.Ratio`

lower limit of the square root of the signal to noise ratio

`Upper.Limit.of.the.Square.Root.of.the.Signal.to.Noise.Ratio`

upper limit of the square root of the signal to noise ratio

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Fleishman, A. I. (1980). Confidence intervals for correlation ratios. *Educational and Psychological Measurement*, 40, 659–670.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Steiger, J. H. (2004). Beyond the  $F$  Test: Effect size confidence intervals and tests of close fit in the Analysis of Variance and Contrast Analysis. *Psychological Methods*, 9, 164–182.

### See Also

`ci.snr`, `conf.limits.ncf`

## Examples

```
## To illustrate the calculation of the confidence interval for noncentral
## F parameter,Bargman (1970) gave an example in which a 5-group ANOVA with
## 11 subjects in each group is conducted and the observed F value is 11.2213.
## This exmaple continued to be used in Venables (1975), Fleishman (1980),
## and Steiger (2004). If one wants to calculate the exact confidence interval
## for square root of the signal-to-noise ratio of that example, this
## function can be used.

ci.srsnr(F.value=11.221, df.1=4, df.2=50, N=55)

ci.srsnr(F.value=11.221, df.1=4, df.2=50, N=55, conf.level=.90)

ci.srsnr(F.value=11.221, df.1=4, df.2=50, N=55, alpha.lower=.02, alpha.upper=.03)
```

**conf.limits.nc.chisq** *Confidence limits for noncentral chi square parameters*

## Description

Function to determine the noncentral parameter that leads to the observed Chi.Square-value, so that a confidence interval for the population F-value can be conducted. Used for forming confidence intervals around noncentral parameters (given the monotonic relationship between the F-value and the noncentral value).

## Usage

```
conf.limits.nc.chisq(Chi.Square=NULL, conf.level=.95, df=NULL,
alpha.lower=NULL, alpha.upper=NULL, tol=1e-9, Jumping.Prop=.10)
```

## Arguments

Chi.Square	the observed chi-square value
conf.level	the desired degree of confidence for the interval
df	the degrees of freedom
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
tol	tolerance for iterative convergence
Jumping.Prop	Value used in the iterative scheme to determine the noncentral parameters necessary for confidence interval construction using noncentral chi square-distributions ( $0 < \text{Jumping.Prop} < 1$ )

## Details

If the function fails (or if a function relying upon this function fails), adjust the `Jumping.Prop` (to a smaller value).

**Value**

Lower.Limit	Value of the distribution with Lower.Limit noncentral value that has at its specified quantile Chi.Square
Prob.Less.Lower	Proportion of cases falling below Lower.Limit
Upper.Limit	Value of the distribution with Upper.Limit noncentral value that has at its specified quantile Chi.Square
Prob.Greater.Upper	Proportion of cases falling above Upper.Limit

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

conf.limits.nct, conf.limits.ncf

**Examples**

```
# A typical call to the function.
conf.limits.nc.chisq(Chi.Square=30, conf.level=.95, df=15)

# A one sided (upper) confidence interval.
conf.limits.nc.chisq(Chi.Square=30, alpha.lower=0, alpha.upper=.05,
conf.level=NULL, df=15)
```

conf.limits.ncf

*Confidence limits for noncentral F parameters*

**Description**

Function to determine the noncentral parameter that leads to the observed F-value, so that a confidence interval around the population F-value can be conducted. Used for forming confidence intervals around noncentral parameters (given the monotonic relationship between the F-value and the noncentral value).

**Usage**

```
conf.limits.ncf(F.value = NULL, conf.level = .95, df.1 = NULL,
df.2 = NULL, alpha.lower = NULL, alpha.upper = NULL, tol = 1e-09,
Jumping.Prop = 0.1)
```

### Arguments

<code>F.value</code>	the observed F-value
<code>conf.level</code>	the desired degree of confidence for the interval
<code>df.1</code>	the numerator degrees of freedom
<code>df.2</code>	the denominator degrees of freedom
<code>alpha.lower</code>	Type I error for the lower confidence limit
<code>alpha.upper</code>	Type I error for the upper confidence limit
<code>tol</code>	tolerance for iterative convergence
<code>Jumping.Prop</code>	Value used in the iterative scheme to determine the noncentral parameters necessary for confidence interval construction using noncentral F-distributions ( $0 < \text{Jumping.Prop} < 1$ )

### Details

This function is the relied upon by the `ci.R2` and `ss.aipe.R2`. If the function fails (or if a function relying upon this function fails), adjust the `Jumping.Prop` (to a smaller value).

### Value

<code>Lower.Limit</code>	Value of the distribution with <code>Lower.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Less.Lower</code>	Proportion of cases falling below <code>Lower.Limit</code>
<code>Upper.Limit</code>	Value of the distribution with <code>Upper.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Greater.Upper</code>	Proportion of cases falling above <code>Upper.Limit</code>

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### See Also

`ss.aipe.R2`, `ci.R2`, `conf.limits.nct`

### Examples

```
conf.limits.ncf(F.value = 5, conf.level = .95, df.1 = 5,
df.2 = 100)

# A one sided confidence interval.
conf.limits.ncf(F.value = 5, conf.level = NULL, df.1 = 5,
df.2 = 100, alpha.lower = .05, alpha.upper = 0, tol = 1e-09,
Jumping.Prop = 0.1)
```

---

conf.limits.nct*Confidence limits for a noncentrality parameter from a t-distribution*

---

## Description

Function to determine the noncentrality parameters necessary to form a confidence interval around the population noncentrality parameter and related parameters. Due to the difficulties in estimating the necessary values, three different methods are implemented within the present function (`conf.limits.nct.M1`, `conf.limits.nct.M2`, and `conf.limits.nct.M3`) and the best set of results are taken.

## Usage

```
conf.limits.nct(ncp, df, conf.level = 0.95, alpha.lower = NULL,
alpha.upper = NULL, t.value, tol = 1e-09, sup.int.warns = TRUE,
method = "all", ...)
```

## Arguments

ncp	the noncentrality parameter (e.g., observed t-value) of interest.
df	the degrees of freedom.
conf.level	the level of confidence for a symmetric confidence interval.
alpha.lower	the proportion of values beyond the lower limit of the confidence interval (cannot be used with <code>conf.level</code> ).
alpha.upper	the proportion of values beyond the upper limit of the confidence interval (cannot be used with <code>conf.level</code> ).
t.value	alias for <code>ncp</code>
tol	is the tolerance of the iterative method for determining the critical values.
sup.int.warns	Suppress internal warnings (from internal functions): TRUE or FALSE
method	which of the three methods should be used: "all", "1", "2", "3" ("all" is default).
...	allows one to potentially include parameter values for inner functions

## Details

Function for finding the upper and lower confidence limits for a noncentral parameter from a noncentral  $t$ -distribution with  $df$  degrees of freedom. This function is especially helpful when forming confidence intervals around standardized mean differences (i.e., Cohen's  $d$ ; Glass's  $g$ ; Hedges  $g'$ ), standardized regression coefficients, and coefficients of variations. The `Lower.Limit` and the `Upper.Limit` values correspond to the noncentral parameters of a  $t$ -distribution with  $df$  degrees of freedom whose upper and lower tails contain the desired proportion of the curves, respectively. When `ncp` is zero, the `Lower.Limit` and `Upper.Limit` are simply the desired quantiles of the central  $t$ -distribution with  $df$  degrees of freedom.

See the documentation and code for each of the three methods (if interested). Each of the three methods should reach the same values for the confidence limits. However, due to the iterative nature of the functions, one function may arrive at a more optimal solution. Furthermore, in some situations one (or more) functions could fail to find the optimum values, which necessitates the use of multiple methods to (essentially) ensure that optimal values are found.

### Value

<code>Lower.Limit</code>	Value of the distribution with <code>Lower.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Less.Lower</code>	Proportion of the distribution beyond (i.e., less than) <code>Lower.Limit</code>
<code>Upper.Limit</code>	Value of the distribution with <code>Upper.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Greater.Upper</code>	Proportion of the distribution beyond (i.e., larger than) <code>Upper.Limit</code>

### Warning

At the present time, the largest ncp that R can accurately handle is 37.62.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Steiger, J. \& Fouladi, T. (1997) Noncentrality interval estimation and the evaluation of statistical models. In L. Harlow, S. Muliak, \& J. Steiger (Eds.), *What if there were no significance tests?*. Mahwah, NJ: Lawrence Erlbaum.

### See Also

`pt`, `qt`, `ci.smd`, `ci.smd.c`, `ss.aipe`, `conf.limits.ncf`, `conf.limits.nc.chisq`

### Examples

```
# Suppose observed t-value based on 'df'=126 is 2.83. Finding the lower
# and upper critical values for the population noncentrality parameter
# with a symmetric confidence interval with 95% confidence is given as:
conf.limits.nct(ncp=2.83, df=126, conf.level=.95)
```

```
# Modifying the above example so that nonsymmetric confidence intervals
# can be formed:
conf.limits.nct(ncp=2.83, df=126, alpha.lower=.01, alpha.upper=.04,
conf.level=NULL)
```

**conf.limits.nct.M1**      *Confidence limits for a noncentrality parameter from a t-distribution  
(Method 1 of 3)*

## Description

Largely internal function to determine the noncentrality parameters necessary to form a confidence interval for the population noncentrality parameter and related parameters. Method 1 uses the `optimize` function to determine the critical values. This function requires the `ncp` to be positive, but the function that should be used `conf.limits.nct` does not.

## Usage

```
conf.limits.nct.M1(ncp, df, conf.level = .95, alpha.lower = NULL,
alpha.upper = NULL, min.ncp = -3 * ncp, max.ncp = 3 * ncp,
tol = 1e-09, sup.int.warns = TRUE, ...)
```

## Arguments

<code>ncp</code>	the noncentrality parameter (e.g., observed t-value) of interest
<code>df</code>	the degrees of freedom
<code>conf.level</code>	the level of confidence for a symmetric confidence interval
<code>alpha.lower</code>	the proportion of values beyond the lower limit of the confidence interval (cannot be used with <code>conf.level</code> )
<code>alpha.upper</code>	the proportion of values beyond the upper limit of the confidence interval (cannot be used with <code>conf.level</code> )
<code>min.ncp</code>	lower noncentral parameter from which to start the search process
<code>max.ncp</code>	lower noncentral parameter from which to start the search process
<code>tol</code>	is the tolerance of the iterative method for determining the critical values
<code>sup.int.warns</code>	Suppress internal warnings (from internal functions): TRUE or FALSE
<code>...</code>	allows one to potentially include parameter values for inner functions

## Value

<code>Lower.Limit</code>	Value of the distribution with <code>Lower.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Less.Lower</code>	Proportion of the distribution beyond (i.e., less than) <code>Lower.Limit</code>
<code>Upper.Limit</code>	Value of the distribution with <code>Upper.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Greater.Upper</code>	Proportion of the distribution beyond (i.e., larger than) <code>Upper.Limit</code>

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

`conf.limits.nct, optimize`

`conf.limits.nct.M2`     *Confidence limits for a noncentrality parameter from a t-distribution  
(Method 2 of 3)*

**Description**

Largely internal function to determine the noncentrality parameters necessary to form a confidence interval around the population noncentrality parameter and related parameters. Method 2 uses the `n1m` function to determine the critical values. This function requires the `ncp` to be positive, but the function that should be used `conf.limits.nct` does not.

**Usage**

```
conf.limits.nct.M2(ncp = ncp, df = df, conf.level = .95, alpha.lower = NULL,
alpha.upper = NULL, tol = 1e-09, sup.int.warns = TRUE, ...)
```

**Arguments**

<code>ncp</code>	the noncentrality parameter (e.g., observed t-value) of interest
<code>df</code>	the degrees of freedom
<code>conf.level</code>	the level of confidence for a symmetric confidence interval
<code>alpha.lower</code>	the proportion of values beyond the lower limit of the confidence interval (cannot be used with <code>conf.level</code> )
<code>alpha.upper</code>	the proportion of values beyond the upper limit of the confidence interval (cannot be used with <code>conf.level</code> )
<code>tol</code>	is the tolerance of the iterative method for determining the critical values
<code>sup.int.warns</code>	Suppress internal warnings (from internal functions): TRUE or FALSE
<code>...</code>	allows one to potentially include parameter values for inner functions

**Value**

<code>Lower.Limit</code>	Value of the distribution with <code>Lower.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Less.Lower</code>	Proportion of the distribution beyond (i.e., less than) <code>Lower.Limit</code>
<code>Upper.Limit</code>	Value of the distribution with <code>Upper.Limit</code> noncentral value that has at its specified quantile <code>F.value</code>
<code>Prob.Greater.Upper</code>	Proportion of the distribution beyond (i.e., larger than) <code>Upper.Limit</code>

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

conf.limits.nct, nlm

---

conf.limits.nct.M3	<i>Confidence limits for a noncentrality parameter from a t-distribution (Method 3 of 3)</i>
--------------------	--

---

**Description**

Largely internal function to determine the noncentrality parameters necessary to form a confidence interval around the population noncentrality parameter and related parameters. Method 3 uses an iterative scheme in order to determine the critical values. This function requires the ncp to be positive, but the function that should be used conf.limits.nct does not.

**Usage**

```
conf.limits.nct.M3(ncp, df, conf.level = .95, alpha.lower = NULL,  
alpha.upper = NULL, tol = 1e-09, sup.int.warns = TRUE,  
max.steps = 2500, ...)
```

**Arguments**

ncp	the noncentrality parameter (e.g., observed t-value) of interest
df	the degrees of freedom
conf.level	the level of confidence for a symmetric confidence interval
alpha.lower	the proportion of values beyond the lower limit of the confidence interval (cannot be used with conf.level)
alpha.upper	the proportion of values beyond the upper limit of the confidence interval (cannot be used with conf.level)
tol	is the tolerance of the iterative method for determining the critical values
sup.int.warns	Suppress internal warnings (from internal functions): TRUE or FALSE
max.steps	maximum number of iterations when finding the lower and upper confidence limit
...	allows one to potentially include parameter values for inner functions

**Value**

Lower.Limit	Value of the distribution with Lower.Limit noncentral value that has at its specified quantile F.value
Prob.Less.Lower	Proportion of the distribution beyond (i.e., less than) Lower.Limit
Upper.Limit	Value of the distribution with Upper.Limit noncentral value that has at its specified quantile F.value
Prob.Greater.Upper	Proportion of the distribution beyond (i.e., larger than) Upper.Limit

**Note**

This code was adapted from code written by Ken Kelley and Joseph R. Rausch (University of Notre Dame; <JRausch@ND.Edu>), which was adapted from code written by Michael Smithson (Australian National University; <Michael.Smithson@ANU.Edu.AU>).

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

conf.limits.nct

Cor.Mat.Lomax

*Correlation matrix for Lomax (1983) data set*

**Description**

Correlation matrix for Lomax (1983) data set

**Usage**

data(Cor.Mat.Lomax)

**Details**

Variables 1 through 14 in the correlation matrix are, respectively:

**Variables**

- (1) DRS-consonant sounds
- (2) DRS-consonant blends and diagraphs
- (3) DRS-common syllables or phonograms
- (4) DRS-blending
- (5) WRAT-total raw score
- (6) DRS-total correct both lists
- (7) DRS-total words read correct oral

- (8) DRS-wpm first oral passage
- (9) DRS-wpm first silent passage
- (10) DRS-mean wpm oral passages read
- (11) DRS-mean wpm silent passages read
- (12) DRS-total correct oral comprehension
- (13) DRS-total correct silent comprehension
- (14) CTBS-comprehension ESS scores

DRS refers to Diagnostic Reading Scales, WRAT refers to Wide Range Achievement Test, and CTBS refers to Comprehensive Tests of basic skills.

The model was designed to study the causal relationship between the phonological, word recognition, reading rate, and comprehension components of the reading process. There are four latent variables in the model: (a) phonological; (b) word recognition; (c) reading rate; (d) reading comprehension.

Phonological is indicated by (a) DRS-consonant sounds; (b) DRS-consonant blends and diagraphs; (c) DRS-common syllables or phonograms; (d) DRS-blending.

Word recognition is indicated by (a) WRAT-total raw score; (b) DRS-total correct both lists; (c) DRS-total words read correct oral

Reading rate is indicated by (a) DRS-wpm first oral passage; (b) DRS-wpm first silent passage; (c) DRS-mean wpm oral passages read; (d) DRS-mean wpm silent passages read.

Reading comprehension is indicated by (a) DRS-total correct oral comprehension; (b) DRS-total correct silent comprehension; (c) CTBS-comprehension ESS scores.

## Source

Lomax, R. G. (1983). Applying structural modeling to some component processes of reading comprehension development. *Journal of Experimental Education*, 52 (1), 33-40.

## References

Lomax, R. G. (1983). Applying structural modeling to some component processes of reading comprehension development. *Journal of Experimental Education*, 52 (1), 33-40.

Cor.Mat.MM

*Correlation matrix for Maruyama \& McGarvey (1980) data set*

## Description

Correlation matrix for Maruyama \& McGarvey (1980) data set

## Usage

```
data(Cor.Mat.MM)
```

## Details

Variables 1 through 13 in the correlation matrix are, respectively:

- Variables
- (1) seating popularity
  - (2) playground popularity
  - (3) schoolwork popularity
  - (4) verbal achievement
  - (5) verbal grades
  - (6) Duncan SEI
  - (7) education of head of house
  - (8) No. of rooms over No. of persons
  - (9) Raven Progressive Matrices
  - (10) Peabody PVT
  - (11) father's evaluation
  - (12) mothers evaluation
  - (13) teacher's evaluation

The model was designed to examine whether acceptance by significant others (i.e., parents, teachers, and peers) causes improved scholastic achievement. There are five latent variables in the model: (a) SES, socio-economic status; (b) ABL, academic ability; (c) ACH, achievement; (d) ASA, acceptance by significant adults; (e) APR, acceptance by peers.

SES is indicated by (a) SEI, Duncan Socioeconomic Index of Occupations; (b) EDHH, educational attainment of the head of the household; (c) R/P, ratio of rooms in the house to persons living in the house.

ACH is indicated by (a) VACH, standardized verbal test scores; (b) VGR, verbal grades.

ABL is indicated by (a) PEA, Peabody Picture Vocabulary Test; (b) RAV, Raven Progressive Matrices.

ASA is indicated by (a) FEV, father's evaluation; (b) MEV, mother's evaluation; (c) TEV, teacher's evaluation.

APR is indicated by (a) PPOP, playground popularity; (b) SPOP, seating popularity; (c) WPOP, schoolwork popularity.

## Source

Maruyama, G., & McGarvey, B. (1980). Evaluating causal models: An application of maximum-likelihood analysis of structural equations. *Psychological Bulletin*, 87 (3), 502-512.

## References

Maruyama, G., & McGarvey, B. (1980). Evaluating causal models: An application of maximum-likelihood analysis of structural equations. *Psychological Bulletin*, 87 (3), 502-512.

## Description

Function to convert a correlation matrix to a covariance matrix.

## Usage

```
cor2cov(cor.mat, sd, discrepancy=1e-5)
```

## Arguments

cor.mat	the correlation matrix to be converted
sd	a vector that contains the standard deviations of the variables in the correlation matrix
discrepancy	a neiboughood of 1, such that numbers on the main diagonal of the correlation matrix will be considered as equal to 1 if they fall in this neiboughood

## Details

The correlation matrix to convert can be either symmetric or triangular. The covariance matrix returned is always a symmetric matrix.

## Note

The correlation matrix input should be a square matrix, and the length of sd should be equal to the number of variables in the correlation matrix (i.e., the number of rows/columns). Sometimes the correlation matrix input may not have exactly 1's on the main diagonal, due to, eg, rounding; discrepancy specifies the allowable discrepancy so that the function still considers the input as a correlation matrix and can proceed (but the function does not change the numbers on the main diagonal).

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>), Keke Lai

`covmat.from.cfm`*Covariance matrix from confirmatory (single) factor model.*

## Description

Function calculates a covariance matrix using the specified Lambda and Psi.Square values from a confirmatory factor model approach (McDonald, 1999).

## Usage

```
covmat.from.cfm(Lambda, Psi.Square, tol.det = 1e-05)
```

## Arguments

<code>Lambda</code>	the vector of population factor loadings
<code>Psi.Square</code>	the vector of population error variances
<code>tol.det</code>	the specified tolerance for the determinant

## Value

<code>Population.Covariance</code>	the population covariance matrix
<code>True.Covariance</code>	the true covariance matrix
<code>True.Covariance</code>	the error covariance matrix

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Leann Terry (Indiana University; <ljterry@Indiana.Edu>)

## References

McDonald, R. P. (1999). *Test theory: A unified approach*. Mahwah, NJ: Erlbaum.

## See Also

[CFA.1](#); [sem](#)

## Examples

```
# General Congeneric
# covmat.from.cfm(Lambda=c(.8, .9, .6, .8), Psi.Square=c(.6, .2, .1, .3), tol.det=.00001)

# True-score equivalent
# covmat.from.cfm(Lambda=c(.8, .8, .8, .8), Psi.Square=c(.6, .2, .1, .3), tol.det=.00001)
```

---

```
# Parellel
# covmat.from.cfm(Lambda=c(.8, .8, .8, .8), Psi.Square=c(.2, .2, .2, .2), tol.det=.00001)
```

---

**cv**

*Function to calculate the regular (and biased) estimate of the coefficient of variation or the unbiased estimate of the coefficient of variation.*

---

## Description

Returns the estimated coefficient of variation or the unbiased estimate of the coefficient of variation.

## Usage

```
cv(C.of.V=NULL, mean=NULL, sd=NULL, N=NULL, unbiased=FALSE)
```

## Arguments

C.of.V	Usual estimate of the coefficient of variation (C.of.V=sd/mean)
mean	observed mean
sd	observed standard deviation (based on N-1 in the denominator of the variance)
N	sample size
unbiased	return the unbiased estimate of the coefficient of variation

## Details

A function to calculate the usual estimate of the coefficient of variation or its unbiased estimate.

## Value

Returns the unbiased estimate for the standard deviation.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## Examples

```
cv(mean=100, sd=15)
cv(mean=100, sd=15, N=50, unbiased=TRUE)
cv(C.of.V=.15, N=2, unbiased=TRUE)
```

**Expected.R2***Expected value of the squared multiple correlation coefficient***Description**

Returns the expected value of the squared multiple correlation coefficient given the population squared multiple correlation coefficient, sample size, and the number of predictors

**Usage**

```
Expected.R2(Population.R2, N, p)
```

**Arguments**

Population.R2	population squared multiple correlation coefficient
N	sample size
p	the number of predictor variables

**Details**

Uses the hypergeometric function as discussed in section 28 of Stuart, Ord, and Arnold (1999) in order to obtain the *correct* value for the squared multiple correlation coefficient. Many times an exact value is given that ignores the hypergeometric function. This function yields the correct value.

**Value**

Returns the expected value of the squared multiple correlation coefficient.

**Note**

Uses package `gsl` and its `hyperg_2F1` function.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Olkin, I. & Pratt, J. W. (1958). Unbiased estimation of certain correlation coefficients. *Annals of Mathematical statistics*, 29, 201–211.
- Stuart, A., Ord, J. K., & Arnold, S. (1999). *Kendall's advanced theory of statistics: Classical inference and the linear model* (Volume 2A, 2nd Edition). New York, NY: Oxford University Press.

**See Also**

`ss.aipe.R2`, `ci.R2`, `Variance.R2`

## Examples

```
# library(gsl)
# Expected.R2(.5, 10, 5)
# Expected.R2(.5, 25, 5)
# Expected.R2(.5, 50, 5)
# Expected.R2(.5, 100, 5)
# Expected.R2(.5, 1000, 5)
# Expected.R2(.5, 10000, 5)
```

## F.and.R2.Noncentral.Conversion

*Conversion functions from noncentral noncentral values to their corresponding and vice versa, for those related to the F-test and R Square.*

## Description

Given values of test statistics (and the appropriate additional information) the value of the non-central values can be obtained. Likewise, given noncentral values (and the appropriate additional information) the value of the test statistic can be obtained.

## Usage

```
Rsquare2F(R2 = NULL, df.1 = NULL, df.2 = NULL, p = NULL, N = NULL)

F2Rsquare(F.value = NULL, df.1 = NULL, df.2 = NULL)

Lambda2Rsquare(Lambda = NULL, N = NULL)

Rsquare2Lambda(R2 = NULL, N = NULL)
```

## Arguments

R2	squared multiple correlation coefficient (population or observed)
df.1	degrees of freedom for the numerator of the F-distribution
df.2	degrees of freedom for the denominator of the F-distribution
p	number of predictor variables for R2
N	sample size
F.value	The obtained F value from a test of significance for the squared multiple correlation coefficient
Lambda	The noncentral parameter from an F-distribution

## Details

These functions are especially helpful for the search for confidence intervals for noncentral parameters, as they convert to and from related quantities.

**Value**

Returns the converted value from the specified function.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

`ss.aipe.R2, ci.R2, conf.limits.nct, conf.limits.ncf`

**Examples**

```
Rsquare2Lambda(R2=.5, N=100)
```

Gardner.LD

*The Gardner learning data, which was used by L.R. Tucker*

**Description**

Repeated measures data on 24 participants, each with 21 trials (each trial based on 20 replications).

**Usage**

```
data(Gardner.LD)
```

**Format**

A data frame where the rows represent the timepoints for the individuals.

`ID` : a numeric vector

`Trial` : a numeric vector

`Score` : a numeric vector

`Group` : a numeric vector

**Details**

The 24 participants of this study were presented with 420 presentations of four letters where the task was to identify the next letter that was to be presented. Twelve of the participants (Group 1) where presented the letters S, L, N, and D with probabilities .70, .10, .10, and .10, respectively. The other 12 participants (Group 2) where presented the letter L with probability .70 and three other letters, each with a probability of .10. The 420 presentations were (arbitrarily it seems) grouped into 21 trials of 20 presentations. The score for each trial was the number of times the individual correctly guessed the dominant letter. The participants where naive to the probability that the letters would be presented. Other groups of individuals (although the data is not available) were tested under a different probability structure. The data given here is thus known as the 70-10-10-10 group from Gardner's paper. L. R. Tucker used this data set to illustrate methods for understanding change.

**Source**

Tucker, L. R. (1960). Determination of Generalized Learning Curves by Factor Analysis, Educational Testing Services, Princeton, NJ.

**References**

Gardner, R. A., (1958). Multiple-choice decision-behavior, *American Journal of Psychology*, 71, 710–717.

---

HS.data

*Complete Data Set of Holzinger and Swineford's (1939) Study*

---

**Description**

The *complete* data set of scores of 301 subjects in 26 tests in Holzinger and Swineford's (1939) study.

**Usage**

```
data(HS.data)
```

**Format**

A data frame with 301 observations on the following 32 variables.

id subject's ID number  
Gender subject's gender  
grade the grade the subject is on  
agey the year part of the subject's age  
agem the month part of the subject's age  
school the school the subject is from  
visual scores on visual perception test, test 1  
cubes scores on cubes test, test 2  
paper scores on paper form board test, test 3  
flags scores on lozenges test, test 4  
general scores on general information test, test 5  
paragrap scores on paragraph comprehension test, test 6  
sentence scores on sentence completion test, test 7  
wordc scores on word classification test, test 8  
wordm scores on word meaning test, test 9  
addition scores on add test, test 10  
code scores on code test, test 11

counting scores on counting groups of dots test, test 12  
 straight scores on straight and curved capitals test, test 13  
 wordr scores on word recognition test, test 14  
 numberr scores on number recognition test, test 15  
 figurer scores on figure recognition test, test 16  
 object scores on object-number test, test 17  
 numberf scores on number-figure test, test 18  
 figurew scores on figure-word test, test 19  
 deduct scores on deduction test, test 20  
 numeric scores on numerical puzzles test, test 21  
 problemr scores on problem reasoning test, test 22  
 series scores on series completion test, test 23  
 arithmet scores on Woody-McCall mixed fundamentals, form I test, test 24  
 paperrev scores on additional paper form board test, test 25  
 flagssub scores on flags test, test 26

### Details

Holzinger and Swineford (1939) data is widely cited, but generally only the Grant-White School data is used. The present dataset contains the complete data of Holzinger and Swineford (1939).

A total number of 301 pupils from Paster School and Grant-White School participated in Holzinger and Swineford's (1939) study. This study consists of 26 tests, which are used to measure the subjects' spatial, verbal, mental speed, memory, and mathematical ability.

The spatial tests consist of visual, cubes, paper, flags, paperrev, and flagssub. The test 25, paper form board test (paperrev), can be used as a substitute for test 3, paper form board test (paper). The test 26, flags test (flagssub), is a possible substitute for test 4, lozenges test (flags).

The verbal tests consist of general, paragrap, sentence, wordc, and wordm.

The speed tests consist of addition, code, counting, and straight.

The memory tests consist of wordr, numberr, figurer, object, numberf, and figurew.

The mathematical-ability tests consist of deduct, numeric, problemr, series, and arithmet.

### Source

Holzinger, K. J. and Swineford, F. A. (1939). A study in factor analysis: The stability of a bi-factor solution. *Supplementary Education Monographs*, 48. University of Chicago.

### References

Holzinger, K. J. and Swineford, F. A. (1939). A study in factor analysis: The stability of a bi-factor solution. *Supplementary Education Monographs*, 48. University of Chicago.

---

**intr.plot***Regression Surface Containing Interaction*

---

**Description**

To plot a three dimensional figure of a multiple regression surface containing one two-way interaction.

**Usage**

```
intr.plot(b.0, b.x, b.z, b.xz, x.min = NULL, x.max = NULL, z.min = NULL,
          z.max = NULL, n.x = 50, n.z = 50, x = NULL, z = NULL, col = "lightblue",
          hor.angle = -60, vert.angle = 15, xlab = "Value of X", zlab = "Value of Z",
          ylab = "Dependent Variable", expand = 0.5, lines.plot=TRUE, col.line = "red",
          line.wd = 2, gray.scale = FALSE, ticktype="detailed", ...)
```

**Arguments**

b.0	the intercept
b.x	regression coefficient for predictor x
b.z	regression coefficient for predictor z
b.xz	regression coefficient for the interaction of predictors x and z
x.min, x.max, z.min, z.max	ranges of x and z. The regression surface defined by these limits will be plotted.
n.x	number of elements in predictor vector x; number of points to be plotted on the regression surface; default is 50
n.z	number of elements in predictor vector z; number of points to be plotted on the regression surface; default is 50
x	a specific predictor vector x, used instead of x.max and x.min
z	a specific predictor vector z, used instead of z.max and z.min
col	color of the regression surface; default is "lightblue"
hor.angle	rotate the regression surface horizontally; default is -60 degree
vert.angle	rotate the regression surface vertically; default is 15 degree
xlab	title for the axis which the predictor x is on
zlab	title for the axis which the predictor z is on
ylab	title for the axis which the dependent y is on
expand	default is 0.5; expansion factor applied to the axis of the dependent variable. Often used with $0 < \text{expand} < 1$ to shrink the plotting box in the direction of the dependent variable's axis.
lines.plot	whether or not to plot on the regression surface regression lines holding z at values 0, 1, -1, 2, -2 above the mean; default is TRUE.
col.line	the color of regression lines plotted on the regression surface; default is red

line.wd	the width of regression lines plotted on the regression surface; default is 2
gray.scale	whether or not to plot the figure black and white; default is FALSE
ticktype	whether the axes should be plotted with ("detailed") or without ("simple") tick marks
...	allows one to potentially include parameter values for inner functions

## Details

The user can input either the limits of x and z, or specific x and z vectors, to draw the regression surface. If the user inputs simply the limits of the predictors, the function would generate predictor vectors for plotting. If the user inputs specific predictor vectors, the function would plot the regression surface based on those vectors.

## Note

If the user enters specific vectors instead of the ranges of predictors, please make sure elements in those vectors are in ascending order. This is required by function *persp*, which is used within this function.

## Author(s)

Keke Lai (University of Notre Dame <Lai.15@ND.edu>); Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

Cohen, J., Cohen, P., West, S. G. and Aiken, L. S. (2003). *Applied multiple regression/correlation analysis for the behavioral sciences* (3rd ed.). Mahwah, NJ: Erlbaum.

## See Also

*intr.plot.2d*, *persp*

## Examples

```
## A way to replicate the example given by Cohen et al. (2003) (pp. 258--263):
## The regression equation with interaction is y=.2X+.6Z+.4XZ+2
## To plot a regression surface and regression lines of Y on X holding Z
## at -1, 0, and 1 standard deviation above the mean

x<- c(0,2,4,6,8,10)
z<-c(0,2,4,6,8,10)
intr.plot(b.0=2, b.x=.2, b.z=.6, b.xz=.4, x=x, z=z)

## input limits of the predictors instead of specific x and z predictor vectors
intr.plot(b.0=2, b.x=.2, b.z=.6, b.xz=.4, x.min=5, x.max=10, z.min=0, z.max=20)

intr.plot(b.0=2, b.x=.2, b.z=.6, b.xz=.4, x.min=0, x.max=10, z.min=0, z.max=10,
col="gray", hor.angle=-65, vert.angle=10)
```

```

## To plot a black-and-white figure
intr.plot(b.0=2, b.x=.2, b.z=.6, b.xz=.4, x.min=0, x.max=10, z.min=0, z.max=10,
gray.scale=TRUE)

## to adjust the tick marks on the axes
intr.plot(b.0=2, b.x=.2, b.z=.6, b.xz=.4, x.min=0, x.max=10, z.min=0, z.max=10,
ticktype="detailed", nticks=8)

```

**intr.plot.2d***Plotting Conditional Regression Lines with Interactions in Two Dimensions***Description**

To plot regression lines for one two-way interactions, holding one of the predictors (in this function, z) at values -2, -1, 0, 1, and 2 standard deviations above the mean.

**Usage**

```
intr.plot.2d(b.0, b.x, b.z, b.xz,x.min=NULL, x.max=NULL, x=NULL,
n.x=50, mean.z=NULL, sd.z=NULL, z=NULL,xlab="Value of X",
ylab="Dependent Variable", sd.plot=TRUE, sd2.plot=TRUE, sd_1.plot=TRUE,
sd_2.plot=TRUE, type.sd=2, type.sd2=3, type.sd_1=4, type.sd_2=5,
legend.pos="bottomright", legend.on=TRUE, ... )
```

**Arguments**

<b>b.0</b>	the intercept
<b>b.x</b>	regression coefficient for predictor x
<b>b.z</b>	regression coefficient for predictor z
<b>b.xz</b>	regression coefficient for the interaction of predictors x and z
<b>x.min, x.max</b>	the range of x used in the plot
<b>x</b>	a specific predictor vector x, used instead of x.min and x.max
<b>n.x</b>	number of elements in predictor vector x
<b>mean.z</b>	mean of predictor z
<b>sd.z</b>	standard deviation of predictor z
<b>z</b>	a specific predictor vector z, used instead of z.min and z.max
<b>xlab</b>	title for the axis which the predictor x is on
<b>ylab</b>	title for the axis which the dependent y is on
<b>sd.plot, sd2.plot, sd_1.plot, sd_2.plot</b>	whether or not to plot the regression line holding z at values 1, 2, -1, and -2 standard deviations above the mean, respectively. Default values are all TRUE.

```

type.sd, type.sd2, type.sd_1, type.sd_2
    types of lines to be plotted holding z at values 1, 2, -1, and -2 standard deviations
    above the mean, respectively. Default are line type 2,3,4, and 5, respectively.

legend.pos      position of the legend; possible options are "bottomright", "bottom", "bottomleft",
                "left", "center", "right", "topleft", "top", and "topright".
legend.on       whether or not to show the legend
...             allows one to potentially include parameter values for inner functions

```

## Details

To input the predictor x, one can use either the limits of x (`x.max` and `x.min`), or a specific vector x (`x`). To input the predictor z, one can use either the mean and standard deviation of z (`mean.z` and `sd.z`), or a specific vector z (`z`).

## Note

Sometimes some of the regression lines are outside the default scope of the coordinates and thus cannot be seen; in such situations, one needs to, by entering additional arguments, adjust the scope to let proper sections of regression lines be seen. Refer to examples below for more details.

## Author(s)

Keke Lai (University of Notre Dame <[Lai.15@ND.edu](mailto:Lai.15@ND.edu)>),  
Ken Kelley (University of Notre Dame; <[KKelley@ND.Edu](mailto:KKelley@ND.Edu)>)

## References

Cohen, J., Cohen, P., West, S. G. and Aiken, L. S. (2003). *Applied multiple regression/correlation analysis for the behavioral sciences* (3rd ed.). Mahwah, NJ: Erlbaum.

## See Also

`intr.plot`

## Examples

```

## A situation where one regression line is outside the default scope of the coordinates
intr.plot.2d(b.0=16, b.x=2.2, b.z=2.6, b.xz=.4, x.min=0, x.max=20, mean.z=0, sd.z=3)

## Adjust the scope of x and y axes so that proper sections of regression lines can be seen
intr.plot.2d(b.0=16, b.x=2.2, b.z=2.6, b.xz=.4, x.min=0, x.max=50, mean.z=0,
sd.z=3, xlim=c(0,50), ylim=c(-20,100) )

## Use specific vector(s) to define the predictor(s)
intr.plot.2d(b.0=16, b.x=2.2, b.z=2.6, b.xz=.4, x=c(1:10), z=c(0,2,4,6,8,10))

intr.plot.2d(b.0=16, b.x=2.2, b.z=2.6, b.xz=.4, x.min=0, x.max=20,
z=c(1,3,6,7,9,13,16,20), ylim=c(0,100))

## Change the position of the legend so that it does not block regression lines

```

---

```
intr.plot.2d(b.0=10, b.x=-.3, b.z=1, b.xz=.5, x.min=0, x.max=40, mean.z=-5, sd.z=3,
ylim=c(-100,100),legend.pos="topright" )
```

---

**MBESS*****MBESS***

### Description

MBESS implements methods that are especially applicable to researchers working within the behavioral, educational, and social sciences. Many of the functions are also applicable to disciplines related to the behavioral, educational, and social sciences.

### Details

Package:	MBESS
Type:	Package
Version:	3.2.1
Date:	2011-5-5
License:	GPL(>=2)

Please read the manual and visit the corresponding web site <http://nd.edu/~kkelley/site/MBESS.html> for information on the capabilities of the MBESS package. Feel free to contact me if there is a feature you would like to see added if it would complement the goals of the MBESS package.

### Author(s)

Ken Kelley <<KKelley@ND.Edu>; http://www.nd.edu/~kkelley> and Keke Lai <Lai.15@ND.Edu>  
Maintainer: Keke Lai <Lai.15@ND.Edu>; Ken Kelley <<KKelley@ND.Edu>; http://www.nd.edu/~kkelley>

**mediation***Effect sizes and confidence intervals in a mediation model*


---

### Description

Automate the process of simple mediation analysis (one independent variable and one mediator) and effect size estimation for mediation models, as discussed in Preacher and Kelley (2010).

### Usage

```
mediation(x, mediator, dv, S = NULL, N = NULL, x.location.S = NULL,
mediator.location.S = NULL, dv.location.S = NULL, mean.x = NULL,
mean.m = NULL, mean.dv = NULL, conf.level = 0.95,
bootstrap = FALSE, B = 1000)
```

## Arguments

<code>x</code>	vector of the predictor/independent variable
<code>mediator</code>	vector of the mediator variable
<code>dv</code>	vector of the dependent/outcome variable
<code>S</code>	Covariance matrix
<code>N</code>	Sample size, necessary when a covariance matrix ( <code>S</code> ) is used
<code>x.location.S</code>	location of the predictor/independent variable in the covariance matrix ( <code>S</code> )
<code>mediator.location.S</code>	location of the mediator variable in the covariance matrix ( <code>S</code> )
<code>dv.location.S</code>	location of the dependent/outcome variable in the covariance matrix ( <code>S</code> )
<code>mean.x</code>	mean of the <code>x</code> (independent/predictor) variable when a covariance matrix ( <code>S</code> ) is used
<code>mean.m</code>	mean of the <code>m</code> (mediator) variable when a covariance matrix ( <code>S</code> ) is used
<code>mean.dv</code>	mean of the <code>y/dv</code> (dependent/outcome) variable when a covariance matrix ( <code>S</code> ) is used
<code>conf.level</code>	desired level of confidence (e.g., .90, .95, .99, etc.)
<code>bootstrap</code>	TRUE or FALSE, based on whether or not a bootstrap procedure is performed to obtain confidence intervals for the various effect sizes
<code>B</code>	number of bootstrap replications when <code>bootstrap=TRUE</code> (e.g., 10000)

## Details

Based on the work of Preacher and Kelley (2010), this function implements (simple) mediation analysis in a way that automates much of the results that are generally of interest. More specifically, three regression outputs are automated as is the calculation of effect sizes that are thought to be useful or potentially useful in the context of mediation. Much work on mediation models exists in the literature, which should be consulted for proper interpretation of the effect sizes, models, and meaning of results.

## Value

<code>Y.on.X\$Regression.Table</code>	Regression table of <code>Y</code> conditional on <code>X</code>
<code>Y.on.X\$Model.Fit</code>	Summary of model fit for the regression of <code>Y</code> conditional on <code>X</code>
<code>M.on.X\$Regression.Table</code>	Regression table of <code>X</code> conditional on <code>M</code>
<code>M.on.X\$Model.Fit</code>	Summary of model fit for the regression of <code>X</code> conditional on <code>M</code>
<code>Y.on.X.and.M\$Regression.Table</code>	Regression table of <code>Y</code> conditional on <code>X</code> and <code>M</code>
<code>Y.on.X.and.M\$Model.Fit</code>	Summary of model fit for the regression of <code>Y</code> conditional on <code>X</code> and <code>M</code>

**Indirect.Effect**

the product of  $\hat{a} \times \hat{b}$ , where  $\hat{a}$  and  $\hat{b}$  are the estimated coefficients of the path from the independent variable to the mediator and the path from the mediator to the dependent variable

**Indirect.Effect.Partially.Standardized**

It is the indirect effect (see **Indirect.Effect** above) divided by the estimated standard deviation of Y (MacKinnon, 2008)

**Index.of.Mediation**

Index of mediation (indirect effect multiplied by the ratio of the standard deviation of X to the standard deviation of Y) (Preacher and Hayes, 2008)

**R2\_4.5**

An index of explained variance see MacKinnon (2008, Eq. 4.5) for details

**R2\_4.6**

An index of explained variance see MacKinnon (2008, Eq. 4.6) for details

**R2\_4.7**

An index of explained variance see MacKinnon (2008, Eq. 4.7) for details

**Maximum.Possible.Mediation.Effect**

the maximum attainable value of the mediation effect (i.e., the indirect effect), in the direction of the observed indirect effect, that could have been observed, conditional on the sample variances and on the magnitudes of relationships among some of the variables

**ab.to.Maximum.Possible.Mediation.Effect\_kappa.squared**

the proportion of the maximum possible indirect effect; Uses the indirect effect in the numerator with the maximum possible mediation effect in the denominator (Preacher & Kelley, 2010)

**Ratio.of.Indirect.to.Total.Effect**

ratio of the indirect effect to the total effect (Freedman, 2001); also known as mediation ratio (Ditlevsen, Christensen, Lynch, Damsgaard, & Keiding, 2005); in epidemiological research and as the relative indirect effect (Huang, Sivaganesan, Succop, & Goodman, 2004); often loosely interpreted as the relative indirect effect

**Ratio.of.Indirect.to.Direct.Effect**

ratio of the indirect effect to the direct effect (Sobel, 1982)

**Success.of.Surrogate.Endpoint**

Success of a surrogate endpoint (Buyse & Molenberghs, 1998)

**SOS**

shared over simple effects (SOS) index, which is the ratio of the variance in Y explained by both X and M divided by the variance in Y explained by X (Lindenberger & Potter, 1998)

**Residual.Based\_Gamma**

A residual based index (Preacher & Kelley, 2010)

**Residual.Based.Standardized\_gamma**

A residual based index that is standardized, where the scales of M and Y are removed by using standardized values of M and Y (Preacher & Kelley, 2010)

**ES.for.two.groups**

When X is 0 and 1 representing a two group structure, Hansen and McNeal's (1996) Effect Size Index for Two Groups

**Author(s)**

Ken Kelley (University of Notre Dame; KKkelley@nd.edu)

## References

- Buyse, M., & Molenberghs, G. (1998). Criteria for the validation of surrogate endpoints in randomized experiments. *Biometrics*, 54, 1014-1029.
- Ditlevsen, S., Christensen, U., Lynch, J., Damsgaard, M. T., & Keiding, N. (2005). The mediation proportion: A structural equation approach for estimating the proportion of exposure effect on outcome explained by an intermediate variable. *Epidemiology*, 16, 114-120.
- Freedman, L. S. (2001). Confidence intervals and statistical power of the 'Validation' ratio for surrogate or intermediate endpoints. *Journal of Statistical Planning and Inference*, 96, 143-153.
- Hansen, W. B., & McNeal, R. B. (1996). The law of maximum expected potential effect: Constraints placed on program effectiveness by mediator relationships. *Health Education Research*, 11, 501-507.
- Huang, B., Sivaganesan, S., Succop, P., & Goodman, E. (2004). Statistical assessment of mediational effects for logistic mediational models. *Statistics in Medicine*, 23, 2713-2728.
- Lindenberger, U., & Potter, U. (1998). The complex nature of unique and shared effects in hierarchical linear regression: Implications for developmental psychology. *Psychological Methods*, 3, 218-230.
- MacKinnon, D. P. (2008). *Introduction to statistical mediation analysis*. Mahwah, NJ: Erlbaum.
- Preacher, K. J., & Hayes, A. F. (2008b). Asymptotic and resampling strategies for assessing and comparing indirect effects in multiple mediator models. *Behavior Research Methods*, 40, 879-891.
- Preacher, K. J., & Kelley, K. (2010). Effect size measures for mediation models: Quantitative and graphical strategies for communicating indirect effects. *Manuscript in preparation*.
- Sobel, M. E. (1982). Asymptotic confidence intervals for indirect effects in structural equation models. In S. Leinhardt (Ed.), *Sociological Methodology 1982* (pp. 290-312). Washington DC: American Sociological Association.

## See Also

[mediation.effect.plot](#), [mediation.effect.bar.plot](#)

## Examples

```
# Using the Jessor data discussed in Preacher and Kelley (2010), to illustrate
# the methods based on summary statistics.

mediation(S=rbind(c(2.26831107,  0.6615415, -0.08691755),
c(0.66154147,  2.2763549, -0.22593820), c(-0.08691755, -0.2259382,  0.09218055)),
N=432, x.location.S=1, mediator.location.S=2, dv.location.S=3, mean.x=7.157645,
mean.m=5.892785, mean.dv=1.649316, conf.level=.95)
```

---

```
mediation.effect.bar.plot
```

*Bar plots of mediation effects*

---

## Description

Provides an effect bar plot in the context of simple mediation.

## Usage

```
mediation.effect.bar.plot(x, mediator, dv,
  main = "Mediation Effect Bar Plot", width = 1, left.text.adj = 0,
  right.text.adj = 0, rounding = 3, file = "", save.pdf = FALSE,
  save.eps = FALSE, save.jpg = FALSE, ...)
```

## Arguments

x	vector of the predictor/independent variable
mediator	vector of the mediator variable
dv	vector of the dependent/outcome variable
main	main title
width	width of bar, default 1
left.text.adj	for fine tuning left side text adjustment
right.text.adj	for fine tuning right side text adjustment
rounding	how to round so that the values displayed in the plot do not have too few or too many significant digits
file	file name of the plot to be saved (not necessary)
save.pdf	TRUE or FALSE if the produced figure should be saved as a PDF file
save.eps	TRUE or FALSE if the produced figure should be saved as an EPS file
save.jpg	TRUE or FALSE if the produced figure should be saved as a JPG file
...	optional additional specifications for nested functions

## Details

Provides an effect bar for mediation (Bauer, Preacher, & Gil, 2006) may be used to plot the results of a mediation analysis compactly. Effect bars represent, in a single metric, the relative magnitudes of several values that are important for interpreting indirect effects. Preacher and Kelley (2010) discuss this plotting method also.

## Value

Only a figure is returned

**Author(s)**

Ken Kelley (University of Notre Dame; KK Kelley@nd.edu)

**References**

- Bauer, D. J., Preacher, K. J., & Gil, K. M. (2006). Conceptualizing and testing random indirect effects and moderated mediation in multilevel models: New procedures and recommendations. *Psychological Methods, 11*, 142-163.
- Preacher, K. J., & Kelley, K. (2010). Effect size measures for mediation models: Quantitative and graphical strategies for communicating indirect effects. *Manuscript in preparation*.

**See Also**

[mediation](#), [mediation.effect.bar.plot](#)

**mediation.effect.plot** *Visualizing mediation effects*

**Description**

Create a mediation effect plot

**Usage**

```
mediation.effect.plot(x, mediator, dv, ylab = "Dependent Variable",
                      xlab = "Mediator", main = "Mediation Effect Plot",
                      pct.from.top.a = 0.05, pct.from.left.c = 0.05, arrow.length.a = 0.05,
                      arrow.length.c = 0.05, legend.loc = "topleft", file = "", pch = 20,
                      xlim = NULL, ylim = NULL, save.pdf = FALSE, save.eps = FALSE,
                      save.jpg = FALSE, ...)
```

**Arguments**

<b>x</b>	vector of the predictor/independent variable
<b>mediator</b>	vector of the mediator variable
<b>dv</b>	vector of the dependent/outcome variable
<b>ylab</b>	y-axis title label
<b>xlab</b>	x-axis title label
<b>main</b>	main title label
<b>pct.from.top.a</b>	figure fine tuning adjustment
<b>pct.from.left.c</b>	figure fine tuning adjustment
<b>arrow.length.a</b>	figure fine tuning adjustment
<b>arrow.length.c</b>	figure fine tuning adjustment

legend.loc	specify the location of the legend
file	file name of the plot to be saved (not necessary)
pch	plotting character
xlim	limits for the x axis
ylim	limits for the y axis
save.pdf	TRUE or FALSE if the produced figure should be saved as a PDF file
save.eps	TRUE or FALSE if the produced figure should be saved as an EPS file
save.jpg	TRUE or FALSE if the produced figure should be saved as a JPG file
...	to incorporate options from interval functions

## Details

Merrill (1994; see also MacKinnon, 2008; MacKinnon et al., 2007; Sy, 2004) presents a method that involves plotting the indirect effect as the vertical distance between two lines. Fritz and MacKinnon (2008) present a detailed exposition of this method too. Preacher and Kelley (2010) discuss this plotting method and implement their own code, which was also independently done as part of Fritz and MacKinnon (2008).

In this type of plot, the two horizontal lines correspond to the predicted values of Y regressed on X at the mean of X and at one unit above the mean of X. The distance between these two lines is thus  $\hat{c}$ . The two vertical lines correspond to predicted values of M regressed on X at the same two values of X. The distance between these lines is  $\hat{a}$ . The lines corresponding to the regression of Y on M (controlling for X) are plotted for the same two values of X.

## Value

Only a figure is returned

## Note

Requires raw data.

## Author(s)

Ken Kelley (University of Notre Dame; KKELLEY@nd.edu)

## References

- Fritz, M. S., & MacKinnon, D. P. (2008). A graphical representation of the mediated effect. *Behavior Research Methods*, 40, 55-60.
- MacKinnon, D. P. (2008). *Introduction to statistical mediation analysis*. Mahwah, NJ: Erlbaum.
- MacKinnon, D. P., Fairchild, A. J., & Fritz, M. S. (2007). Mediation analysis. *Annual Review of Psychology*, 58, 593-614.
- Merrill, R. M. (1994). *Treatment effect evaluation in non-additive mediation models*. Unpublished dissertation, Arizona State University.
- Preacher, K. J., & Kelley, K. (2010). Effect size measures for mediation models: Quantitative and graphical strategies for communicating indirect effects. *Manuscript in preparation*.

Sy, O. S. (2004). *Multilevel mediation analysis: Estimation and applications*. Unpublished dissertation, Kansas State University.

### See Also

[mediation.effect.plot](#), [mediation.effect.bar.plot](#)

`power.density.equivalence.md`

*Density for power of two one-sided tests procedure (TOST) for equivalence*

### Description

A function to calculate density for the power of the two one-sided tests procedure (TOST). (See package equivalence, function `tost`.)

### Usage

```
power.density.equivalence.md(power_sigma, alpha = alpha, theta1 = theta1, theta2 = theta2, diff = diff,
```

### Arguments

<code>power_sigma</code>	x-value for integration
<code>alpha</code>	alpha level for the 2 t-tests (usually <code>alpha=0.05</code> ). Confidence interval for full test is at level $(1-2*\alpha)$
<code>theta1</code>	lower limit of equivalence interval on appropriate scale (regular or log)
<code>theta2</code>	upper limit of equivalence interval on appropriate scale
<code>diff</code>	true difference (ratio on log scale) in treatment means on appropriate scale
<code>sigma</code>	<code>sqrt(error variance)</code> as fraction (root MSE from ANOVA, or coefficient of variation)
<code>n</code>	number of subjects per treatment (number of total subjects for crossover design)
<code>nu</code>	degrees of freedom for sigma

### Value

`power_density` density at `diff` for power of TOST: the probability that the confidence interval will lie within `['theta1', 'theta2']`

### Author(s)

Kem Phillips; <[kemphillips@comcast.net](mailto:kemphillips@comcast.net)>

## References

- Diletti, E., Hauschke D. & Steinijans, V.W. (1991) Sample size determination of bioequivalence assessment by means of confidence intervals, *International Journal of Clinical Pharmacology, Therapy and Toxicology*, 29, No. 1, 1-8.
- Phillips, K.F. (1990) Power of the Two One-Sided Tests Procedure in Bioequivalence, *Journal of Pharmacokinetics and Biopharmaceutics*, 18, No. 2, 139-144.
- Schuirmann, D.J. (1987) A comparison of the two one-sided tests procedure and the power approach for assessing the equivalence of average bioavailability, *Journal of Pharmacokinetics and Biopharmaceutics*, 15, 657-680.

## See Also

[power.equivalence.md.plot](#), [power.density.equivalence.md](#), [tost](#)

## Examples

```
# This function is called by power.equivalence.md within
# the integrate function. It is integrated over
# appropriate limits to compute the power. Use

power.density.equivalence.md(.1, alpha=.05, theta1=-.2, theta2=.2, diff=.05, sigma= .20, n=24, nu=22)

# The usage for the logarithmic scale is the same, except that
# theta1, theta2, and diff must be on that scale. That is, use log(.8), etc.
```

**power.equivalence.md**    *Power of Two One-Sided Tests Procedure (TOST) for Equivalence*

## Description

A function to calculate the power of the two one-sided tests procedure (TOST). This is the probability that a confidence interval lies within a specified equivalence interval. (See package *equivalence*, function *tost*.)

## Usage

```
power.equivalence.md(alpha, logscale, ltheta1, ltheta2, ldif, sigma, n, nu)
```

## Arguments

alpha	<i>alpha</i> level for the 2 t-tests (usually <i>alpha</i> =0.05). Confidence interval for full test is at level 1- 2* <i>alpha</i>
logscale	whether to use logarithmic scale TRUE or not FALSE
ltheta1	lower limit of equivalence interval
ltheta2	upper limit of equivalence interval
ldif	true difference (ratio on log scale) in treatment means

sigma	sqrt(error variance) as fraction (root MSE from ANOVA, or coefficient of variation)
n	number of subjects per treatment (number of total subjects for crossover design)
nu	degrees of freedom for sigma

**Value**

power	Power of TOST; the probability that the confidence interval will lie within [’theta1’, ’theta2’] given ’sigma’, ’n’, and ’nu’
-------	---

**Author(s)**

Kem Phillips; <kemphillips@comcast.net>

**References**

- Diletti, E., Hauschke D. & Steinijans, V.W. (1991) Sample size determination of bioequivalence assessment by means of confidence intervals, *International Journal of Clinical Pharmacology, Therapy and Toxicology*, 29, No. 1, 1-8.
- Phillips, K.F. (1990) Power of the Two One-Sided Tests Procedure in Bioequivalence, *Journal of Pharmacokinetics and Biopharmaceutics*, 18, No. 2, 139-144.
- Schuirmann, D.J. (1987) A comparison of the two one-sided tests procedure and the power approach for assessing the equivalence of average bioavailability, *Journal of Pharmacokinetics and Biopharmaceutics*, 15. 657-680.

**See Also**

[power.equivalence.md.plot](#), [power.density.equivalence.md](#), [tost](#)

**Examples**

```
# Suppose that two formulations of a drug are to be compared on
# the regular scale using a two-period crossover design, with
# theta1 = -0.20, theta2 = 0.20, rm{CV} = 0.20, the
# difference in the mean bioavailability is 0.05 (5 percent), and we choose
# n=24, corresponding to 22 degrees of freedom. We need to test
# bioequivalence at the 5 percent significance level, which corresponds to
# having a 90 percent confidence interval lying within (-0.20, 0.20). Then
# the power will be 0.8029678. This corresponds to Phillips (1990),
# Table 1, 5th row, 5th column, and Figure 3. Use

power.equivalence.md(.05, FALSE, -.2, .2, .05, .20, 24, 22)

# If the formulations are compared on the logarithmic scale with
# theta1 = 0.80, theta2 = 1.25, n=18 (16 degrees of freedom), and
# a ratio of test to reference of 1.05. Then the power will be 0.7922796.
# This corresponds to Diletti, Table 1, power=.80, CV=.20, ratio=1.05, and Figure 1c. Use

power.equivalence.md(.05, TRUE, .8, 1.25, 1.05, .20, 18, 16)
```

**power.equivalence.md.plot***Plot power of Two One-Sided Tests Procedure (TOST) for Equivalence***Description**

A function to plot the power of the two one-sided tests procedure (TOST) for various alternatives.

**Usage**

```
power.equivalence.md.plot(alpha, logscale, theta1, theta2, sigma, n, nu, title2)
```

**Arguments**

<i>alpha</i>	<i>alpha</i> level for the 2 t-tests (usually <i>alpha</i> =0.05). Confidence interval for full test is at level 1- 2* <i>alpha</i>
<i>logscale</i>	whether to use logarithmic scale TRUE or not FALSE
<i>theta1</i>	lower limit of equivalence interval
<i>theta2</i>	upper limit of equivalence interval
<i>sigma</i>	<i>sqrt(error variance)</i> as fraction (root MSE from ANOVA, or coefficient of variation)
<i>n</i>	number of subjects per treatment (number of total subjects for crossover design)
<i>nu</i>	degrees of freedom for <i>sigma</i>
<i>title2</i>	Title appearing at bottom of plot

**Value**

<i>power</i>	Plot of power of TOST (probability that (1-2* <i>alpha</i> ) confidence interval will lie within ( <i>theta1</i> , <i>theta2</i> ) given <i>sigma</i> , <i>n</i> , and <i>nu</i> . Also returns matrix of 201 differences between <i>theta1</i> and <i>theta2</i> as first column, and power values corresponding to <i>n</i> for other columns.
--------------	--

**Author(s)**

Kem Phillips; <kemphillips@comcast.net>

**References**

- Diletti, E., Hauschke D. & Steinijans, V.W. (1991) Sample size determination of bioequivalence assessment by means of confidence intervals, *International Journal of Clinical Pharmacology, Therapy and Toxicology*, 29, No. 1, 1-8.
- Phillips, K.F. (1990) Power of the Two One-Sided Tests Procedure in Bioequivalence, *Journal of Pharmacokinetics and Biopharmaceutics*, 18, No. 2, 139-144.
- Schuirmann, D.J. (1987) A comparison of the two one-sided tests procedure and the power approach for assessing the equivalence of average bioavailability, *Journal of Pharmacokinetics and Biopharmaceutics*, 15, 657-680.

**See Also**

[power.equivalence.md.plot](#), [power.density.equivalence.md.tost](#)

**Examples**

```
# Suppose that two formulations of a drug are to be compared
# on the regular scale using a two-period crossover design,
# with theta1 = -0.20, theta2 = 0.20, rm(CV) = 0.20, and
# we choose
n<-c(9,12,18,24,30,40,60)

# corresponding to
nu<-c(7,10,16,22,28,38,58)

# degrees of freedom. We need to test bioequivalence at the
# .05 significance level, which corresponds to having a .90 confidence
# interval lying within (-0.20, 0.20). This corresponds to
# Phillips (1990), Figure 3. Use

power.equivalence.md.plot(.05, FALSE, -.2, .2, .20, n, nu, 'Phillips Figure 3')

# If the formulations are compared on the logarithmic scale with
# theta1 = 0.80, theta2 = 1.25, and

n<-c(8,12,18,24,30,40,60)

# corresponding to
nu<-c(6,10,16,22,28,38,58)

# degrees of freedom. This corresponds to Diletti, Figure 1c. Use

power.equivalence.md.plot(.05, TRUE, .8, 1.25, .20, n, nu, 'Diletti, Figure 1c')
```

*prof.salary*

*Cohen et. al. (2003)'s professor salary data set*

**Description**

The data set of the salaries and other information of 62 some professors in Cohen et. al. (2003, pp. 81-82).

**Usage**

`data(prof.salary)`

## Format

A data frame with 62 observations on the following 6 variables.

id the identification number  
time the time since getting the Ph.D. degree  
pub the number of publications  
sex the gender, 1 for female and 0 for male  
citation the citation count  
salary the professor's current salary

## Source

Cohen, J., Cohen, P., West, S. G., & Aiken, L. S. (2003). *Applied multiple regression/correlation analysis for the behavioral sciences* (3rd ed.). Mahwah, NJ: Erlbaum.

## References

Cohen, J., Cohen, P., West, S. G., & Aiken, L. S. (2003). *Applied multiple regression/correlation analysis for the behavioral sciences* (3rd ed.). Mahwah, NJ: Erlbaum.

## Examples

```
data(prof.salary)
```

---

s.u

*Unbiased estiamte for the standard deviation*

---

## Description

Transforms the usual (and biased) estimate of the standard deviation into an unbiased estimator.

## Usage

```
s.u(s=NULL, N=NULL, X=NULL)
```

## Arguments

- s the usual estimate of the standard deviation (i.e., the square root of the unibased estimate of the variance)  
N sample size s is based  
X vector of scores in which the unbiased estimate of the standard deviation should be calculated

## Details

Returns the unbiased estimate for the standard deviation.

**Value**

The unbiased estimate for the standard deviation.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

Holtzman, W. H. (1950). The unbiased estimate of the population variance and standard deviation. *American Journal of Psychology*, 63, 615–617.

**Examples**

```
set.seed(113)
X <- rnorm(10, 100, 15)

# Square root of the unbiased estimate of the variance (not unbiased)
var(X)^.5

# One way to implement the function.
s.u(s=var(X)^.5, N=length(X))

# Another way to implement the function.
s.u(X=X)
```

**Description**

This function implements Cudeck & Browne's (1992) method to construct a covariance matrix in the structural equation modeling (SEM) context. Given an SEM model and its model parameters, a covariance matrix is obtained so that (a) the population discrepancy due to approximation equals a certain specified value; and (b) the population model parameter vector is the minimizer of the discrepancy function.

**Usage**

```
Sigma.2.SigmaStar(model, model.par, latent.var, discrep, ML = TRUE)
```

**Arguments**

<code>model</code>	an RAM (reticular action model; e.g., McArdle & McDonald, 1984) specification of a structural equation model, and should be of class <code>mod</code> . The model is specified in the same manner as does the <code>sem</code> package; see <code>sem</code> and <code>specify.model</code> for detailed documentations about model specifications in the RAM notation.
--------------------	---

<code>model.par</code>	a vector containing the model parameters. The names of the elements in <code>theta</code> must be the same as the names of the model parameters specified in <code>model</code> .
<code>latent.var</code>	a vector containing the names of the latent variables
<code>discrep</code>	the desired discrepancy function minimum value
<code>ML</code>	the discrepancy function to be used, if <code>ML=TRUE</code> then the discrepancy function is based on normal theory maximum likelihood

## Details

This function constructs a covariance matrix  $\Sigma^*$  such that  $\Sigma^* = \Sigma(\theta) + E$ , where  $\Sigma(\theta)$  is the population model-implied covariance matrix, and  $E$  is a matrix containing the errors due to approximation. The matrix  $E$  is chosen so that the discrepancy function  $F(\Sigma^*, \Sigma(\theta))$  has the specified discrepancy value.

This function uses the same notation to specify SEM models as does `sem`. Please refer to `sem` for more detailed documentation about model specification and the RAM notation. For technical discussion on how to obtain the model implied covariance matrix in the RAM notation given model parameters, see McArdle and McDonald (1984).

## Value

<code>Sigma.star</code>	the population covariance matrix of manifest variables
<code>Sigma_theta</code>	the population model-implied covariance matrix
<code>E</code>	the matrix containing the population errors of approximation, i.e., <code>Sigma.star</code> - <code>Sigma_theta</code>

## Author(s)

Keke Lai (University of Notre Dame; <KLai1@ND.Edu>)

## References

- Cudeck, R., & Browne, M. W. (1992). Constructing a covariance matrix that yields a specified minimizer and a specified minimum discrepancy function value. *Psychometrika*, 57, 357-369.
- Fox, J. (2006). Structural equation modeling with the `sem` package in R. *Structural Equation Modeling*, 13, 465-486.
- McArdle, J. J., & McDonald, R. P. (1984). Some algebraic properties of the reticular action model. *British Journal of Mathematical and Statistical Psychology*, 37, 234-251.

## See Also

`sem`; `specify.model`; `theta.2.Sigma.theta`

## Examples

```

## Not run:
library(sem)

#####
## EXAMPLE 1; a CFA model with three latent variables and nine indicators.
#####

# To specify the model
model.cfa<-specify.model()
xi1 -> x1, lambda1, 0.6
xi1 -> x2, lambda2, 0.7
xi1 -> x3, lambda3, 0.8
xi2 -> x4, lambda4, 0.65
xi2 -> x5, lambda5, 0.75
xi2 -> x6, lambda6, 0.85
xi3 -> x7, lambda7, 0.5
xi3 -> x8, lambda8, 0.7
xi3 -> x9, lambda9, 0.9
xi1 <-> xi1, NA, 1
xi2 <-> xi2, NA, 1
xi3 <-> xi3, NA, 1
xi1 <-> xi2, phi21, 0.5
xi1 <-> xi3, phi31, 0.4
xi2 <-> xi3, phi32, 0.6
x1 <-> x1, delta11, 0.36
x2 <-> x2, delta22, 0.5
x3 <-> x3, delta33, 0.9
x4 <-> x4, delta44, 0.4
x5 <-> x5, delta55, 0.5
x6 <-> x6, delta66, 0.6
x7 <-> x7, delta77, 0.6
x8 <-> x8, delta88, 0.7
x9 <-> x9, delta99, 0.7

# To specify model parameters
theta <- c(0.6, 0.7, 0.8,
0.65, 0.75, 0.85,
0.5, 0.7, 0.9,
0.5, 0.4, 0.6,
0.8, 0.6, 0.5,
0.6, 0.5, 0.4,
0.7, 0.7, 0.6)

names(theta) <- c("lambda1", "lambda2", "lambda3",
"lambda4", "lambda5", "lambda6",
"lambda7", "lambda8", "lambda9",
"phi21", "phi31", "phi32",
"delta11", "delta22", "delta33",
"delta44", "delta55", "delta66",
"delta77", "delta88", "delta99")

```

```

res.matrix <- Sigma.2.SigmaStar(model=model.cfa, model.par=theta,
latent.var=c("xi1", "xi2", "xi3"), discrep=0.06)

# res.matrix

# To verify the returned covariance matrix; the model chi-square
# should be equal to (N-1) times the specified discrepancy value.
# Also the "point estimates" of model parameters should be
# equal to the specified model parameters

# res.sem<-sem(model.cfa, res.matrix$Sigma.star, 1001)
# summary(res.sem)

# To construct a covariance matrix so that the model has
# a desired population RMSEA value, one can transform the RMSEA
# value to the discrepancy value

res.matrix <- Sigma.2.SigmaStar(model=model.cfa, model.par=theta,
latent.var=c("xi1", "xi2", "xi3"), discrep=0.075*0.075*24)

# To verify the population RMSEA value
# res.sem<-sem(model.cfa, res.matrix$Sigma.star, 1000000)
# summary(res.sem)

#####
## EXAMPLE 2; an SEM model with five latent variables
#####

model.5f <- specify.model()
eta1 -> y4, NA, 1
eta1 -> y5, lambda5, NA
eta2 -> y1, NA, 1
eta2 -> y2, lambda2, NA
eta2 -> y3, lambda3, NA
xi1 -> x1, NA, 1
xi1 -> x2, lambda6, NA
xi1 -> x3, lambda7, NA
xi2 -> x4, NA, 1
xi2 -> x5, lambda8, NA
xi3 -> x6, NA, 1
xi3 -> x7, lambda9, NA
xi3 -> x8, lambda10, NA
xi1 -> eta1, gamma11, NA
xi2 -> eta1, gamma12, NA
xi3 -> eta1, gamma13, NA
xi3 -> eta2, gamma23, NA
eta1 -> eta2, beta21, NA
xi1 <-> xi2, phi21, NA
xi1 <-> xi3, phi31, NA
xi3 <-> xi2, phi32, NA
xi1 <-> xi1, phi11, NA
xi2 <-> xi2, phi22, NA

```

```

xi3 <-> xi3, phi33, NA
eta1 <-> eta1, psi11, NA
eta2 <-> eta2, psi22, NA
y1 <-> y1, epsilon11, NA
y2 <-> y2, epsilon22, NA
y3 <-> y3, epsilon33, NA
y4 <-> y4, epsilon44, NA
y5 <-> y5, epsilon55, NA
x1 <-> x1, delta11, NA
x2 <-> x2, delta22, NA
x3 <-> x3, delta33, NA
x4 <-> x4, delta44, NA
x5 <-> x5, delta55, NA
x6 <-> x6, delta66, NA
x7 <-> x7, delta77, NA
x8 <-> x8, delta88, NA

theta <- c(0.84, 0.8, 0.9,
1.26, 0.75, 1.43, 1.58, 0.83,
0.4, 0.98, 0.52, 0.6, 0.47,
0.12, 0.14, 0.07,
0.44, 0.22, 0.25,
0.3, 0.47,
0.37, 0.5, 0.4, 0.4, 0.58,
0.56, 0.3, 0.6, 0.77, 0.54, 0.75, 0.37, 0.6)

names(theta) <- c(
"lambda5", "lambda2", "lambda3",
"lambda6", "lambda7", "lambda8", "lambda9", "lambda10",
"gamma11", "gamma12", "gamma13", "gamma23", "beta21",
"phi21", "phi31", "phi32",
"phi11", "phi22", "phi33",
"psi11", "psi22",
"epsilon11", "epsilon22", "epsilon33", "epsilon44", "epsilon55",
"delta11", "delta22", "delta33", "delta44", "delta55", "delta66",
"delta77", "delta88")

# To construct a covariance matrix so that the model has
# a population RMSEA of 0.08

res.matrix <- Sigma.2.SigmaStar(model=model.5f, model.par=theta,
latent.var=c("xi1", "xi2", "xi3", "eta1", "eta2"), discrep=0.08*0.08*57)

# To verify
# res.sem<- sem(model.5f, res.matrix$Sigma.star, 1000000)
# summary(res.sem)

## End(Not run)

```

### Description

Function that calculates five different signal-to-noise ratios using the squared multiple correlation coefficient.

### Usage

```
signal.to.noise.R2(R.Square, N, p)
```

### Arguments

R.Square	usual estimate of the squared multiple correlation coefficient (with no adjustments)
N	sample size
p	number of predictors

### Details

The method of choice is phi2.UMVUE.NL, but it requires p of 5 or more. In situations where p < 5, it is suggested that phi2.UMVUE.L be used.

### Value

phi2.hat	Basic estimate of the signal-to-noise ratio using the usual estimate of the squared multiple correlation coefficient: phi2.hat=R2/(1-R2)
phi2.adj.hat	Estimate of the signal-to-noise ratio using the usual adjusted R Square in place of R Square: phi2.hat=Adj.R2 /(1-Adj.R2)
phi2.UMVUE	Muirhead's (1985) unique minimum variance unbiased estimate of the signal-to-noise ratio (Muirhead uses theta-U): see reference or code for formula
phi2.UMVUE.L	Muirhead's (1985) unique minimum variance unbiased linear estimate of the signal-to-noise ratio (Muirhead uses theta-L): see reference or code for formula
phi2.UMVUE.NL	Muirhead's (1985) unique minimum variance unbiased nonlinear estimate of the signal-to-noise ratio (Muirhead uses theta-NL); requires the number of predictors to be greater than five: see reference or code for formula

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Cohen, J. (1988). Statistical power analysis for the behavioral sciences (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Muirhead, R. J. (1985). Estimating a particular function of the multiple correlation coefficient. *Journal of the American Statistical Association*, 80, 923–925.

### See Also

ci.R2, ss.aipe.R2

## Examples

```
signal.to.noise.R2(R.Square=.5, N=50, p=2)
signal.to.noise.R2(R.Square=.5, N=50, p=5)
signal.to.noise.R2(R.Square=.5, N=100, p=2)
signal.to.noise.R2(R.Square=.5, N=100, p=5)
```

<i>smd</i>	<i>Standardized mean difference</i>
------------	-------------------------------------

## Description

Function to calculate the standardized mean difference (regular or unbiased) using either raw data or summary measures.

## Usage

```
smd(Group.1 = NULL, Group.2 = NULL, Mean.1 = NULL, Mean.2 = NULL,
s.1 = NULL, s.2 = NULL, s = NULL, n.1 = NULL, n.2 = NULL,
Unbiased=FALSE)
```

## Arguments

Group.1	Raw data for group 1.
Group.2	Raw data for group 2.
Mean.1	The mean of group 1.
Mean.2	The mean of group 2.
s.1	The standard deviation of group 1 (i.e., the square root of the unbiased estimator of the population variance).
s.2	The standard deviation of group 2 (i.e., the square root of the unbiased estimator of the population variance).
s	The pooled group standard deviation (i.e., the square root of the unbiased estimator of the population variance).
n.1	The sample size within group 1.
n.2	The sample size within group 2.
Unbiased	Returns the unbiased estimate of the standardized mean difference.

## Details

When Unbiased=TRUE, the unbiased estimate of the standardized mean difference is returned (Hedges, 1981).

## Value

Returns the estimated standardized mean difference.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Cohen, J. (1988) Statistical power analysis for the behavioral sciences (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981) Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Steiger, J. H., \& Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, \& J.H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### See Also

smd.c, conf.limits.nct, ss.aipe

### Examples

```
# Generate sample data.
set.seed(113)
g.1 <- rnorm(n=25, mean=.5, sd=1)
g.2 <- rnorm(n=25, mean=0, sd=1)
smd(Group.1=g.1, Group.2=g.2)

M.x <- .66745
M.y <- .24878
sd <- 1.048
smd(Mean.1=M.x, Mean.2=M.y, s=sd)

M.x <- .66745
M.y <- .24878
n1 <- 25
n2 <- 25
sd.1 <- .95817
sd.2 <- 1.1311
smd(Mean.1=M.x, Mean.2=M.y, s.1=sd.1, s.2=sd.2, n.1=n1, n.2=n2)

smd(Mean.1=M.x, Mean.2=M.y, s.1=sd.1, s.2=sd.2, n.1=n1, n.2=n2,
Unbiased=TRUE)
```

---

smd.c	<i>Standardized mean difference using the control group as the basis of standardization</i>
-------	---

---

## Description

Function to calculate the standardized mean difference (regular or unbiased) using the control group standard deviation as the basis of standardization (for either raw data or summary measures).

## Usage

```
smd.c(Group.T = NULL, Group.C = NULL, Mean.T = NULL, Mean.C = NULL,
      s.C = NULL, n.C = NULL, Unbiased=FALSE)
```

## Arguments

Group.T	Raw data for the treatment group.
Group.C	Raw data for the control group.
Mean.T	The mean of the treatment group.
Mean.C	The mean of the control group.
s.C	The standard deviation of the control group (i.e., the square root of the unbiased estimator of the population variance).
n.C	The sample size of the control group.
Unbiased	Returns the unbiased estimate of the standardized mean difference using the standard deviation of the control group.

## Details

When `Unbiased=TRUE`, the unbiased estimate of the standardized mean difference (using the control group as the basis of standardization) is returned (Hedges, 1981). Although the unbiased estimate of the standardized mean difference is not often reported, at least at the present time, it is nevertheless made available to those who are interested in calculating this quantity.

## Value

Returns the estimated standardized mean difference using the control group standard deviation as the basis of standardization.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Glass, G. (1976). Primary, secondary, and meta-analysis of research. *Educational Researcher*, 5, 3–8.

## See Also

smd, conf.limits.nct

## Examples

```
# Generate sample data.
set.seed(113)
g.T <- rnorm(n=25, mean=.5, sd=1)
g.C <- rnorm(n=25, mean=0, sd=1)
smd.c(Group.T=g.T, Group.C=g.C)

M.T <- .66745
M.C <- .24878
sd.c <- 1.1311
n.c <- 25
smd.c(Mean.T=M.T, Mean.C=M.C, s=sd.c)
smd.c(Mean.T=M.T, Mean.C=M.C, s=sd.c, n.C=n.c, Unbiased=TRUE)
```

## Description

A function to calculate the appropriate sample size per group for the (unstandardized) ANOVA contrast so that the width of the confidence interval is sufficiently narrow.

## Usage

```
ss.aipe.c(error.variance = NULL, c.weights, width, conf.level = 0.95,
assurance = NULL, certainty = NULL, MSwithin = NULL, SD = NULL, ...)
```

## Arguments

- |                |   |
|----------------|---|
| error.variance | the common error variance; i.e., the mean square error                  |
| c.weights      | the contrast weights  |
| width          | the desired full width of the obtained confidence interval              |
| conf.level     | the desired confidence interval coverage, (i.e., 1 - Type I error rate) |

assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance
MSwithin	an alias for error.variance
SD	the standard deviation of the common error in ANOVA model
...	allows one to potentially include parameter values for inner functions

**Value**

n	the necessary sample size <i>per group</i>
---	--

**Note**

Be sure to use the error variance and not its square root (i.e., the standard deviation of the errors).

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai <Lai.15@ND.Edu>

**References**

- Kelley, K., Maxwell, S. E., & Rausch, J. R. (2003). Obtaining power or obtaining precision: Delineating methods of sample size planning. *Evaluation and the Health Professions*, 26, 258-287.
- Maxwell, S. E., & Delaney, H. D. (2004). *Designing experiments and analyzing data: A model comparison perspective*. Mahwah, NJ: Erlbaum.

**See Also**

ss.aipe.sc, ss.aipe.c.ancova, ci.c

**Examples**

```
# Suppose the population error variance of some three-group ANOVA model
# is believed to be 40. The researcher is interested in the difference
# between the mean of group 1 and the average of means of group 2 and 3.
# To plan the sample size so that, with 90 percent certainty, the
# obtained 95 percent full confidence interval width is no wider than 3:
```

```
ss.aipe.c(error.variance=40, c.weights=c(1, -0.5, -0.5), width=3, assurance=.90)
```

---

ss.aipe.c.ancova	<i>Sample size planning for a contrast in randomized ANCOVA from the Accuracy in Parameter Estimation (AYPE) perspective</i>
------------------	--

---

## Description

A function to calculate the appropriate sample size per group for the (unstandardized) contrast, in one-covariate randomized ANCOVA, so that the width of the confidence interval is sufficiently narrow.

## Usage

```
ss.aipe.c.ancova(error.var.ancova = NULL, error.var.anova = NULL,
rho = NULL, c.weights, width, conf.level = 0.95,
assurance = NULL, certainty = NULL)
```

## Arguments

error.var.ancova	the population error variance of the ANCOVA model (i.e., the mean square within of the ANCOVA model)
error.var.anova	the population error variance of the ANOVA model (i.e., the mean square within of the ANOVA model)
rho	the population correlation coefficient of the response and the covariate
c.weights	the contrast weights
width	the desired full width of the obtained confidence interval
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance

## Details

Either the error variance of the ANCOVA model or of the ANOVA model can be used to plan the appropriate sample size per group. When using the error variance of the ANOVA model to plan sample size, the correlation coefficient of the response and the covariate is also needed.

## Value

n	the necessary sample size <i>per group</i>
---	--

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai <Lai.15@ND.Edu>

## References

- Kelley, K., Maxwell, S. E., & Rausch, J. R. (2003). Obtaining power or obtaining precision: Delineating methods of sample size planning. *Evaluation and the Health Professions*, 26, 258-287.
- Maxwell, S. E., & Delaney, H. D. (2004). *Designing experiments and analyzing data: A model comparison perspective*. Mahwah, NJ: Erlbaum.

## See Also

`ci.c.ancova`, `ci.sc.ancova`, `ss.aipe.c`

## Examples

```
# Suppose the population error variance of some three-group ANOVA model
# is believed to be 40, and the population correlation coefficient
# of the response and the covariate is 0.22. The researcher is
# interested in the difference between the mean of group 1 and
# the average of means of group 2 and 3. To plan the sample size so
# that, with 90 percent certainty, the obtained 95 percent full
# confidence interval width is no wider than 3:

ss.aipe.c.ancova(error.var.anova=40, rho=.22,
c.weights=c(1, -0.5, -0.5), width=3, assurance=.90)
```

`ss.aipe.c.ancova.sensitivity`

*Sensitivity analysis for sample size planning for the (unstandardized) contrast in randomized ANCOVA from the Accuracy in Parameter Estimation (AYPE) Perspective*

## Description

Performs a sensitivity analysis when planning sample size from the Accuracy in Parameter Estimation (AYPE) Perspective for the (unstandardized) contrast in randomized ANCOVA design.

## Usage

```
ss.aipe.c.ancova.sensitivity(true.error.var.ancova = NULL,
est.error.var.ancova = NULL, true.error.var.anova = NULL,
est.error.var.anova = NULL, rho, est.rho = NULL, G = 10000,
mu.y, sigma.y, mu.x, sigma.x, c.weights, width,
conf.level = 0.95, assurance = NULL, certainty=NULL)
```

## Arguments

<code>true.error.var.ancova</code>	population error variance of the ANCOVA model
<code>est.error.var.ancova</code>	estimated error variance of the ANCOVA model

true.error.var.anova	population error variance of the ANOVA model (i.e., excluding the covariate)
est.error.var.anova	estimated error variance of the ANOVA model (i.e., excluding the covariate)
rho	population correlation coefficient of the response and the covariate
est.rho	estimated correlation coefficient of the response and the covariate
G	number of generations (i.e., replications) of the simulation
mu.y	vector that contains the response's population mean of each group
sigma.y	the population standard deviation of the response
mu.x	the population mean of the covariate
sigma.x	the population standard deviation of the covariate
c.weights	the contrast weights
width	the desired full width of the obtained confidence interval
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance

## Details

The arguments `mu.y`, `mu.x`, `sigma.y`, and `sigma.x` are used to generate random data in the simulations for the sensitivity analysis. The value of `mu.y` should be the same as the square root of `true.error.var.anova`.

So far this function is based on one-covariate randomized ANCOVA design only. The argument `mu.x` should be a single number, because it is assumed that the population mean of the covariate is equal across groups in randomized ANCOVA.

## Value

Psi.obs	the observed (unstandardized) contrast
se.Psi	the standard error of the observed (unstandardized) contrast
se.Psi.restricted	the standard error of the observed (unstandardized) contrast calculated by ignoring the covariate
se.res.over.se.full	the ratio of contrast's full standard error over the restricted one in each iteration
width.obs	full confidence interval width
Type.I.Error	Type I error happens in each iteration
Type.I.Error.Upper	Type I error happens in the upper end in each iteration
Type.I.Error.Lower	Type I error happens in the lower end in each iteration

Type.I.Error percentage of Type I error happened in the entire simulation  
 Type.I.Error.Upper percentage of Type I error happened in the upper end in the entire simulation  
 Type.I.Error.Lower percentage of Type I error happened in the lower end in the entire simulation  
 width.NARROWER.than.desired percentage of obtained widths that are narrower than the desired width  
 Mean.width.obs mean width of the obtained full confidence intervals  
 Median.width.obs median width of the obtained full confidence intervals  
 Mean.se.res.vs.se.full the mean of the ratios of contrast's full standard error over the restricted one  
 Psi.pop population (unstandardized) contrast  
 Contrast.Weights contrast weights  
 mu.y the response's population mean of each group  
 mu.x the population mean of the covariate  
 sigma.x the population standard deviation of the covariate  
 Sample.Size.per.Group sample size per group  
 conf.level the desired confidence interval coverage, (i.e., 1 - Type I error rate)  
 assurance specified assurance  
 rho population correlation coefficient of the response and the covariate  
 est.rho estimated correlation coefficient of the response and the covariate  
 true.error.var.ANOVA population error variance of the ANOVA model  
 est.error.var.ANOVA estimated error variance of the ANOVA model

### Author(s)

Keke Lai (University of Notre Dame; <Lai.15@ND.Edu>)

### Examples

```
## Not run:
ss.aipe.c.ancova.sensitivity(true.error.var.ancova=30,
est.error.var.ancova=30, rho=.2, mu.y=c(10,12,15,13), mu.x=2,
G=1000, sigma.x=1.3, sigma.y=2, c.weights=c(1,0,-1,0), width=3)

ss.aipe.c.ancova.sensitivity(true.error.var.anova=36,
est.error.var.anova=36, rho=.2, est.rho=.2, G=1000,
mu.y=c(10,12,15,13), mu.x=2, sigma.x=1.3, sigma.y=6,
c.weights=c(1,0,-1,0), width=3, assurance=NULL)

## End(Not run)
```

---

ss.aipe.cv*Sample size planning for the coefficient of variation given the goal of Accuracy in Parameter Estimation approach to sample size planning*

---

## Description

Determines the necessary sample size so that the expected confidence interval width for the coefficient of variation will be sufficiently narrow, optionally with a desired degree of certainty that the interval will not wider than desired.

## Usage

```
ss.aipe.cv(C.of.V = NULL, width = NULL, conf.level = 0.95,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
mu = NULL, sigma = NULL, alpha.lower = NULL, alpha.upper = NULL,
Suppress.Statement = TRUE, sup.int.warns = TRUE, ...)
```

## Arguments

C.of.V	population coefficient of variation which the sample size procedure is based
width	desired (full) width of the confidence interval
conf.level	confidence interval coverage; 1-Type I error rate
degree.of.certainty	value with which confidence can be placed that describes the likelihood of obtaining a confidence interval less than the value specified (e.g., .80, .90, .95)
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
mu	population mean (specified with sigma when C.of.V is not specified)
sigma	population standard deviation (specified with mu when C.of.V is not specified)
alpha.lower	Type I error for the lower confidence limit
alpha.upper	Type I error for the upper confidence limit
Suppress.Statement	Suppress a message restating the input specifications
sup.int.warns	suppress internal function warnings (e.g., warnings associated with qt)
...	for modifying parameters of functions this function calls

## Value

Returns the necessary sample size given the input specifications.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

`ss.aipe.cv.sensitivity, cv`

**Examples**

```
# Suppose one wishes to have a confidence interval with an expected width of .10
# for a 99% confidence interval when the population coefficient of variation is .25.
ss.aipe.cv(C.of.V=.1, width=.1, conf.level=.99)

# Ensuring that the confidence interval will be sufficiently narrow with a 99%
# certainty for the situation above.
ss.aipe.cv(C.of.V=.1, width=.1, conf.level=.99, degree.of.certainty=.99)
```

**ss.aipe.cv.sensitivity**

*Sensitivity analysis for sample size planning given the Accuracy in Parameter Estimation approach for the coefficient of variation.*

**Description**

Performs sensitivity analysis for sample size determination for the coefficient of variation given a population coefficient of variation (or population mean and standard deviation) and goals for the sample size procedure. Allows one to determine the effect of being wrong when estimating the population coefficient of variation in terms of the width of the obtained (two-sided) confidence intervals.

**Usage**

```
ss.aipe.cv.sensitivity(True.C.of.V = NULL, Estimated.C.of.V = NULL,
width = NULL, degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
mean = 100, Specified.N = NULL, conf.level = 0.95,
G = 1000, print.iter = TRUE)
```

**Arguments**

True.C.of.V	population coefficient of variation
Estimated.C.of.V	estimated coefficient of variation
width	desired confidence interval width
degree.of.certainty	parameter to ensure confidence interval width with a specified degree of certainty (must be NULL or between zero and unity)
assurance	the alias for degree.of.certainty
certainty	an alias for degree.of.certainty
mean	Some arbitrary value that the simulation uses to generate data (the variance of the data is determined by the mean and the coefficient of variation)

Specified.N	selected sample size to use in order to determine distributional properties of at a given value of sample size (not used with Estimated.C.of.V)
conf.level	the desired degree of confidence (i.e., 1-Type I error rate).
G	number of generations (i.e., replications) of the simulation
print.iter	to print the current value of the iterations

## Details

For sensitivity analysis when planning sample size given the desire to obtain narrow confidence intervals for the population coefficient of variation. Given a population value and an estimated value, one can determine the effects of incorrectly specifying the population coefficient of variation (True.C.of.V) on the obtained widths of the confidence intervals. Also, one can evaluate the percent of the confidence intervals that are less than the desired width (especially when modifying the degree.of.certainty parameter); see `ss.aipe.cv`)

Alternatively, one can specify Specified.N to determine the results at a particular sample size (when doing this Estimated.C.of.V cannot be specified).

## Value

`Data.from.Simulation`

list of the results in matrix form

`Specifications` specification of the function

`Summary.of.Results`

summary measures of some important descriptive statistics

## Note

Returns three lists, where each list has multiple components.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## See Also

`cv, ss.aipe.cv`

## Description

This function plans sample size with respect to the group-by-time interaction in the context of a longitudinal design with two groups. It plans sample size from the accuracy in parameter estimation (AIPE) perspective, where the goal is to obtain a sufficiently narrow confidence interval for the fixed effect polynomial change coefficient parameter (e.g., linear, quadratic, etc.). The sample size returned can be one such that (a) the expected confidence interval width is sufficiently narrow, or (b) the observed confidence interval will be sufficiently narrow with a specified high degree of assurance (e.g., .99, .95, .90, etc.). This function accompanies Kelley and Rausch (2011).

## Usage

```
ss.aipe.pcm(true.variance.trend, error.variance,
variance.true.minus.estimated.trend = NULL, duration, frequency,
width, conf.level = 0.95, trend = "linear", assurance = NULL)
```

## Arguments

true.variance.trend	The variance of the individuals' true change coefficients (i.e., $\sigma_{v_m}^2$ in Kelley & Rausch, 2011) for the polynomial trend (e.g., linear, quadratic, etc.) of interest.
error.variance	The true error variance (i.e., $\sigma_\epsilon^2$ in Kelley & Rausch, 2011).
variance.true.minus.estimated.trend	The variance of the difference between the $m$ th true change coefficient minus the $m$ th estimated change coefficient (i.e., $\sigma_{\pi_m - \hat{\pi}_m}^2$ from Equation 19 in Kelley & Rausch, 2011).
duration	The duration of the study.
frequency	The number of times measurement occurs within each unit of time.
width	width of the confidence interval
conf.level	The desired level of confidence for the confidence interval that will be computed at the completion of the study.
trend	The polynomial trend (1st-3rd) of interest specified as "linear", "quadratic", or "cubic".
assurance	Value with which confidence can be placed that describes the likelihood of obtaining a confidence interval less than the value specified (e.g., .80, .90, .95)

## Value

Returns the necessary sample size for the combination of the desired goals and values of the population parameters for a specific design.

## Note

Like in all formal sample size planning methods that require the value of one or more population parameter(s), if the population parameters are incorrectly specified, there is no guarantee that the sample size this function returns will be accurate. Of course, the further away from the true values, the further away the true sample size will tend to be.

The number of timepoints in a study (say  $M$ ) is defined by  $f \times D + 1$ , where  $f$  is the frequency and  $D$  is the duration.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

Kelley, K., & Rausch, J. R. (2011). Accuracy in parameter estimation for polynomial change models. *Psychological Methods*.

**Examples**

```
## Not run:
# An example used in Kelley and Rausch for the expected confidence interval
# width (returns 278). Thus, a necessary sample size of 278 is required when
# the duration of the study will be 4 units and the frequency of measurement
# occasions is 1 year in order for the expected confidence interval
# width to be 0.025 units.

ss.aipe.pcm(true.variance.trend=0.003, error.variance=0.0262, duration=4,
frequency=1, width=0.025, conf.level=.95)

# Now, when incorporating an assurance paramether (returns 316).
# Thus, a necessary sample size of 316 will ensure that the 95% confidence
# interval will be sufficiently narrow (i.e., have a width less than .025 units)
# at least 99% of the time.
ss.aipe.pcm(true.variance.trend=.003, error.variance=.0262, duration=4,
frequency=1, width=.025, conf.level=.95, assurance=.99)

## End(Not run)
```

**Description**

Determines necessary sample size for the multiple correlation coefficient so that the confidence interval for the population multiple correlation coefficient is sufficiently narrow. Optionally, there is a certainty parameter that allows one to be a specified percent certain that the observed interval will be no wider than desired.

**Usage**

```
ss.aipe.R2(Population.R2 = NULL, conf.level = 0.95, width = NULL,
Random.Predictors = TRUE, Random.Regressors, which.width = "Full", p = NULL,
K, degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
verify.ss = FALSE, Tol = 1e-09, ...)
```

## Arguments

Population.R2	value of the population multiple correlation coefficient
conf.level	confidence interval level (e.g., .95, .99, .90); 1-Type I error rate
width	width of the confidence interval (see which.width)
Random.Predictors	whether or not the predictor variables are random (set to TRUE) or are fixed (set to FALSE)
Random.Regressors	an alias for Random.Predictors; Random.Regressors overrides Random.Predictors
which.width	defines the width that width refers to
p	the number of predictor variables
K	an alias for p; K overrides p
degree.of.certainty	value with which confidence can be placed that describes the likelihood of obtaining a confidence interval less than the value specified (e.g., .80, .90, .95)
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
verify.ss	evaluates numerically via an internal Monte Carlo simulation the exact sample size given the specifications
Tol	the tolerance of the iterative function conf.limits.nct for convergence
...	for modifying the parameters of functions this function calls upon

## Details

This function determines a necessary sample size so that the expected confidence interval width for the squared multiple correlation coefficient is sufficiently

narrow (when degree.of.certainty=NULL) so that the obtained confidence interval is no larger than the value specified with some desired degree of certainty (i.e., a probability that the obtained width is less than the specified width). The method depends on whether or not the regressors are regarded as fixed or random. This is the case because the distribution theory for the two cases is different and thus the confidence interval procedure is conditional the type of regressors. The default methods are approximate but can be made exact with the specification of verify.ss=TRUE, which performs an a priori Monte Carlo simulation study. Kelley (2007) and Kelley & Maxwell (2008) detail the methods used in the function, with the former focusing on random regressors and the latter on fixed regressors.

It is recommended that the option verify.ss should always be used! Doing so uses the method impled sample size as an estimate and then evaluates with an internal Monte Carlo simulation (i.e., via "brute-force" methods) the exact sample size given the goals specified. When verify.ss=TRUE, the default number of iterations is 10,000 but this can be changed by specifying G=5000 (or some other value; 10000 is the recommended) When verify.ss=TRUE is specified, an internal function verify.ss.aipe.R2 calls upon the ss.aipe.R2.sensitivity function for purposes of the internal Monte Carlo simulation study. See the verify.ss.aipe.R2 function for arguments that can be passed from ss.aipe.R2 to verify.ss.aipe.R2.

**Value**

`Required.Sample.Size`

sample size that should be used given the conditions specified.

**Note**

This function without `verify.SS=FALSE` can be slow to converge when `verify.SS=TRUE`, the function can take some time to converge (e.g., 15 minutes). Most times this will not be the case, but it is possible in some situations.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Algina, J. \& Olejnik, S. (2000) Determining sample size for accurate estimation of the squared multiple correlation coefficient. *Multivariate Behavioral Research*, 35, 119–136.
- Steiger, J. H. \& Fouladi, R. T. (1992) R2: A computer program for interval estimation, power calculation, and hypothesis testing for the squared multiple correlation. *Behavior research methods, instruments and computers*, 4, 581–582.
- Kelley, K. (2007) Sample size planning for the squared multiple correlation coefficient: Accuracy in parameter estimation via narrow confidence intervals, *manuscripted submitted for publication*.
- Kelley, K. \& Maxwell, S. E. (In press) Power and accuracy for omnibus and targeted effects: Issues of sample size planning with applications to multiple regression. In P. Alasuuta, J. Brannen, \& L. Bickman (Eds.), *Handbook of Social Research Methods*. Newbury Park, CA: Sage.

**See Also**

`ci.R2`, `conf.limits.nct`, `ss.aipe.R2.sensitivity`

**Examples**

```
# Returned sample size should be considered approximate; exact sample
# size is obtained by specifying the argument 'verify.ss=TRUE' (see below).
# ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
# p=5, Random.Predictors=TRUE)
# Uncomment to run in order to get exact sample size.
# ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
# p=5, Random.Predictors=TRUE, verify.ss=TRUE)

# Same as above, except the predictor variables are considered fixed.
# Returned sample size should be considered approximate; exact sample
# size is obtained by specifying the argument 'verify.ss=TRUE'.
# ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
# p=5, Random.Predictors=FALSE)
# Uncomment to run in order to get exact sample size.
# ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
# p=5, Random.Predictors=FALSE, verify.ss=TRUE)
```

```

# Returned sample size should be considered approximate; exact sample
# size is obtained by specifying the argument 'verify.ss=TRUE'.
# ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
# p=5, degree.of.certainty=.85, Random.Predictors=TRUE)
# Uncomment to run in order to get exact sample size.
#ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
#p=5, degree.of.certainty=.85, Random.Predictors=TRUE, verify.ss=TRUE)

# Same as above, except the predictor variables are considered fixed.
# Returned sample size should be considered approximate; exact sample
# size is obtained by specifying the argument 'verify.ss=TRUE'.
# ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
# p=5, degree.of.certainty=.85, Random.Predictors=FALSE)
# Uncomment to run in order to get exact sample size.
#ss.aipe.R2(Population.R2=.50, conf.level=.95, width=.10, which.width="Full",
#p=5, degree.of.certainty=.85, Random.Predictors=FALSE, verify.ss=TRUE)

```

**ss.aipe.R2.sensitivity**

*Sensitivity analysis for sample size planning with the goal of Accuracy in Parameter Estimation (i.e., a narrow observed confidence interval)*

**Description**

Given Estimated.R2 and True.R2, one perform a sensitivity analysis to determine the effect of a misspecified population squared multiple correlation coefficient using the Accuracy in Parameter Estimation (AIPE) approach to sample size planning. The function evaluates the effect of a misspecified True.R2 on the width of obtained confidence intervals.

**Usage**

```
ss.aipe.R2.sensitivity(True.R2 = NULL, Estimated.R2 = NULL, w = NULL,
p = NULL, Random.Predictors=TRUE, Selected.N=NULL,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
conf.level = 0.95, Generate.Random.Predictors=TRUE, rho.yx = 0.3,
rho.xx = 0.3, G = 10000, print.iter = TRUE, ...)
```

**Arguments**

True.R2	value of the population squared multiple correlation coefficient
Estimated.R2	value of the estimated (for sample size planning) squared multiple correlation coefficient
w	full confidence interval width of interest
p	number of predictors

**Random.Predictors**

whether or not the sample size procedure and the simulation itself should be based on random (set to TRUE) or fixed predictors (set to FALSE)

**Selected.N** selected sample size to use in order to determine distributional properties of at a given value of sample size

**degree.of.certainty**

parameter to ensure confidence interval width with a specified degree of certainty

**assurance** an alias for **degree.of.certainty**

**certainty** an alias for **degree.of.certainty**

**conf.level** confidence interval coverage (symmetric coverage)

**Generate.Random.Predictors**

specify whether the simulation should be based on random (default) or fixed regressors.

**rho.yx** value of the correlation between y (dependent variable) and each of the x variables (independent variables)

**rho.xx** value of the correlation among the x variables (independent variables)

**G** number of generations (i.e., replications) of the simulation

**print.iter** should the iteration number (between 1 and G) during the run of the function

**...** for modifying parameters of functions this function calls upon

**Details**

When **Estimated.R2=True.R2**, the results are that of a simulation study when all assumptions are satisfied. Rather than specifying **Estimated.R2**, one can specify **Selected.N** to determine the results of a particular sample size (when doing this **Estimated.R2** cannot be specified).

The sample size estimation procedure technically assumes multivariate normal variables ( $p+1$ ) with fixed predictors (x/indepndent variables), yet the function assumes random multivariate normal predictors (having a  $p+1$  multivariate distribution). As Gatsonis and Sampson (1989) note in the context of statistical power analysis (recall this function is used in the context of precision), there is little difference in the outcome.

In the behavioral, educational, and social sciences, predictor variables are almost always random, and thus **Random.Predictors** should generally be used. **Random.Predictors=TRUE** specifies how both the sample size planning procedure and the confidence intervals are calculated based on the random predictors/regressors. The internal simulation generates random or fixed predictors/regressors based on whether variables predictor variables are random or fixed. However, when **Random.Predictors=False**, only the sample size planning procedure and the confidence intervals are calculated based on the parameter. The parameter **Generate.Random.Predictors** (where the default is TRUE so that random predictors/regressors are generated) allows random or fixed predictor variables to be generated. Because the sample size planning procedure and the internal simulation are both specified, for purposes of sensitivity analysis random/fixed can be crossed to examine the effects of specifying sample size based on one but using it on data based on the other.

**Value**

<b>Results</b>	a list containing vectors of the empirical results
<b>Specifications</b>	outputs the input specifications and required sample size
<b>Summary</b>	summary values for the results of the sensitivity analysis (simulation study)

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Algina, J. \& Olejnik, S. (2000) Determining Sample Size for Accurate Estimation of the Squared Multiple Correlation Coefficient. *Multivariate Behavioral Research*, 35, 119–136.
- Gatsonis, C. \& Sampson, A. R. (1989). Multiple Correlation: Exact power and sample size calculations. *Psychological Bulletin*, 106, 516–524.
- Steiger, J. H. \& Fouladi, R. T. (1992) R2: A computer program for interval estimation, power calculation, and hypothesis testing for the squared multiple correlation. *Behavior research methods, instruments and computers*, 4, 581–582.
- Kelley, K. Sample size planning for the squared multiple correlation coefficient: Accuracy in parameter estimation via narrow confidence intervals, *manuscripted submitted for publication*.
- Kelley, K. \& Maxwell, S. E. (2008). Sample Size Planning with applications to multiple regression: Power and accuracy for omnibus and targeted effects. In P. Alasuuta, J. Brannen, \& L. Bickman (Eds.), *The Sage handbook of social research methods* (pp. 166-192). Newbury Park, CA: Sage.

**See Also**

ci.R2, conf.limits.nct, ss.aipe.R2

**Examples**

```
# Change 'G' to some large number (e.g., G=10,000)
# ss.aipe.R2.sensitivity(True.R2=.5, Estimated.R2=.4, w=.10, p=5, conf.level=0.95,
# G=25)
```

ss.aipe.rc

*sample size necessary for the accuracy in parameter estimation approach for an unstandardized regression coefficient of interest*

**Description**

A function used to plan sample size from the accuracy in parameter estimation perspective for an unstandardized regression coefficient of interest given the input specification.

## Usage

```
ss.aipe.rc(Rho2.Y_X = NULL, Rho2.k_X.without.k = NULL,
K = NULL, b.k = NULL, width, which.width = "Full", sigma.Y = 1,
sigma.X.k = 1, RHO.XX = NULL, Rho.YX = NULL, which.predictor = NULL,
alpha.lower = NULL, alpha.upper = NULL, conf.level = .95,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
Suppress.Statement = FALSE)
```

## Arguments

Rho2.Y_X	Population value of the squared multiple correlation coefficient
Rho2.k_X.without.k	Population value of the squared multiple correlation coefficient predicting the $k$ th predictor variable from the remaining $K-1$ predictor variables
K	the number of predictor variables
b.k	the regression coefficient for the $k$ th predictor variable (i.e., the predictor of interest)
width	the desired width of the confidence interval
which.width	which width ("Full", "Lower", or "Upper") the width refers to (at present, only "Full" can be specified)
sigma.Y	the population standard deviation of $Y$ (i.e., the dependent variables)
sigma.X.k	the population standard deviation of the $k$ th $X$ variable (i.e., the predictor variable of interest)
RHO.XX	Population correlation matrix for the $p$ predictor variables
Rho.YX	Population $K$ length vector of correlation between the dependent variable ( $Y$ ) and the $K$ independent variables
which.predictor	identifies which of the $K$ predictors is of interest
alpha.lower	Type I error rate for the lower confidence interval limit
alpha.upper	Type I error rate for the upper confidence interval limit
conf.level	desired level of confidence for the computed interval (i.e., $1 - \text{the Type I error rate}$ )
degree.of.certainty	degree of certainty that the obtained confidence interval will be sufficiently narrow
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
Suppress.Statement	TRUE/FALSE statement whether or not a sentence describing the situation defined is printed with the necessary sample size

## Details

Not all of the arguments need to be specified, only those that provide all of the necessary information so that the sample size can be determined for the conditions specified.

**Value**

Returns the necessary sample size in order for the goals of accuracy in parameter estimation to be satisfied for the confidence interval for a particular regression coefficient given the input specifications.

**Note**

This function calls upon `ss.aipe.reg.coef` in MBESS but has a different naming scheme. See `ss.aipe.reg.coef` for more details.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

Kelley, K. & Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accurate, not simply significant. *Psychological Methods*, 8, 305–321.

**See Also**

`ss.aipe.reg.coef.sensitivity`, `conf.limits.nct`,  
`ss.aipe.reg.coef`, `ss.aipe.src`

**Examples**

```
# Exchangable correlation structure
# Rho.YX <- c(.3, .3, .3, .3, .3)
# RHO.XX <- rbind(c(1, .5, .5, .5, .5), c(.5, 1, .5, .5, .5), c(.5, .5, 1, .5, .5),
# c(.5, .5, .5, 1, .5), c(.5, .5, .5, .5, 1))

# ss.aipe.rc(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, conf.level=1-.05)

# ss.aipe.rc(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, conf.level=1-.05, degree.of.certainty=.85)
```

**ss.aipe.rc.sensitivity**

*Sensitivity analysis for sample size planing from the Accuracy in Parameter Estimation Perspective for the unstandardized regression coefficient*

**Description**

Performs a sensitivity analysis when planning sample size from the Accuracy in Parameter Estimation Perspective for the unstandardized regression coefficient.

**Usage**

```
ss.aipe.rc.sensitivity(True.Var.Y = NULL, True.Cov.YX = NULL,
True.Cov.XX = NULL, Estimated.Var.Y = NULL, Estimated.Cov.YX = NULL,
Estimated.Cov.XX = NULL, Specified.N = NULL, which.predictor = 1,
w = NULL, Noncentral = FALSE, Standardize = FALSE, conf.level = 0.95,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
G = 1000, print.iter = TRUE)
```

**Arguments**

True.Var.Y	Population variance of the dependent variable ( $Y$ )
True.Cov.YX	Population covariances vector between the $p$ predictor variables and the dependent variable ( $Y$ )
True.Cov.XX	Population covariance matrix of the $p$ predictor variables
Estimated.Var.Y	Estimated variance of the dependent variable ( $Y$ )
Estimated.Cov.YX	Estimated covariances vector between the $p$ predictor variables and the dependent variable ( $Y$ )
Estimated.Cov.XX	Estimated Population covariance matrix of the $p$ predictor variables
Specified.N	Directly specified sample size (instead of using Estimated.Rho.YX and Estimated.RHO.XX)
which.predictor	identifies which of the $p$ predictors is of interest
w	desired confidence interval width for the regression coefficient of interest
Noncentral	specify with a TRUE/FALSE statement whether or not the noncentral approach to sample size planning should be used
Standardize	specify with a TRUE/FALSE statement whether or not the regression coefficient will be standardized; default is TRUE
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
degree.of.certainty	degree of certainty that the obtained confidence interval will be sufficiently narrow (i.e., the probability that the observed interval will be no larger than desired).
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
G	the number of generations/replication of the simulation student within the function
print.iter	specify with a TRUE/FALSE statement if the iteration number should be printed as the simulation within the function runs

## Details

Direct specification of `True.Rho.YX` and `True.RHO.XX` is necessary, even if one is interested in a single regression coefficient, so that the covariance/correlation structure can be specified when when the simulation student within the function runs.

## Value

<code>Results</code>	a matrix containing the empirical results from each of the G replication of the simulation
<code>Specifications</code>	a list of the input specifications and the required sample size
<code>Summary.of.Results</code>	summary values for the results of the sensitivity analysis (simulation study) given the input specification

## Note

Note that when `True.Rho.YX=Estimated.Rho.YX` and `True.RHO.XX=Estimated.RHO.XX`, the results are not literally from a sensitivity analysis, rather the function performs a standard simulation study. A simulation study can be helpful in order to determine if the sample size procedure under or overestimates necessary sample size.

See `ss.aipe.reg.coef.sensitivity` in MBESS for more details.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

Kelley, K. & Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accuracy, not simply significant. *Psychological Methods*, 8, 305–321.

## See Also

`ss.aipe.reg.coef.sensitivity`, `ss.aipe.src.sensitivity`,  
`ss.aipe.reg.coef.ci.reg.coef`

`ss.aipe.reg.coef`      *sample size necessary for the accuracy in parameter estimation approach for a regression coefficient of interest*

## Description

A function used to plan sample size from the accuracy in parameter estimation approach for a regression coefficient of interest given the input specification.

**Usage**

```
ss.aipe.reg.coef(Rho2.Y_X=NULL, Rho2.j_X.without.j=NULL, p=NULL,
b.j=NULL, width, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=NULL,
Rho.YX=NULL, which.predictor=NULL, Noncentral=FALSE, alpha.lower=NULL,
alpha.upper=NULL, conf.level=.95, degree.of.certainty=NULL, assurance=NULL,
certainty=NULL, Suppress.Statement=FALSE)
```

**Arguments**

Rho2.Y_X	Population value of the squared multiple correlation coefficient
Rho2.j_X.without.j	Population value of the squared multiple correlation coefficient predicting the jth predictor variable from the remaining p-1 predictor variables
p	the number of predictor variables
b.j	the regression coefficient for the jth predictor variable (i.e., the predictor of interest)
width	the desired width of the confidence interval
which.width	which width ("Full", "Lower", or "Upper") the width refers to (at present, only "Full" can be specified)
sigma.Y	the population standard deviation of Y (i.e., the dependent variables)
sigma.X	the population standard deviation of the jth X variable (i.e., the predictor variable of interest)
RHO.XX	Population correlation matrix for the p predictor variables
Rho.YX	Population p length vector of correlation between the dependent variable (Y) and the p independent variables
which.predictor	identifies which of the p predictors is of interest
Noncentral	specify with a TRUE/FALSE statement whether or not the noncentral approach to sample size planning should be used
alpha.lower	Type I error rate for the lower confidence interval limit
alpha.upper	Type I error rate for the upper confidence interval limit
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
degree.of.certainty	degree of certainty that the obtained confidence interval will be sufficiently narrow
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
Suppress.Statement	TRUE/FALSE statement whether or not a sentence describing the situation defined is printed with the necessary sample size

## Details

Not all of the arguments need to be specified, only those that provide all of the necessary information so that the sample size can be determined for the conditions specified.

## Value

Returns the necessary sample size in order for the goals of accuracy in parameter estimation to be satisfied for the confidence interval for a particular regression coefficient given the input specifications.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

Kelley, K. \& Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accurate, not simply significant. *Psychological Methods*, 8, 305–321.

## See Also

`ss.aipe.reg.coef.sensitivity, conf.limits.nct`

## Examples

```
# Exchangable correlation structure
# Rho.YX <- c(.3, .3, .3, .3, .3)
# RHO.XX <- rbind(c(1, .5, .5, .5), c(.5, 1, .5, .5, .5), c(.5, .5, 1, .5, .5),
# c(.5, .5, .5, 1, .5), c(.5, .5, .5, .5, 1))
# ss.aipe.reg.coef(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, Noncentral=FALSE, conf.level=1-.05,
# degree.of.certainty=NULL, Suppress.Statement=FALSE)

# ss.aipe.reg.coef(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, Noncentral=FALSE, conf.level=1-.05,
# degree.of.certainty=.85, Suppress.Statement=FALSE)

# ss.aipe.reg.coef(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, Noncentral=TRUE, conf.level=1-.05,
# degree.of.certainty=NULL, Suppress.Statement=FALSE)

# ss.aipe.reg.coef(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, Noncentral=TRUE, conf.level=1-.05,
# degree.of.certainty=.85, Suppress.Statement=FALSE)
```

---

ss.aipe.reg.coef.sensitivity

*Sensitivity analysis for sample size planing from the Accuracy in Parameter Estimation Perspective for the (standardized and unstandardized) regression coefficient*

---

**Description**

Performs a sensitivity analysis when planning sample size from the Accuracy in Parameter Estimation Perspective for the standardized or unstandardized regression coefficient.

**Usage**

```
ss.aipe.reg.coef.sensitivity(True.Var.Y = NULL, True.Cov.YX = NULL,
True.Cov.XX = NULL, Estimated.Var.Y = NULL, Estimated.Cov.YX = NULL,
Estimated.Cov.XX = NULL, Specified.N = NULL, which.predictor = 1,
w = NULL, Noncentral = FALSE, Standardize = FALSE, conf.level = 0.95,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
G = 1000, print.iter = TRUE)
```

**Arguments**

True.Var.Y	Population variance of the dependent variable (Y)
True.Cov.YX	Population covariances vector between the p predictor variables and the dependent variable (Y)
True.Cov.XX	Population covariance matrix of the p predictor variables
Estimated.Var.Y	Estimated variance of the dependent variable (Y)
Estimated.Cov.YX	Estimated covariances vector between the p predictor variables and the dependent variable (Y)
Estimated.Cov.XX	Estimated Population covariance matrix of the p predictor variables
Specified.N	Directly specified sample size (instead of using Estimated.Rho.YX and Estimated.RHO.XX)
which.predictor	identifies which of the p predictors is of interest
w	desired confidence interval width for the regression coefficient of interest
Noncentral	specify with a TRUE/FALSE statement whether or not the noncentral approach to sample size planning should be used
Standardize	specify with a TRUE/FALSE statement whether or not the regression coefficient will be standardized
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)

degree.of.certainty	degree of certainty that the obtained confidence interval will be sufficiently narrow
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
G	the number of generations/replication of the simulation student within the function
print.iter	specify with a TRUE/FALSE statement if the iteration number should be printed as the simulation within the function runs

## Details

Direct specification of True.Rho.YX and True.RHO.XX is necessary, even if one is interested in a single regression coefficient, so that the covariance/correlation structure can be specified when when the simulation student within the function runs.

## Value

Results	a matrix containing the empirical results from each of the G replication of the simulation
Specifications	a list of the input specifications and the required sample size
Summary.of.Results	summary values for the results of the sensitivity analysis (simulation study) given the input specification

## Note

Note that when True.Rho.YX=Estimated.Rho.YX and True.RHO.XX=Estimated.RHO.XX, the results are not literally from a sensitivity analysis, rather the function performs a standard simulation study. A simulation study can be helpful in order to determine if the sample size procedure under or overestimates necessary sample size.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

Kelley, K. \& Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accuracy, not simply significant. *Psychological Methods*, 8, 305–321.

## See Also

`ss.aipe.reg.coef`, `ci.reg.coef`

---

<code>ss.aipe.reliability</code>	<i>Sample Size Planning for Accuracy in Parameter Estimation for reliability coefficients.</i>
----------------------------------	--

---

## Description

This function determines a necessary sample size so that the expected confidence interval width for the alpha coefficient or omega coefficient is sufficiently narrow (when assurance=NULL) or so that the obtained confidence interval is no larger than the value specified with some desired degree of certainty (i.e., a probability that the obtained width is less than the specified width; assurance=.85). This function calculates coefficient alpha based on McDonald's (1999) formula for coefficient alpha, also known as Guttman-Cronbach alpha. It also uses coefficient omega from McDonald (1999). When the 'Parallel' or 'True Score' model is used, coefficient alpha is calculated. When the 'Congeneric' model is used, coefficient omega is calculated.

## Usage

```
ss.aipe.reliability(model = NULL, type = NULL, width = NULL, S = NULL, conf.level = 0.95, assurance = NULL)
```

## Arguments

<code>model</code>	the type of measurement model (e.g., "parallel items", "true-score equivalent", or "congeneric model") for a homogeneous single common factor test
<code>type</code>	the type of method to base the formation of the confidence interval on, either the "Factor Analytic" (McDonald, 1999) or "Normal Theory" (van Zyl, Neudecker, & Nel, 2000)
<code>width</code>	the desired full width of the confidence interval
<code>S</code>	a symmetric covariance matrix
<code>conf.level</code>	the desired confidence interval coverage, (i.e., 1- Type I error rate)
<code>assurance</code>	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty
<code>data</code>	the data set that the reliability coefficient is obtained from
<code>i</code>	number of items
<code>cor.est</code>	the estimated inter-item correlation
<code>lambda</code>	the vector of population factor loadings
<code>psi.square</code>	the vector of population error variances
<code>initial.iter</code>	the number of initial iterations or generations/replications of the simulation study within the function
<code>final.iter</code>	the number of final iterations or generations/replications of the simulation study
<code>start.ss</code>	the initial sample size to start the simulation at

### Value

~Describe the value returned If it is a LIST, use

Required.Sample.Size

the necessary sample size

width the specified full width of the confidence interval

specified.assurance

the specified degree of certainty

empirical.assurance

the empirical assurance based on the necessary sample size returned

final.iter the specified number of iterations in the simulation study

### Warning

In some conditions you may receive a warning, such as "In sem.default(ram = ram, S = S, N = N, param.names = pars, var.names = vars,;Could not compute QR decomposition of Hessian. Optimization probably did not converge." This indicates that the model likely did not converge. In certain conditions this may occur because the model is not being fit well due to small sample size, a low number of iterations, or a poorly behaved covariance matrix.

### Note

Not all of the items can be entered into the function to represent the population values. For example, either 'data' can be used, or 'S', or 'i', 'cor.est', and 'psi.square', or 'i', 'lambda', and 'psi.square'. With a large number of interations ('final.iter') this function may take a while to execute. Please be patient.

### Author(s)

Leann J. Terry (Indiana University; <ljterry@Indiana.Edu>); Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

McDonald, R. P. (1999). *Test theory: A unified approach*. Mahwah, New Jersey: Lawrence Erlbaum Associates, Publishers.

van Zyl, J. M., Neudecker, H., & Nel, D. G. (2000) On the distribution of the maximum likelihood estimator of Cronbach's alpha. *Psychometrika*, 65 (3), 271-280.

### See Also

[CFA.1](#); [sem](#); [ci.reliability](#);

## Examples

```
# Pop.Mat<-rbind(c(1.0000000, 0.3813850, 0.4216370, 0.3651484, 0.4472136),
# c(0.3813850, 1.0000000, 0.4020151, 0.3481553, 0.4264014), c(0.4216370,
# 0.4020151, 1.0000000, 0.3849002, 0.4714045), c(0.3651484, 0.3481553,
# 0.3849002, 1.0000000, 0.4082483), c(0.4472136, 0.4264014, 0.4714045,
# 0.4082483, 1.0000000))

# ss.aipe.reliability (model='Parallel', type='Normal Theory', width=.1, i=6,
# cor.est=.3, psi.square=.2, conf.level=.95, assurance=.85, initial.iter=500,
# final.iter=5000, start.ss=NULL)

# ss.aipe.reliability (model='True Score', type='Normal Theory', width=.15, i=5,
# cor.est=.3, psi.square=c(.2, .3, .3, .2, .3), conf.level=.95, assurance=.85,
# initial.iter=500, final.iter=5000, start.ss=110)

#ss.aipe.reliability (model='True Score', type='Normal Theory', width=.15,
# S=Pop.Mat, conf.level=.95, assurance=.85, initial.iter=500, final.iter=5000,
# start.ss=NULL)

#ss.aipe.reliability (model='Congeneric', type='Factor Analytic', width=.1, i=5,
# lambda=c(.4, .4, .3, .3, .5), psi.square=c(.2, .4, .3, .3, .2), conf.level=.95,
# assurance=.85, initial.iter=500, final.iter=5000, start.ss=340)
```

ss.aipe.rmsea

*Sample size planning for RMSEA in SEM*

## Description

Sample size planning for the population root mean square error of approximation (RMSEA) from the accuracy in parameter estimation (AIPE) perspective. The sample size is planned so that the expected width of a confidence interval for the population RMSEA is no larger than desired.

## Usage

```
ss.aipe.rmsea(RMSEA, df, width, conf.level = 0.95)
```

## Arguments

RMSEA	the input RMSEA value
df	degrees of freedom of the model
width	desired confidence interval width
conf.level	desired confidence level (e.g., .90, .95, .99, etc.)

## Value

Returns the necessary total sample size in order to achieve the desired degree of accuracy (i.e., the sufficiently narrow confidence interval).

**Author(s)**

Keke Lai (University of Notre Dame; <KLai1@ND.Edu>); Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

[ci.rmsea](#)

**Examples**

```
# ss.aipe.rmsea(RMSEA=.035, df=50, width=.05, conf.level=.95)
```

`ss.aipe.rmsea.sensitivity`

*a priori Monte Carlo simulation for sample size planning for RMSEA  
in SEM*

**Description**

Conduct a priori Monte Carlo simulation to empirically study the effects of (mis)specifications of input information on the calculated sample size. The sample size is planned so that the expected width of a confidence interval for the population RMSEA is no larger than desired. Random data are generated from the true covariance matrix but fit to the proposed model, whereas sample size is calculated based on the input covariance matrix and proposed model.

**Usage**

```
ss.aipe.rmsea.sensitivity(width, model, Sigma, N=NULL,  
conf.level=0.95, G=200, save.file="sim.results.txt", ...)
```

**Arguments**

<code>width</code>	desired confidence interval width for the model parameter of interest
<code>model</code>	the model the researcher proposes, may or may not be the true model. This argument should be an RAM (reticular action model; e.g., McArdle & McDonald, 1984) specification of a structural equation model, and should be of class <code>mod</code> . The model is specified in the same manner as does the <code>sem</code> package; see <code>sem</code> and <code>specify.model</code> for detailed documentation about model specifications in the RAM notation.
<code>Sigma</code>	the true population covariance matrix, which will be used to generate random data for the simulation study. The row names and column names of <code>Sigma</code> should be the same as the manifest variables in <code>model</code> .
<code>N</code>	if <code>N</code> is specified, random sample of the specified <code>N</code> size will be generated. Otherwise the sample size is calculated with the sample size planning method with the goal that the expected width of a confidence interval for population RMSEA is no larger than desired.

conf.level	confidence level (i.e., 1- Type I error rate)
G	number of replications in the Monte Carlo simulation
save.file	the name of the file that simulation results will be saved to
...	allows one to potentially include parameter values for inner functions

## Details

This function implements the sample size planning methods proposed in Kelley and Lai (2010). It depends on the function `sem` in the `sem` package to fit the proposed model to random data, and uses the same notation to specify SEM models as does `sem`. Please refer to `sem` for more detailed documentation about model specifications, the RAM notation, and model fitting techniques. For technical discussion on how to obtain the model implied covariance matrix in the RAM notation given model parameters, see McArdle and McDonald (1984)

## Value

successful.replication	the number of successful replications
w	the G random confidence interval widths
RMSEA.hat	the G estimated RMSEA values based on the G random samples
sample.size	the sample size calculated
df	degrees of freedom of the proposed model
RMSEA.pop	the input RMSEA value that is used to calculate the necessary sample size
desired.width	desired confidence interval width
mean.width	mean of the random confidence interval widths
median.width	median of the random confidence interval widths
assurance	the proportion of confidence interval widths narrower than desired
quantile.width	99, 97, 95, 90, 80, 70, and 60 percentiles of the random confidence interval widths
alpha.upper	the upper empirical Type I error rate
alpha.lower	the lower empirical Type I error rate
alpha	total empirical Type I error rate
conf.level	confidence level
sim.results.txt	a text file that saves the simulation results; it updates after each replication. 'sim.results.txt' is the default file name

## Note

Sometimes this function jumps out of the loop before it finishes the simulation. The reason is because the `sem` function that this function calls to fit the model fails to converge when searching for maximum likelihood estimates of model parameters. Since the results in previous replications are saved, the user can start this function again, and specify the number of replications (i.e., G) to be the desired total number of replications minus the number of previous successful replications.

**Author(s)**

Keke Lai (University of Notre Dame; <KLai1@ND.Edu>)

**References**

- Cudeck, R., & Browne, M. W. (1992). Constructing a covariance matrix that yields a specified minimizer and a specified minimum discrepancy function value. *Psychometrika*, 57, 357-369.
- Fox, J. (2006). Structural equation modeling with the sem package in R. *Structural Equation Modeling*, 13, 465-486.
- Kelley, K., & Lai, K. (2010). Accuracy in parameter estimation for the root mean square of approximation: Sample size planning for narrow confidence intervals. *Manuscript under review*.
- McArdle, J. J., & McDonald, R. P. (1984). Some algebraic properties of the reticular action model. *British Journal of Mathematical and Statistical Psychology*, 37, 234-251.

**See Also**

`sem`; `specify.model`; `ss.aipe.rmsea`; `theta.2.Sigma.theta`; `Sigma.2.SigmaStar`

**Examples**

```
## Not run:
#####
EXAMPLE 1
#####
# To replicate the simulation in the first panel, second column of
# Table 2 (i.e., population RMSEA=0.0268, df=23, desired width=0.02)
# in Lai and Kelley (2010), the following steps can be used.

## STEP 1: Obtain the (correct) population covariance matrix implied by Model 2
# This requires the model and its population model parameter values.
library(MASS)
library(sem)

# Specify Model 2 in the RAM notation
model.2<-specify.model()
x11 -> y1, lambda1, 1
x11 -> y2, NA, 1
x11 -> y3, lambda2, 1
xi1 -> y4, lambda3, 0.3
eta1 -> y4, lambda4, 1
eta1 -> y5, NA, 1
eta1 -> y6, lambda5, 1
eta1 -> y7, lambda6, 0.3
eta2 -> y6, lambda7, 0.3
eta2 -> y7, lambda8, 1
eta2 -> y8, NA, 1
eta2 -> y9, lambda9, 1
xi1 -> eta1, gamma11, 0.6
eta1 -> eta2, beta21, 0.6
xi1 <-> xi1, phi11, 0.49
```

```

eta1 <- eta1, psi11, 0.3136
eta2 <- eta2, psi22, 0.3136
y1 <- y1, delta1, 0.51
y2 <- y2, delta2, 0.51
y3 <- y3, delta3, 0.51
y4 <- y4, delta4, 0.2895
y5 <- y5, delta5, 0.51
y6 <- y6, delta6, 0.2895
y7 <- y7, delta7, 0.2895
y8 <- y8, delta8, 0.51
y9 <- y9, delta9, 0.51

# To inspect the specified model
model.2

# Specify model parameter values
theta <- c(1, 1, 0.3, 1, 1, 0.3, 0.3, 1, 1, 0.6, 0.6,
0.49, 0.3136, 0.3136, 0.51, 0.51, 0.51, 0.2895, 0.51, 0.2895, 0.51, 0.51)

names(theta) <- c("lambda1", "lambda2", "lambda3",
"lambda4", "lambda5", "lambda6", "lambda7", "lambda8", "lambda9",
"gamma11", "beta21",
"phi11", "psi11", "psi22",
"delta1", "delta2", "delta3", "delta4", "delta5", "delta6", "delta7",
"delta8", "delta9")

res<-theta.2.Sigma.theta(model=model.2, theta=theta,
latent.vars=c("xi1", "eta1", "eta2"))

Sigma.theta <- res$Sigma.theta
# Then 'Sigma.theta' is the (true) population covariance matrix

## STEP 2: Create a misspecified model
# The following model is misspecified in the same way as did Lai and Kelley (2010)
# with the goal to obtain a relatively small population RMSEA

model.2.mis<-specify.model()
xi1 -> y1, lambda1, 1
xi1 -> y2, NA, 1
xi1 -> y3, lambda2, 1
xi1 -> y4, lambda3, 0.3
eta1 -> y4, lambda4, 1
eta1 -> y5, NA, 1
eta1 -> y6, lambda5, 0.96
eta2 -> y6, lambda7, 0.33
eta2 -> y7, lambda8, 1.33
eta2 -> y8, NA, 1
eta2 -> y9, lambda9, 1
xi1 -> eta1, gamma11, 0.6
eta1 -> eta2, beta21, 0.65
xi1 <-> xi1, phi11, 0.49
eta1 <-> eta1, psi11, 0.3136

```

```

eta2 <-> eta2, psi22, 0.23
y1 <-> y1, delta1, 0.51
y2 <-> y2, delta2, 0.51
y3 <-> y3, delta3, 0.51
y4 <-> y4, delta4, 0.2895
y5 <-> y5, delta5, 0.51
y6 <-> y6, delta6, 0.29
y7 <-> y7, delta7, 0.22
y8 <-> y8, delta8, 0.56
y9 <-> y9, delta9, 0.56

# To verify the population RMSEA of this misspecified model
fit<-sem(ram=model.2.mis, S=Sigma.theta, N=1000000)
summary(fit)$RMSEA

## STEP 3: Conduct the simulation
# The number of replications is set to a very small value just to demonstrate
# and save time. Real simulation studies require a larger number (e.g., 500, 1,000)

ss.aipe.rmsea.sensitivity(width=0.02, model=model.2.mis, Sigma=Sigma.theta, G=10)

## STEP 3+: In cases where this function stops before it finishes the simulation
# Suppose it stops at the 7th replication. The text
# file "results_ss.aipe.rmsea.sensitivity.txt" saves the results in all
# previous replications; in this case it contains 6 replications since
# the simulation stopped at the 7th. The user can start this function again and specify
# 'G' to 4 (i.e., 10-6). New results will be appended to previous ones in the same file.

ss.aipe.rmsea.sensitivity(width=0.02, model=model.2.mis, Sigma=Sigma.theta, G=4)

#####
EXAMPLE 2
#####
# In addition to create a misspecified model by changing the model
# parameters in the true model as does Example 1, a misspecified
# model can also be created with the Cudeck-Browne (1992) procedure.
# This procedure is implemented in the 'Sigma.2.SigmaStar()' function in
# the MBESS package. Please refer to the help file of 'Sigma.2.SigmaStar()'
# for detailed documentation.

## STEP 1: Specify the model
# This model is the same as the model in the first step of Example 1, but the
# model-implied population covariance matrix is no longer the true population
# covariance matrix. The true population covariance matrix will be generated
# in Step 2 with the Cudeck-Browne procedure.
library(MASS)
library(sem)

model.2<-specify.model()
xi1 -> y1, lambda1, 1
xi1 -> y2, NA, 1
xi1 -> y3, lambda2, 1

```

```

xi1 -> y4, lambda3, 0.3
eta1 -> y4, lambda4, 1
eta1 -> y5, NA, 1
eta1 -> y6, lambda5, 1
eta1 -> y7, lambda6, 0.3
eta2 -> y6, lambda7, 0.3
eta2 -> y7, lambda8, 1
eta2 -> y8, NA, 1
eta2 -> y9, lambda9, 1
xi1 -> eta1, gamma11, 0.6
eta1 -> eta2, beta21, 0.6
xi1 <-> xi1, phi11, 0.49
eta1 <-> eta1, psi11, 0.3136
eta2 <-> eta2, psi22, 0.3136
y1 <-> y1, delta1, 0.51
y2 <-> y2, delta2, 0.51
y3 <-> y3, delta3, 0.51
y4 <-> y4, delta4, 0.2895
y5 <-> y5, delta5, 0.51
y6 <-> y6, delta6, 0.2895
y7 <-> y7, delta7, 0.2895
y8 <-> y8, delta8, 0.51
y9 <-> y9, delta9, 0.51

theta <- c(1, 1, 0.3, 1, 1, 0.3, 0.3, 1, 1, 0.6, 0.6,
0.49, 0.3136, 0.3136, 0.51, 0.51, 0.51, 0.2895, 0.51, 0.2895, 0.51, 0.51)

names(theta) <- c("lambda1", "lambda2", "lambda3",
"lambda4", "lambda5", "lambda6", "lambda7", "lambda8", "lambda9",
"gamma11", "beta21",
"phi11", "psi11", "psi22",
"delta1", "delta2", "delta3", "delta4", "delta5", "delta6", "delta7",
"delta8", "delta9")

## STEP 2: Create the true population covariance matrix, so that (a) the model fits
# to this covariance matrix with specified discrepancy; (b) the population model
# parameters (the object 'theta') is the minimizer in fitting the model to the true
# population covariance matrix.

# Since the desired RMSEA is 0.0268 and the df is 22, the MLE discrepancy value
# is specified to be 22*0.0268*0.0268, given the definition of RMSEA.

res <- Sigma.2.SigmaStar(model=model.2, model.par=theta,
latent.var=c("xi1", "eta1", "eta2"), discrep=22*0.0268*0.0268)

Sigma.theta.star <- res$Sigma.star

# To verify that the population RMSEA is 0.0268
res2 <- sem(ram=model.2, S=Sigma.theta.star, N=1000000)
summary(res2)$RMSEA

```

```

## STEP 3: Conduct the simulation
# Note although Examples 1 and 2 have the same population RMSEA, the
# model df and true population covariance matrix are different. Example 1
# uses 'model.2.mis' and 'Sigma.theta', whereas Example 2 uses 'model.2'
# and 'Sigma.theta.star'. Since the df is different, it requires a different sample
# size to achieve the same desired confidence interval width.
ss.aipe.rmsea.sensitivity(width=0.02, model=model.2, Sigma=Sigma.theta.star, G=10)

## End(Not run)

```

ss.aipe.sc

*Sample size planning for Accuracy in Parameter Estimation (AYPE) of  
the standardized contrast in ANOVA*

## Description

A function to calculate the appropriate sample size per group for the standardized contrast in ANOVA such that the width of the confidence interval is sufficiently narrow.

## Usage

```
ss.aipe.sc(psi, c.weights, width, conf.level = 0.95,
assurance = NULL, certainty = NULL, ...)
```

## Arguments

psi	population standardized contrast
c.weights	the contrast weights
width	the desired full width of the obtained confidence interval
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance
...	allows one to potentially include parameter values for inner functions

## Value

n	necessary sample size <i>per group</i>
---	--

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai <Lai.15@ND.Edu>

## References

- Cumming, G. & Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11(4), 363-385.
- Lai, K., \& Kelley, K. (2007). Sample size planning for standardized ANCOVA and ANOVA contrasts: Obtaining narrow confidence intervals. *Manuscript submitted for publication*.
- Steiger, J. H., \& Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik,&J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

## See Also

`ci.sc`, `conf.limits.nct`, `ss.aipe.c`

## Examples

```
# Suppose the population standardized contrast is believed to be .6
# in some 5-group ANOVA model. The researcher is interested in comparing
# the average of means of group 1 and 2 with the average of group 3 and 4.

# To calculate the necessary sample size per gorup such that the width
# of 95 percent confidence interval of the standardized
# contrast is, with 90 percent assurance, no wider than .4:

# ss.aipe.sc(psi=.6, c.weights=c(.5, .5, -.5, -.5, 0), width=.4, assurance=.90)
```

## Description

Sample size planning from the accuracy in parameter estimation (AIPE) perspective for standardized ANCOVA contrasts.

## Usage

```
ss.aipe.sc.ancova(Psi = NULL, sigma.anova = NULL, sigma.ancova = NULL,
psi = NULL, ratio = NULL, rho = NULL, divisor = "s.ancova",
c.weights, width, conf.level = 0.95, assurance = NULL, ...)
```

## Arguments

Psi	the population unstandardized ANCOVA (adjusted) contrast
sigma.anova	the population error standard deviation of the ANOVA model
sigma.ancova	the population error standard deviation of the ANCOVA model
psi	the population standardized ANCOVA (adjusted) contrast
ratio	the ratio of sigma.ancova over sigma.anova
rho	the population correlation coefficient between the response and the covariate
divisor	which error standard deviation to be used in standardizing the contrast; the value can be either "s.ancova" or "s.anova"
c.weights	contrast weights
width	the desired full width of the obtained confidence interval
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
...	allows one to potentially include parameter values for inner functions

## Details

The sample size planning method this function is based on is developed in the context of simple (i.e., one-response-one-covariate) ANCOVA model and randomized design (i.e., same population covariate mean across groups).

An ANCOVA contrast can be standardized in at least two ways: (a) divided by the error standard deviation of the ANOVA model, (b) divided by the error standard deviation of the ANCOVA model. This function can be used to analyze both types of standardized ANCOVA contrasts.

Not all of the arguments about the effect sizes need to be specified. If `divisor="s.ancova"` is used in the argument, then input either (a) `psi`, or (b) `Psi` and `s.ancova`. If `divisor="s.anova"` is used in the argument, possible specifications are (a) `Psi`, `s.ancova`, and `s.anova`; (b) `psi`, and `ratio`; (c) `psi`, and `rho`.

## Value

This function returns the sample size *per group*.

### Note

When divisor="s.anova" and the argument assurance is specified, the necessary sample size per group returned by the function with assurance specified is slightly underestimated. The method to obtain exact sample size in the above situation has not been developed yet. A practical solution is to use the sample size returned as the starting value to conduct a priori Monte Carlo simulations with function [ss.aipe.sc.ancova.sensitivity](#), as discussed in Lai & Kelley (under review).

### Author(s)

Keke Lai (University of Notre Dame, <Lai.15@ND.Edu>)

### References

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11 (4), 363-385.
- Lai, K., & Kelley, K. (under review). Accuracy in parameter estimation for ANCOVA and ANOVA contrasts: Sample size planning via narrow confidence intervals.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, & J.H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### See Also

[ss.aipe.sc](#), [ss.aipe.sc.ancova.sensitivity](#)

### Examples

```
## Not run:
ss.aipe.sc.ancova(psi=.8, width=.5, c.weights=c(.5, .5, 0, -1))

ss.aipe.sc.ancova(psi=.8, ratio=.6, width=.5,
c.weights=c(.5, .5, 0, -1), divisor="s.anova")

ss.aipe.sc.ancova(psi=.5, rho=.4, width=.3,
c.weights=c(.5, .5, 0, -1), divisor="s.anova")

## End(Not run)
```

---

**ss.aipe.sc.ancova.sensitivity**

*Sensitivity analysis for the sample size planning method for standardized ANCOVA contrast*

---

**Description**

Sensitivity analysis for the sample size planning method with the goal to obtain sufficiently narrow confidence intervals for standardized ANCOVA complex contrasts.

**Usage**

```
ss.aipe.sc.ancova.sensitivity(true.psi = NULL, estimated.psi = NULL,
c.weights, desired.width = NULL, selected.n = NULL, mu.x = 0,
sigma.x = 1, rho, divisor = "s.ancova", assurance = NULL,
conf.level = 0.95, G = 10000, print.iter = TRUE, detail = TRUE, ...)
```

**Arguments**

true.psi	the population standardized ANCOVA contrast
estimated.psi	the estimated standardized ANCOVA contrast
c.weights	the contrast weights
desired.width	the desired full width of the obtained confidence interval
selected.n	selected sample size to use in order to determine distributional properties of at a given value of sample size
mu.x	the population mean for the covariate
sigma.x	the population standard deviation of the covariate
rho	the population correlation coefficient between the response and the covariate
divisor	which error standard deviation to be used in standardizing the contrast; the value can be either "s.ancova" or "s.anova"
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
G	number of generations (i.e., replications) of the simulation
print.iter	to print the current value of the iterations
detail	whether the user needs a detailed (TRUE) or brief (FALSE) report of the simulation results; the detailde report includes all the raw data in the simulations
...	allows one to potentially include parameter values for inner functions

## Details

The sample size planning method this function is based on is developed in the context of simple (i.e., one-response-one-covariate) ANCOVA model and randomized design (i.e., same population covariate mean across groups).

An ANCOVA contrast can be standardized in at least two ways: (a) divided by the error standard deviation of the ANOVA model, (b) divided by the error standard deviation of the ANCOVA model. This function can be used to analyze both types of standardized ANCOVA contrasts.

The population mean and standard deviation of the covariate does not affect the sample size planning procedure; they can be specified as any values that are considered as reasonable by the user.

## Value

psi.obs	observed standardized contrast in each iteration
Full.Width	vector of the full confidence interval width
Width.from.psi.obs.Lower	vector of the lower confidence interval width
Width.from.psi.obs.Upper	vector of the upper confidence interval width
Type.I.Error.Upper	iterations where a Type I error occurred on the upper end of the confidence interval
Type.I.Error.Lower	iterations where a Type I error occurred on the lower end of the confidence interval
Type.I.Error	iterations where a Type I error happens
Lower.Limit	the lower limit of the obtained confidence interval
Upper.Limit	the upper limit of the obtained confidence interval
replications	number of replications of the simulation
True.psi	population standardized contrast
Estimated.psi	estimated standardized contrast
Desired.Width	the desired full width of the obtained confidence interval
assurance	the value assigned to the argument assurance
Sample.Size.per.Group	sample size per group
Number.of.Groups	number of groups
mean.full.width	mean width of the obtained full confidence intervals
median.full.width	median width of the obtained full confidence intervals
sd.full.width	standard deviation of the widths of the obtained full confidence intervals
Pct.Width.obs.NARROWER.than.desired	percentage of the obtained full confidence interval widths that are narrower than the desired width

```

mean.Width.from.psi.obs.Lower
    mean lower width of the obtained confidence intervals
mean.Width.from.psi.obs.Upper
    mean upper width of the obtained confidence intervals
Type.I.Error.Upper
    Type I error rate from the upper side
Type.I.Error.Lower
    Type I error rate from the lower side
Type.I.Error
    Type I error rate

```

### **Author(s)**

Keke Lai (University of Notre Dame, <Lai.15@ND.Edu>)

### **References**

- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11 (4), 363-385.
- Lai, K., & Kelley, K. (under review). Accuracy in parameter estimation for ANCOVA and ANOVA contrasts: Sample size planning via narrow confidence intervals.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, & J.H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### **See Also**

[ss.aipe.sc.ancova](#); [ss.aipe.sc.sensitivity](#)

### **ss.aipe.sc.sensitivity**

*Sensitivity analysis for sample size planning for the standardized ANOVA contrast from the Accuracy in Parameter Estimation (AIPE) Perspective*

### **Description**

Performs a sensitivity analysis when planning sample size from the Accuracy in Parameter Estimation (AIPE) Perspective for the standardized ANOVA contrast.

### **Usage**

```
ss.aipe.sc.sensitivity(true.psi = NULL, estimated.psi = NULL, c.weights,
desired.width = NULL, selected.n = NULL, assurance = NULL, certainty=NULL,
conf.level = 0.95, G = 10000, print.iter = TRUE, detail = TRUE, ...)
```

### Arguments

true.psi	population standardized contrast
estimated.psi	estimated standardized contrast
c.weights	the contrast weights
desired.width	the desired full width of the obtained confidence interval
selected.n	selected sample size to use in order to determine distributional properties of at a given value of sample size
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
G	number of generations (i.e., replications) of the simulation
print.iter	to print the current value of the iterations
detail	whether the user needs a detailed (TRUE) or brief (FALSE) report of the simulation results; the detailde report includes all the raw data in the simulations
...	allows one to potentially include parameter values for inner functions

### Value

psi.obs	observed standardized contrast in each iteration
Full.Width	vector of the full confidence interval width
Width.from.psi.obs.Lower	vector of the lower confidence interval width
Width.from.psi.obs.Upper	vector of the upper confidence interval width
Type.I.Error.Upper	iterations where a Type I error occurred on the upper end of the confidence interval
Type.I.Error.Lower	iterations where a Type I error occurred on the lower end of the confidence interval
Type.I.Error	iterations where a Type I error happens
Lower.Limit	the lower limit of the obtained confidence interval
Upper.Limit	the upper limit of the obtained confidence interval
replications	number of replications of the simulation
True.psi	population standardized contrast
Estimated.psi	estimated standardized contrast
Desired.Width	the desired full width of the obtained confidence interval
assurance	the value assigned to the argument assurance
Sample.Size.per.Group	sample size per group

Number.of.Groups	number of groups
mean.full.width	mean width of the obtained full confidence intervals
median.full.width	median width of the obtained full confidence intervals
sd.full.width	standard deviation of the widths of the obtained full confidence intervals
Pct.Width.obs.NARROWER.than.desired	percentage of the obtained full confidence interval widths that are narrower than the desired width
mean.Width.from.psi.obs.Lower	mean lower width of the obtained confidence intervals
mean.Width.from.psi.obs.Upper	mean upper width of the obtained confidence intervals
Type.I.Error.Upper	Type I error rate from the upper side
Type.I.Error.Lower	Type I error rate from the lower side

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai <Lai.15@ND.Edu>

### References

- Cumming, G. & Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11 (4), 363-385.
- Lai, K., & Kelley, K. (2007). Sample size planning for standardized ANCOVA and ANOVA contrasts: Obtaining narrow confidence intervals. *Manuscript submitted for publication*.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, & J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### See Also

ss.aipe.sc, ss.aipe.c, conf.limits.nct

---

<code>ss.aipe.sem.path</code>	<i>Sample size planning for SEM targeted effects</i>
-------------------------------	--

---

## Description

Plan sample size for structural equation models so that the confidence intervals for the model parameters of interest are sufficiently narrow

## Usage

```
ss.aipe.sem.path(model, Sigma, desired.width, which.path,
conf.level = 0.95, assurance = NULL, ...)
```

## Arguments

<code>model</code>	an RAM (reticular action model; e.g., McArdle & McDonald, 1984) specification of a structural equation model, and should be of class <code>mod</code> . The model is specified in the same manner as does the <code>sem</code> package; see <code>sem</code> and <code>specify.model</code> for detailed documentation about model specifications in the RAM notation.
<code>Sigma</code>	estimated population covariance matrix of the manifest variables
<code>desired.width</code>	desired confidence interval width for the model parameter of interest
<code>which.path</code>	the name of the model parameter of interest, presented in double quotation marks
<code>conf.level</code>	confidence level (i.e., 1- Type I error rate)
<code>assurance</code>	the assurance that the confidence interval obtained in a particular study will be no wider than desired (must be <code>NULL</code> or a value between 0.50 and 1)
<code>...</code>	allows one to potentially include parameter values for inner functions

## Details

This function implements the sample size planning methods proposed in Lai and Kelley (2010). It depends on the function `sem` in the `sem` package to calculate the expected information matrix, and uses the same notation to specify SEM models as does `sem`. Please refer to `sem` for more detailed documentations about model specification, the RAM notation, and model fitting techniques. For technical discussion on how to obtain the model implied covariance matrix in the RAM notation given model parameters, see McArdle and McDonald (1984).

## Value

<code>parameters</code>	the names of the model parameters
<code>path.index</code>	the index of the model parameter of interest
<code>sample.size</code>	the necessary sample size calculated
<code>obs.vars</code>	the names of the observed variables
<code>var.theta.j</code>	the population variance of the model parameter of interest at the calculated sample size

**Author(s)**

Keke Lai (University of Notre Dame; <KLai1@ND.Edu>)

**References**

- Fox, J. (2006). Structural equation modeling with the sem package in R. *Structural Equation Modeling*, 13, 465-486.
- Lai, K., & Kelley, K. (in press). Accuracy in parameter estimation for targeted effects in structural equation modeling: Sample size planning for narrow confidence intervals. *Psychological Methods*.
- McArdle, J. J., & McDonald, R. P. (1984). Some algebraic properties of the reticular action model. *British Journal of Mathematical and Statistical Psychology*, 37, 234-251.

**See Also**

[sem](#); [specify.model](#); [theta.2.Sigma.theta](#); [ss.aipe.sem.path.sensitiv](#)

**Examples**

```
## Not run:
# Suppose the model of interest is Model 2 in the simulation study
# in Lai and Kelley (2010), and the goal is to obtain a 95% confidence
# interval for 'beta21' no wider than 0.3. The necessary sample size
# can be calculated as follows.

library(sem)

# specify a model object in the RAM notation
model.2<-specify.model()
xi1 -> y1, lambda1, 1
xi1 -> y2, NA, 1
xi1 -> y3, lambda2, 1
xi1 -> y4, lambda3, 0.3
eta1 -> y4, lambda4, 1
eta1 -> y5, NA, 1
eta1 -> y6, lambda5, 1
eta1 -> y7, lambda6, 0.3
eta2 -> y6, lambda7, 0.3
eta2 -> y7, lambda8, 1
eta2 -> y8, NA, 1
eta2 -> y9, lambda9, 1
xi1 -> eta1, gamma11, 0.6
eta1 -> eta2, beta21, 0.6
xi1 <-> xi1, phi11, 0.49
eta1 <-> eta1, psi11, 0.3136
eta2 <-> eta2, psi22, 0.3136
y1 <-> y1, delta1, 0.51
y2 <-> y2, delta2, 0.51
y3 <-> y3, delta3, 0.51
y4 <-> y4, delta4, 0.2895
y5 <-> y5, delta5, 0.51
y6 <-> y6, delta6, 0.2895
```

```

y7 <-> y7, delta7, 0.2895
y8 <-> y8, delta8, 0.51
y9 <-> y9, delta9, 0.51

# to inspect the specified model
model.2

# one way to specify the population covariance matrix is to first
# specify path coefficients and then calcualte the model-implied
# covariance matrix
theta <- c(1, 1, 0.3, 1, 1, 0.3, 0.3, 1, 1, 0.6, 0.6,
0.49, 0.3136, 0.3136, 0.51, 0.51, 0.51, 0.2895, 0.51, 0.2895, 0.2895, 0.51, 0.51)

names(theta) <- c("lambda1", "lambda2", "lambda3",
"lambda4", "lambda5", "lambda6", "lambda7", "lambda8", "lambda9",
"gamma11", "beta21",
"phi11", "psi11", "psi22",
"delta1", "delta2", "delta3", "delta4", "delta5", "delta6", "delta7",
"delta8", "delta9")

res<-theta.2.Sigma.theta(model=model.2, theta=theta,
latent.vars=c("xi1", "eta1", "eta2"))

Sigma.theta <- res$Sigma.theta
# thus 'Sigma.theta' is the input covariance matrix for sample size
# planning procedure.

# the necessary sample size can be calculated as follows.
# ss.aipe.sem.path(model=model.2, Sigma=Sigma.theta,
# desired.width=0.3, which.path="beta21")

## End(Not run)

```

**ss.aipe.sem.path.sensitiv**

*a priori Monte Carlo simulation for sample size planning for SEM  
targeted effects*

**Description**

Conduct a priori Monte Carlo simulation to empirically study the effects of (mis)specifications of input information on the calculated sample size. Random data are generated from the true covariance matrix but fit to the proposed model, whereas sample size is calculated based on the input covariance matrix and proposed model.

**Usage**

```
ss.aipe.sem.path.sensitiv(model, est.Sigma, true.Sigma = est.Sigma,
which.path, desired.width, N=NULL, conf.level = 0.95, assurance = NULL,
G = 100, ...)
```

## Arguments

<code>model</code>	the model the researcher proposes, may or may not be the true model. This argument should be an RAM (reticular action model; e.g., McArdle & McDonald, 1984) specification of a structural equation model, and should be of class <code>mod</code> . The model is specified in the same manner as does the <code>sem</code> package; see <code>sem</code> and <code>specify.model</code> for detailed documentation about model specifications in the RAM notation.
<code>est.Sigma</code>	the covariance matrix used to calculate sample size, may or may not be the true covariance matrix. The row names and column names of <code>est.Sigma</code> should be the same as the manifest variables in <code>est.model</code> .
<code>true.Sigma</code>	the true population covariance matrix, which will be used to generate random data for the simulation study. The row names and column names of <code>est.Sigma</code> should be the same as the manifest variables in <code>est.model</code> .
<code>which.path</code>	the name of the model parameter of interest, and must be in a double quote
<code>desired.width</code>	desired confidence interval width for the model parameter of interest
<code>N</code>	the sample size of random data. If it is <code>NULL</code> , it will be determined by the sample size planning method
<code>conf.level</code>	confidence level (i.e., 1- Type I error rate)
<code>assurance</code>	the assurance that the confidence interval obtained in a particular study will be no wider than desired (must be <code>NULL</code> or a value between 0.50 and 1)
<code>G</code>	number of replications in the Monte Carlo simulation
<code>...</code>	allows one to potentially include parameter values for inner functions

## Details

This function implements the sample size planning methods proposed in Lai and Kelley (2010). It depends on the function `sem` in the `sem` package to calculate the expected information matrix, and uses the same notation to specify SEM models as does `sem`. Please refer to `sem` for more detailed documentation about model specifications, the RAM notation, and model fitting techniques. For technical discussion on how to obtain the model implied covariance matrix in the RAM notation given model parameters, see McArdle and McDonald (1984).

## Value

<code>w</code>	the <code>G</code> random confidence interval widths
<code>sample.size</code>	the sample size calculated
<code>path.of.interest</code>	name of the model parameter of interest
<code>desired.width</code>	desired confidence interval width
<code>mean.width</code>	mean of the <code>G</code> random confidence interval widths
<code>median.width</code>	median of the <code>G</code> random confidence interval widths
<code>quantile.width</code>	99, 95, 90, 85, 80, 75, 70, and 60 percentiles of the <code>G</code> random confidence interval widths

width.less.than.desired	the proportion of confidence interval widths narrower than desired
Type.I.err.upper	the upper empirical Type I error rate
Type.I.err.lower	the lower empirical Type I error rate
Type.I.err	total empirical Type I error rate
conf.level	confidence level
rep	successful replications

### Note

Sometimes the simulation stops in the middle of fitting the model to the random data. The reason is because `nlm`, the function `sem` calls to fit the model, fails to converge. We suggest using the `try` function in simulation so that the simulation can proceed with unsuccessful iterations.

### Author(s)

Keke Lai (University of Notre Dame; <KLai1@ND.Edu>)

### References

- Fox, J. (2006). Structural equation modeling with the `sem` package in R. *Structural Equation Modeling*, 13, 465-486.
- Lai, K., & Kelley, K. (in press). Accuracy in parameter estimation for targeted effects in structural equation modeling: Sample size planning for narrow confidence intervals. *Psychological Methods*.
- McArdle, J. J., & McDonald, R. P. (1984). Some algebraic properties of the reticular action model. *British Journal of Mathematical and Statistical Psychology*, 37, 234-251.

### See Also

`sem`; `specify.model`; `theta.2.Sigma.theta`; `ss.aipe.sem.path`

### Examples

```
## Not run:
# Suppose the model of interest is Model 2 of the simulation study in
# Lai and Kelley (2010), and the goal is to obtain a 95% confidence
# interval for 'beta21' no wider than 0.3.

library(sem)

# specify a model object in the RAM notation
model.2<-specify.model()
x11 -> y1, lambda1, 1
x11 -> y2, NA, 1
x11 -> y3, lambda2, 1
x11 -> y4, lambda3, 0.3
eta1 -> y4, lambda4, 1
```

```

eta1 -> y5, NA, 1
eta1 -> y6, lambda5, 1
eta1 -> y7, lambda6, 0.3
eta2 -> y6, lambda7, 0.3
eta2 -> y7, lambda8, 1
eta2 -> y8, NA, 1
eta2 -> y9, lambda9, 1
xi1 -> eta1, gamma11, 0.6
eta1 -> eta2, beta21, 0.6
xi1 <-> xi1, phi11, 0.49
eta1 <-> eta1, psi11, 0.3136
eta2 <-> eta2, psi22, 0.3136
y1 <-> y1, delta1, 0.51
y2 <-> y2, delta2, 0.51
y3 <-> y3, delta3, 0.51
y4 <-> y4, delta4, 0.2895
y5 <-> y5, delta5, 0.51
y6 <-> y6, delta6, 0.2895
y7 <-> y7, delta7, 0.2895
y8 <-> y8, delta8, 0.51
y9 <-> y9, delta9, 0.51

# to inspect the specified model
model.2

# one way to specify the population covariance matrix is to
# first specify path coefficients and then calcualte the
# model-implied covariance matrix
theta <- c(1, 1, 0.3, 1, 1, 0.3, 0.3, 1, 1, 0.6, 0.6,
0.49, 0.3136, 0.3136, 0.51, 0.51, 0.51, 0.2895, 0.51, 0.2895, 0.51, 0.51)

names(theta) <- c("lambda1", "lambda2", "lambda3",
"lambda4", "lambda5", "lambda6", "lambda7", "lambda8", "lambda9",
"gamma11", "beta21",
"phi11", "psi11", "psi22",
"delta1", "delta2", "delta3", "delta4", "delta5", "delta6", "delta7",
"delta8", "delta9")

res<-theta.2.Sigma.theta(model=model.2, theta=theta,
latent.vars=c("xi1", "eta1", "eta2"))

Sigma.theta <- res$Sigma.theta
# thus 'Sigma.theta' is the input covariance matrix for sample size planning procedure.

# the necessary sample size can be calculated as follows.
# ss.aipe.sem.path(model=model.2, Sigma=Sigma.theta,
# desired.width=0.3, which.path="beta21")

# to verify the sample size calculated
# ss.aipe.sem.path.sensitiv(est.model=model.2, est.Sigma=Sigma.theta,
# which.path="beta21", desired.width=0.3, G = 300)

```

```
# suppose the true covariance matrix ('var(X)' below) is in fact
# a point close to 'Sigma.theta':
#
# X<-mvrnorm(n=1000, mu=rep(0,9), Sigma=Sigma.pop)
# var(X)
# ss.aipe.sem.path.sensitiv(est.model=model.2, est.Sigma=Sigma.theta,
# true.Sigma=var(X), which.path="beta21", desired.width=0.3, G=300)
#
## End(Not run)
```

**ss.aipe.sm**

*Sample size planning for Accuracy in Parameter Estimation (AIPE)  
of the standardized mean*

**Description**

A function to calculate the appropriate sample size for the standardized mean such that the width of the confidence interval is sufficiently narrow.

**Usage**

```
ss.aipe.sm(sm, width, conf.level = 0.95, assurance = NULL, certainty=NULL, ...)
```

**Arguments**

sm	the population standardized mean
width	the desired full width of the obtained confidence interval
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance
...	allows one to potentially include parameter values for inner functions

**Value**

n	the necessary sample size in order to achieve the desired degree of accuracy (i.e., the sufficiently narrow confidence interval)
---	--

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai <Lai.15@ND.Edu>

## References

- Cumming, G. & Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11(4), 363-385.
- Steiger, J. H., \& Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik,&J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

## See Also

`conf.limit.nct, ci.sm`

## Examples

```
# Suppose the population mean is believed to be 20, and the population
# standard deviation is believed to be 2; thus the population standardized
# mean is believed to be 10. To determine the necessary sample size for a
# study so that the full width of the 95 percent confidence interval
# obtained in the study will be, with 90% assurance, no wider than 2.5,
# the function should be specified as follows.

# ss.aipe.sm(sm=10, width=2.5, conf.level=.95, assurance=.90)
```

## ss.aipe.sm.sensitivity

*Sensitivity analysis for sample size planning for the standardized mean  
from the Accuracy in Parameter Estimation (AIPE) Perspective*

## Description

Performs a sensitivity analysis when planning sample size from the Accuracy in Parameter Estimation (AIPE) Perspective for the standardized mean.

**Usage**

```
ss.aipe.sm.sensitivity(true.sm = NULL, estimated.sm = NULL,
desired.width = NULL, selected.n = NULL, assurance = NULL,
certainty=NULL, conf.level = 0.95, G = 10000, print.iter = TRUE,
detail = TRUE, ...)
```

**Arguments**

true.sm	population standardized mean
estimated.sm	estimated standardized mean
desired.width	desired full width of the confidence interval for the population standardized mean
selected.n	selected sample size to use in order to determine distributional properties of at a given value of sample size
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty (must be NULL or between zero and unity)
certainty	an alias for assurance
conf.level	the desired confidence interval coverage, (i.e., 1 - Type I error rate)
G	number of generations (i.e., replications) of the simulation
print.iter	to print the current value of the iterations
detail	whether the user needs a detailed (TRUE) or brief (FALSE) report of the simulation results; the detailde report includes all the raw data in the simulations
...	allows one to potentially include parameter values for inner functions

**Value**

sm.obs	vector of the observed standardized mean
Full.Width	vector of the full confidence interval width
Width.from.sm.obs.Lower	vector of the lower confidence interval width
Width.from.sm.obs.Upper	vector of the upper confidence interval width
Type.I.Error.Upper	iterations where a Type I error occurred on the upper end of the confidence interval
Type.I.Error.Lower	iterations where a Type I error occurred on the lower end of the confidence interval
Type.I.Error	iterations where a Type I error happens
Lower.Limit	the lower limit of the obtained confidence interval
Upper.Limit	the upper limit of the obtained confidence interval
replications	number of replications of the simulation

True.sm	the population standardized mean
Estimated.sm	the estimated standardized mean
Desired.Width	the desired full confidence interval width
assurance	parameter to ensure that the obtained confidence interval width is narrower than the desired width with a specified degree of certainty
Sample.Size	the sample size used in the simulation
mean.full.width	mean width of the obtained full confidence intervals
median.full.width	median width of the obtained full confidence intervals
sd.full.width	standard deviation of the widths of the obtained full confidence intervals
Pct.Width.obs.NARROWER.than.desired	percentage of the obtained full confidence interval widths that are narrower than the desired width
mean.Width.from.sm.obs.Lower	mean lower width of the obtained confidence intervals
mean.Width.from.sm.obs.Upper	mean upper width of the obtained confidence intervals
Type.I.Error.Upper	Type I error rate from the upper side
Type.I.Error.Lower	Type I error rate from the lower side

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>); Keke Lai (University of Notre Dame)

### References

- Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Kelley, K. (2007). Constructing confidence intervals for standardized effect sizes: Theory, application, and implementation. *Journal of Statistical Software*, 20 (8), 1-24.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11(4), 363-385.
- Steiger, J. H., \& Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, \& J.H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

**See Also**

`ss.aipe.sm`

**Examples**

```
# Since 'true.sm' equals 'estimated.sm', this usage
# returns the results of a correctly specified situation.
# Note that 'G' should be large (10 is used to make the
# example run easily)
# Res.1 <- ss.aipe.sm.sensitivity(true.sm=10, estimated.sm=10,
# desired.width=.5, assurance=.95, conf.level=.95, G=10,
# print.iter=FALSE)

# Lists contained in Res.1.
# names(Res.1)

# Objects contained in the 'Results' lists.
# names(Res.1$Results)

# How many obtained full widths are narrower than the desired one?
# Res.1$Summary$Pct.Width.obs.NARROWER.than.desired

# True standardized mean difference is 10, but specified at 12.
# Change 'G' to some large number (e.g., G=20)
# Res.2 <- ss.aipe.sm.sensitivity(true.sm=10, estimated.sm=12,
# desired.width=.5, assurance=NULL, conf.level=.95, G=20)

# The effect of the misspecification on mean confidence intervals is:
# Res.2$Summary$mean.full.width
```

`ss.aipe.smd`

*Sample size planning for the standardized mean difference from the Accuracy in Parameter Estimation (AYPE) perspective*

**Description**

A function to calculate the appropriate sample size for the standardized mean difference such that the expected value of the confidence interval is sufficiently narrow, optionally with a `degree.of.certainty`.

**Usage**

```
ss.aipe.smd(delta, conf.level, width, which.width="Full",
degree.of.certainty=NULL, assurance=NULL, certainty=NULL, ...)
```

### Arguments

delta	the population value of the standardized mean difference
conf.level	the desired degree of confidence (i.e., 1-Type I error rate)
width	desired width of the specified (i.e., Full, Lower, and Upper widths) region of the confidence interval
which.width	the width that the width argument refers identifies the width of interest (i.e., Full, Lower, and Upper widths)
degree.of.certainty	parameter to ensure confidence interval width with a specified degree of certainty
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
...	for modifying parameters of functions this function calls upon

### Value

Returns the necessary sample size **per group** in order to achieve the desired degree of accuracy (i.e., the sufficiently narrow confidence interval).

### Warning

Finding sample size for lower and upper confidence limits is approximate, but very close to being exact. The `pt()` function is limited to accurate values when the noncentral parameter is less than 37.62.

### Note

The function `ss.aipe.smd` is the preferred function, and is the one that is recommended for widespread use. The functions `ss.aipe.smd.lower`, `ss.aipe.smd.upper` and `ss.aipe.smd.full` are called from the `ss.aipe.smd` function.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

- Cohen, J. (1988) Statistical power analysis for the behavioral sciences (2nd ed.). Hillsdale, NJ: Lawrence Erlbaum.
- Cumming, G. & Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.
- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.

- Kelley, K., Maxwell, S. E., & Rausch, J. R. (2003) Obtaining Power or Obtaining Precision: Delineating Methods of Sample-Size Planning, *Evaluation and the Health Professions*, 26, 258–287.
- Kelley, K., & Rausch, J. R. (2006). Sample size planning for the standardized mean difference: Accuracy in Parameter Estimation via narrow confidence intervals. *Psychological Methods*, 11(4), 363-385.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik, & J. H. Steiger (Eds.), *What if there were no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

### See Also

`smd`, `smd.c`, `ci.smd`, `ci.smd.c`, `conf.limits.nct`, `power.t.test`, `ss.aipe.smd.lower`, `ss.aipe.smd.upper`,  
`ss.aipe.smd.full`

### Examples

```
# ss.aipe.smd(delta=.5, conf.level=.95, width=.30)
# ss.aipe.smd(delta=.5, conf.level=.95, width=.30, degree.of.certainty=.8)
# ss.aipe.smd(delta=.5, conf.level=.95, width=.30, degree.of.certainty=.95)
```

### ss.aipe.smd.sensitivity

*Sensitivity analysis for sample size given the Accuracy in Parameter Estimation approach for the standardized mean difference.*

### Description

Performs sensitivity analysis for sample size determination for the standardized mean difference given a population and an standardized mean difference. Allows one to determine the effect of being wrong when estimating the population standardized mean difference in terms of the width of the obtained (two-sided) confidence intervals.

### Usage

```
ss.aipe.smd.sensitivity(true.delta = NULL, estimated.delta = NULL,
desired.width = NULL, selected.n=NULL, assurance=NULL, certainty = NULL,
conf.level = 0.95, G = 10000, print.iter = TRUE, ...)
```

### Arguments

- |                              |  |
|------------------------------|--|
| <code>true.delta</code>      | population standardized mean difference  |
| <code>estimated.delta</code> | estimated standardized mean difference; can be <code>true.delta</code> to perform standard simulations |
| <code>desired.width</code>   | describe full width for the confidence interval around the population standardized mean difference     |

<code>selected.n</code>	selected sample size to use in order to determine distributional properties of at a given value of sample size
<code>assurance</code>	parameter to ensure confidence interval width with a specified degree of certainty (must be NULL or between zero and unity)
<code>certainty</code>	an alias for <code>assurance</code>
<code>conf.level</code>	the desired degree of confidence (i.e., 1-Type I error rate).
<code>G</code>	number of generations (i.e., replications) of the simulation
<code>print.iter</code>	to print the current value of the iterations
<code>...</code>	for modifying parameters of functions this function calls

### Details

For sensitivity analysis when planning sample size given the desire to obtain narrow confidence intervals for the population standardized mean difference. Given a population value and an estimated value, one can determine the effects of incorrectly specifying the population standardized mean difference (`true.delta`) on the obtained widths of the confidence intervals. Also, one can evaluate the percent of the confidence intervals that are less than the desired width (especially when modifying the `certainty` parameter); see `ss.aipe.smd`)

Alternatively, one can specify `selected.n` to determine the results at a particular sample size (when doing this `estimated.delta` cannot be specified).

### Value

<code>Results</code>	list of the results in <code>G</code> -length vector form
<code>Specifications</code>	specification of the function
<code>Summary</code>	summary measures of some important descriptive statistics
<code>d</code>	contained in <code>Results</code> list: vector of the observed <code>d</code> values
<code>Full.Width</code>	contained in <code>Results</code> list: vector of
<code>Width.from.d.Upper</code>	contained in <code>Results</code> list: vector of the observed upper widths of the confidence interval (upper limit minus observed standardized mean difference)
<code>Width.from.d.Lower</code>	contained in <code>Results</code> list: vector of the observed lower widths of the confidence interval (standardized mean difference minus lower limit)
<code>Type.I.Error.Upper</code>	contained in <code>Results</code> list: iterations where a Type I error occurred on the upper end of the confidence interval
<code>Type.I.Error.Lower</code>	contained in <code>Results</code> list: iterations where a Type I error occurred on the lower end of the confidence interval
<code>Type.I.Error</code>	contained in <code>Results</code> list: iterations where a Type I error occurred
<code>Upper.Limit</code>	contained in <code>Results</code> list: vector of the obtained upper limits from the simulation
<code>Low.Limit</code>	contained in <code>Results</code> list: vector of the obtained lower limits from the simulation

replications	contained in Specifications list: number of generations (i.e., replication) of the simulation
true.delta	contained in Specifications list: population value of the standardized mean difference
estimated.delta	contained in Specifications list: value of the population (mis)specified for purposes of sample size planning
desired.width	contained in Specifications list: desired full width of the confidence interval around the population standardized mean difference
certainty	contained in Specifications list: desired degree of certainty that the obtained confidence interval width is less than the value specified
n.j	contained in Specifications list: sample size per group given the specifications
mean.full.width	contained in Summary list: mean width of the obtained confidence intervals
median.full.width	contained in Summary list: median width of the obtained confidence intervals
sd.full.width	contained in Summary list: standard deviation of the obtained confidence intervals
Pct.Less.Desired	contained in Summary list: Percent of the confidence widths less than the width specified.
mean.Width.from.d.Lower	contained in Summary list: mean width of the lower portion of the confidence interval (from d)
mean.Width.from.d.Upper	contained in Summary list: mean width of the upper portion of the confidence interval (from d)
Type.I.Error.Upper	contained in Summary list: Type I error rate from upper side
Type.I.Error.Lower	contained in Summary list: Type I error rate from the lower side

### Note

Returns three lists, where each list has multiple components.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

### References

Cumming, G. \& Finch, S. (2001) A primer on the understanding, use, and calculation of confidence intervals that are based on central and noncentral distributions, *Educational and Psychological Measurement*, 61, 532–574.

- Hedges, L. V. (1981). Distribution theory for Glass's Estimator of effect size and related estimators. *Journal of Educational Statistics*, 2, 107–128.
- Kelley, K. (2005) The effects of nonnormal distributions on confidence intervals around the standardized mean difference: Bootstrap and parametric confidence intervals, *Educational and Psychological Measurement*, 65, 51–69.
- Steiger, J. H., & Fouladi, R. T. (1997) Noncentrality interval estimation and the evaluation of statistical methods. In L. L. Harlow, S. A. Mulaik,&J.H. Steiger (Eds.), *What if there where no significance tests?* (pp. 221-257). Mahwah, NJ: Lawrence Erlbaum.

## See Also

`ss.aipe.smd`

## Examples

```
# Since 'true.delta' equals 'estimated.delta', this usage
# returns the results of a correctly specified situation.
# Note that 'G' should be large (50 is used to make the example run easily)
# Res.1 <- ss.aipe.smd.sensitivity(true.delta=.5, estimated.delta=.5,
# desired.width=.30, certainty=NULL, conf.level=.95, G=50,
# print.iter=FALSE)

# Lists contained in Res.1.
# names(Res.1)

#Objects contained in the 'Results' lists.
# names(Res.1$Results)

#Extract d from the Results list of Res.1.
# d <- Res.1$Results$d

# hist(d)

# Pull out summary measures
# Res.1$Summary

# True standardized mean difference is .4, but specified at .5.
# Change 'G' to some large number (e.g., G=5,000)
# Res.2 <- ss.aipe.smd.sensitivity(true.delta=.4, estimated.delta=.5,
# desired.width=.30, certainty=NULL, conf.level=.95, G=50,
# print.iter=FALSE)

# The effect of the misspecification on mean confidence intervals is:
# Res.2$Summary$mean.full.width

# True standardized mean difference is .5, but specified at .4.
# Res.3 <- ss.aipe.smd.sensitivity(true.delta=.5, estimated.delta=.4,
# desired.width=.30, certainty=NULL, conf.level=.95, G=50,
# print.iter=FALSE)

# The effect of the misspecification on mean confidence intervals is:
```

```
# Res.3$Summary$mean.full.width
```

**ss.aipe.src**

*sample size necessary for the accuracy in parameter estimation approach for a standardized regression coefficient of interest*

## Description

A function used to plan sample size from the accuracy in parameter estimation approach for a standardized regression coefficient of interest given the input specification.

## Usage

```
ss.aipe.src(Rho2.Y_X = NULL, Rho2.k_X.without.k = NULL, K = NULL,
beta.k = NULL, width, which.width = "Full", sigma.Y = 1, sigma.X.k = 1,
RHO.XX = NULL, Rho.YX = NULL, which.predictor = NULL,
alpha.lower = NULL, alpha.upper = NULL, conf.level = .95,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
Suppress.Statement = FALSE)
```

## Arguments

Rho2.Y_X	Population value of the squared multiple correlation coefficient
Rho2.k_X.without.k	Population value of the squared multiple correlation coefficient predicting the $k$ th predictor variable from the remaining $p-1$ predictor variables
K	the number of predictor variables
beta.k	the regression coefficient for the $k$ th predictor variable (i.e., the predictor of interest)
width	the desired width of the confidence interval
which.width	which width ("Full", "Lower", or "Upper") the width refers to (at present, only "Full" can be specified)
sigma.Y	the population standard deviation of $Y$ (i.e., the dependent variables)
sigma.X.k	the population standard deviation of the $k$ th $X$ variable (i.e., the predictor variable of interest)
RHO.XX	Population correlation matrix for the $p$ predictor variables
Rho.YX	Population $p$ length vector of correlation between the dependent variable ( $Y$ ) and the $p$ independent variables
which.predictor	identifies which of the $p$ predictors is of interest
alpha.lower	Type I error rate for the lower confidence interval limit
alpha.upper	Type I error rate for the upper confidence interval limit
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)

<code>degree.of.certainty</code>	degree of certainty that the obtained confidence interval will be sufficiently narrow, which yields an approximate sample size to be verified with function <code>ss.aipe.reg.coef.sensitivity</code> to determine if it is appropriate.
<code>assurance</code>	an alias for <code>degree.of.certainty</code>
<code>certainty</code>	an alias for <code>degree.of.certainty</code>
<code>Suppress.Statement</code>	TRUE/FALSE statement whether or not a sentence describing the situation defined is printed with the necessary sample size

## Details

Not all of the arguments need to be specified, only those that provide all of the necessary information so that the sample size can be determined for the conditions specified.

## Value

Returns the necessary sample size in order for the goals of accuracy in parameter estimation to be satisfied for the confidence interval for a particular regression coefficient given the input specifications.

## Warning

As discussed in Kelley and Maxwell (2008), the sample size planning approach from the AIPE perspective used in this function is only an approximation.

## Note

This function calls upon `ss.aipe.reg.coef` in MBESS but has a different naming scheme. See `ss.aipe.reg.coef` for more details.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

- Kelley, K. & Maxwel, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accuracy, not simply significant. *Psychological Methods*, 8, 305-321.
- Kelley, K. \& Maxwell, S. E. (2008). Sample Size Planning with applications to multiple regression: Power and accuracy for omnibus and targeted effects. In P. Alasuuta, J. Brannen, \& L. Bickman (Eds.), *The Sage handbook of social research methods* (pp. 166-192). Newbury Park, CA: Sage.

## See Also

`ss.aipe.reg.coef.sensitivity`, `conf.limits.nct`, `ss.aipe.reg.coef`, `ss.aipe.rc`

## Examples

```
# Exchangable correlation structure
# Rho.YX <- c(.3, .3, .3, .3)
# RHO.XX <- rbind(c(1, .5, .5, .5), c(.5, 1, .5, .5), c(.5, .5, 1, .5),
# c(.5, .5, 1, .5), c(.5, .5, .5, 1))

# ss.aipe.src(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, conf.level=1-.05)

# ss.aipe.src(width=.1, which.width="Full", sigma.Y=1, sigma.X=1, RHO.XX=RHO.XX,
# Rho.YX=Rho.YX, which.predictor=1, conf.level=1-.05, degree.of.certainty=.85)
```

### ss.aipe.src.sensitivity

*Sensitivity analysis for sample size planing from the Accuracy in Parameter Estimation Perspective for the standardized regression coefficient*

## Description

Performs a sensitivity analysis when planning sample size from the Accuracy in Parameter Estimation Perspective for the standardized regression coefficient.

## Usage

```
ss.aipe.src.sensitivity(True.Var.Y = NULL, True.Cov.YX = NULL,
True.Cov.XX = NULL, Estimated.Var.Y = NULL, Estimated.Cov.YX = NULL,
Estimated.Cov.XX = NULL, Specified.N = NULL, which.predictor = 1,
w = NULL, Noncentral = TRUE, Standardize = TRUE, conf.level = 0.95,
degree.of.certainty = NULL, assurance=NULL, certainty=NULL,
G = 1000, print.iter = TRUE)
```

## Arguments

True.Var.Y	Population variance of the dependent variable (Y)
True.Cov.YX	Population covariances vector between the p predictor variables and the dependent variable (Y)
True.Cov.XX	Population covariance matrix of the p predictor variables
Estimated.Var.Y	Estimated variance of the dependent variable (Y)
Estimated.Cov.YX	Estimated covariances vector between the p predictor variables and the dependent variable (Y)
Estimated.Cov.XX	Estimated Population covariance matrix of the p predictor variables

Specified.N	Directly specified sample size (instead of using Estimated.Rho.YX and Estimated.RHO.XX)
which.predictor	identifies which of the $p$ predictors is of interest
w	desired confidence interval width for the regression coefficient of interest
Noncentral	specify with a TRUE/FALSE statement whether or not the noncentral approach to sample size planning should be used
Standardize	specify with a TRUE/FALSE statement whether or not the regression coefficient will be standardized; default is TRUE
conf.level	desired level of confidence for the computed interval (i.e., 1 - the Type I error rate)
degree.of.certainty	degree of certainty that the obtained confidence interval will be sufficiently narrow
assurance	an alias for degree.of.certainty
certainty	an alias for degree.of.certainty
G	the number of generations/replication of the simulation study within the function
print.iter	specify with a TRUE/FALSE statement if the iteration number should be printed as the simulation within the function runs

## Details

Direct specification of True.Rho.YX and True.RHO.XX is necessary, even if one is interested in a single regression coefficient, so that the covariance/correlation structure can be specified when the simulation study within the function runs.

## Value

Results	a matrix containing the empirical results from each of the G replication of the simulation
Specifications	a list of the input specifications and the required sample size
Summary.of.Results	summary values for the results of the sensitivity analysis (simulation study) given the input specification

## Note

Note that when True.Rho.YX=Estimated.Rho.YX and True.RHO.XX=Estimated.RHO.XX, the results are not literally from a sensitivity analysis, rather the function performs a standard simulation study. A simulation study can be helpful in order to determine if the sample size procedure under or overestimates necessary sample size.

See `ss.aipe.reg.coef.sensitivity` in MBESS for more details.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

Kelley, K. & Maxwell, S. E. (2003). Sample size for Multiple Regression: Obtaining regression coefficients that are accurate, not simply significant. *Psychological Methods*, 8, 305-321.

## See Also

`ss.aipe.reg.coef.sensitivity`, `ss.aipe.rc.sensitivity`,  
`ss.aipe.reg.coef`, `ci.reg.coef`

---

`ss.power.pcm`

*Sample size planning for power for polynomial change models*

---

## Description

Returns power given the sample size, or sample size given the desired power, for polynomial change models

## Usage

```
ss.power.pcm(beta, tau, level.1.variance, frequency, duration, desired.power = NULL, N = NULL, alpha.level = .05, standardized = TRUE, directional = TRUE)
```

## Arguments

<code>beta</code>	the level two regression coefficient for the group by time interaction; where "X" is coded -.5 and .5 for the two groups.
<code>tau</code>	the true variance of the individuals' slopes
<code>level.1.variance</code>	level one variance
<code>frequency</code>	frequency of measurements per unit of time duration of the study in the particular units (e.g., age, hours, grade level, years, etc.)
<code>duration</code>	time in some number of units (e.g., years)
<code>desired.power</code>	desired power
<code>N</code>	sample size
<code>alpha.level</code>	Type I error rate
<code>standardized</code>	the standardized slope is the unstandardized slope divided by the square root of tau, the variance of the unique effects for beta.
<code>directional</code>	should a one (TRUE) or two (FALSE) tailed test be performed.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## References

Raudenbush, S. W., & X-F, Liu. (2001). Effects of study duration, frequency of observation, and sample size on power in studies of group differences in polynomial change. *Psychological Methods*, 6, 387–401.

## Examples

```
# Example from Raudenbush and Liu (2001)
# ss.power.pcm(beta=-.4, tau=.003, level.1.variance=.0262, frequency=2, duration=2, desired.power=.80, alpha.level=.05, stand
# ss.power.pcm(beta=-.4, tau=.003, level.1.variance=.0262, frequency=2, duration=2, N=238, alpha.level=.05, stand

# The standardized effect size is obtained as beta/sqrt(tau): -.4/sqrt(.003) = -.0219.
# ss.power.pcm(beta=-.0219, tau=.003, level.1.variance=.0262, frequency=2, duration=2, desired.power=.80, alpha.level=.05, stand
# ss.power.pcm(beta=-.0219, tau=.003, level.1.variance=.0262, frequency=2, duration=2, N=238, alpha.level=.05, stand
```

**ss.power.R2**

*Function to plan sample size so that the test of the squared multiple correlation coefficient is sufficiently powerful.*

## Description

Function for determining the necessary sample size for the test of the squared multiple correlation coefficient or for determining the statistical power given a specified sample size for the squared multiple correlation coefficient in models where the regressors are regarded as fixed.

## Usage

```
ss.power.R2(Population.R2 = NULL, alpha.level = 0.05, desired.power = 0.85,
p, Specified.N = NULL, Cohen.f2 = NULL, Null.R2 = 0,
Print.Progress = FALSE, ...)
```

## Arguments

Population.R2	Population squared multiple correlation coefficient
alpha.level	Type I error rate
desired.power	desired degree of statistical power
p	the number of predictor variables
Specified.N	the sample size used to calculate power (rather than determine necessary sample size)
Cohen.f2	Cohen's (1988) effect size for multiple regression: Population.R2/(1-Population.R2)
Null.R2	value of the null hypothesis that the squared multiple correlation will be evaluated against (this will typically be zero)
Print.Progress	if the progress of the iterative procedure is printed to the screen as the iterations are occurring
...	(not currently implemented) possible additional parameters for internal functions

## Details

Determine the necessary sample size given a particular Population.R2, alpha.level, p, and desired.power. Alternatively, given Population.R2, alpha.level, p, and Specified.N, the function can be used to determine the statistical power.

## Value

Sample.Size	returns either Necessary.Sample.Size or Specified.Sample.Size, depending on if sample size is being determined for a desired degree of statistical power analysis or if statistical power is being determined given a specified sample size, respectively
Actual.Power	Actual power of the situation described

## Note

When determining sample size for a desired degree of power, there will always be a slightly larger degree of actual power. This is the case because the algorithm employed determines sample size until the actual power is no less than the desired power (given sample size is a whole number power will almost certainly not be exactly the specified value). This is the same as other statistical power procedures that return whole numbers for necessary sample size.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

## See Also

ss.aipe.R2, ss.power.reg.coef, conf.limits.ncf

## Examples

```
# ss.power.R2(Population.R2=.5, alpha.level=.05, desired.power=.85, p=5)
# ss.power.R2(Cohen.f2=1, alpha.level=.05, desired.power=.85, p=5)
# ss.power.R2(Population.R2=.5, Specified.N=15, alpha.level=.05,
# desired.power=.85, p=5)
# ss.power.R2(Cohen.f2=1, Specified.N=15, alpha.level=.05, desired.power=.85, p=5)
```

---

ss.power.rc

*sample size for a targeted regression coefficient*

---

## Description

Determine the necessary sample size for a targeted regression coefficient or determine the degree of power given a specified sample size

## Usage

```
ss.power.rc(Rho2.Y_X = NULL, Rho2.Y_X.without.k = NULL, K = NULL,
desired.power = 0.85, alpha.level = 0.05, Directional = FALSE,
beta.k = NULL, sigma.X = NULL, sigma.Y = NULL,
Rho2.k_X.without.k = NULL, RHO.XX = NULL, Rho.YX = NULL,
which.predictor = NULL, Cohen.f2 = NULL, Specified.N = NULL,
Print.Progress = FALSE)
```

## Arguments

Rho2.Y_X	population squared multiple correlation coefficient predicting the dependent variable (i.e., Y) from the p predictor variables (i.e., the X variables)
Rho2.Y_X.without.k	population squared multiple correlation coefficient predicting the dependent variable (i.e., Y) from the K-1 predictor variables, where the one not used is the predictor of interest
K	number of predictor variables
desired.power	desired degree of statistical power for the test of targeted regression coefficient
alpha.level	Type I error rate
Directional	whether or not a direction or a nondirectional test is to be used (usually directional=FALSE)
beta.k	population value of the regression coefficient for the predictor of interest
sigma.X	population standard deviation for the predictor variable of interest
sigma.Y	population standard deviation for the outcome variable
Rho2.k_X.without.k	population squared multiple correlation coefficient predicting the predictor variable of interest from the remaining K-1 predictor variables
RHO.XX	population correlation matrix for the p predictor variables
Rho.YX	population vector of correlation coefficient between the p predictor variables and the criterion variable
which.predictor	identifies the predictor of interest when RHO.XX and Rho.YX are specified
Cohen.f2	Cohen's (1988) definition for an effect size for a targeted regression coefficient: $(Rho2.Y_X - Rho2.Y_X.without.j)/(1 - Rho2.Y_X)$
Specified.N	sample size for which power should be evaluated
Print.Progress	if the progress of the iterative procedure is printed to the screen as the iterations are occurring

## Details

Determine the necessary sample size given a desired level of statistical power. Alternatively, determines the statistical power for a given a specified sample size. There are a number of ways that the specification regarding the size of the regression coefficient can be entered. The most basic, and often the simplest, is to specify Rho2.Y\_X and Rho2.Y\_X.without.k. See the examples section for several options.

**Value**

Sample.Size	either the necessary sample size or the specified sample size, depending if one is interested in determining the necessary sample size given a desired degree of statistical power or if one is interested in the determining the value of statistical power given a specified sample size, respectively
Actual.Power	Actual power of the situation described
Noncentral.t.Parm	value of the noncentral distribution for the appropriate t-distribution
Effect.Size.NC.t	effect size for the noncentral t-distribution; this is the square root of Cohen.f2, because Cohen.f2 is the effect size using an F-distribution

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Maxwell, S. E. (2000). Sample size for multiple regression. *Psychological Methods*, 4, 434–458.
- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Erlbaum.

**See Also**

ss.aipe.reg.coef, ss.power.R2, conf.limits.ncf

**Examples**

```
Cor.Mat <- rbind(
  c(1.00, 0.53, 0.58, 0.60, 0.46, 0.66),
  c(0.53, 1.00, 0.35, 0.07, 0.14, 0.43),
  c(0.58, 0.35, 1.00, 0.18, 0.29, 0.50),
  c(0.60, 0.07, 0.18, 1.00, 0.30, 0.26),
  c(0.46, 0.14, 0.29, 0.30, 1.00, 0.30),
  c(0.66, 0.43, 0.50, 0.26, 0.30, 1.00))

RHO.XX <- Cor.Mat[2:6,2:6]
Rho.YX <- Cor.Mat[1,2:6]

# Method 1
# ss.power.rc(Rho2.Y_X=0.7826786, Rho2.Y_X.without.k=0.7363697, K=5,
# alpha.level=.05, Directional=FALSE, desired.power=.80)

# Method 2
# ss.power.rc(alpha.level=.05, RHO.XX=RHO.XX, Rho.YX=Rho.YX,
# which.predictor=5, Directional=FALSE, desired.power=.80)

# Method 3
# Here, beta.j is the standardized regression coefficient. Had beta.j
# been the unstandardized regression coefficient, sigma.X and sigma.Y
```

```

# would have been the standard deviation for the
# X variable of interest and Y, respectively.
# ss.power.rc(Rho2.Y_X=0.7826786, Rho2.k_X.without.k=0.3652136,
# beta.k=0.2700964, K=5, alpha.level=.05, sigma.X=1, sigma.Y=1,
# Directional=FALSE, desired.power=.80)

# Method 4
# ss.power.rc(alpha.level=.05, Cohen.f2=0.2130898, K=5,
# Directional=FALSE, desired.power=.80)

# Power given a specified N and squared multiple correlation coefficients.
# ss.power.rc(Rho2.Y_X=0.7826786, Rho2.Y_X.without.k=0.7363697,
# Specified.N=25, K=5, alpha.level=.05, Directional=FALSE)

# Power given a specified N and effect size.
# ss.power.rc(alpha.level=.05, Cohen.f2=0.2130898, K=5, Specified.N=25,
# Directional=FALSE)

# Reproducing Maxwell's (2000, p. 445) Example
Cor.Mat.Maxwell <- rbind(
  c(1.00, 0.35, 0.20, 0.20, 0.20),
  c(0.35, 1.00, 0.40, 0.40, 0.40),
  c(0.20, 0.40, 1.00, 0.45, 0.45),
  c(0.20, 0.40, 0.45, 1.00, 0.45),
  c(0.20, 0.40, 0.45, 0.45, 1.00),
  c(0.20, 0.40, 0.45, 0.45, 1.00))

RHO.XX.Maxwell <- Cor.Mat.Maxwell[2:6,2:6]
Rho.YX.Maxwell <- Cor.Mat.Maxwell[1,2:6]
R2.Maxwell <- Rho.YX.Maxwell

RHO.XX.Maxwell.no.1 <- Cor.Mat.Maxwell[3:6,3:6]
Rho.YX.Maxwell.no.1 <- Cor.Mat.Maxwell[1,3:6]
R2.Maxwell.no.1 <-
Rho.YX.Maxwell.no.1

# Note that Maxwell arrives at N=113, whereas this procedure arrives at 111.
# This seems to be the case because of rounding error in calculations
# and tables (Cohen, 1988) used. The present procedure is correct and
# contains no rounding error in the application of the method.
# ss.power.rc(Rho2.Y_X=R2.Maxwell, Rho2.Y_X.without.k=R2.Maxwell.no.1, K=5,
# alpha.level=.05, Directional=FALSE, desired.power=.80)

```

*ss.power.reg.coef*      *sample size for a targeted regression coefficient*

## Description

Determine the necessary sample size for a targeted regression coefficient or determine the degree of power given a specified sample size

### Usage

```
ss.power.reg.coef(Rho2.Y_X = NULL, Rho2.Y_X.without.j = NULL, p = NULL,
desired.power = 0.85, alpha.level = 0.05, Directional = FALSE,
beta.j = NULL, sigma.X = NULL, sigma.Y = NULL, Rho2.j_X.without.j = NULL,
RHO.XX = NULL, Rho.YX = NULL, which.predictor = NULL, Cohen.f2 = NULL,
Specified.N=NULL, Print.Progress = FALSE)
```

### Arguments

Rho2.Y_X	population squared multiple correlation coefficient predicting the dependent variable (i.e., Y) from the p predictor variables (i.e., the X variables)
Rho2.Y_X.without.j	population squared multiple correlation coefficient predicting the dependent variable (i.e., Y) from the p-1 predictor variables, where the one not used is the predictor of interest
p	number of predictor variables
desired.power	desired degree of statistical power for the test of targeted regression coefficient
alpha.level	Type I error rate
Directional	whether or not a direction or a nondirectional test is to be used (usually directional=FALSE)
beta.j	population value of the regression coefficient for the predictor of interest
sigma.X	population standard deviation for the predictor variable of interest
sigma.Y	population standard deviation for the outcome variable
Rho2.j_X.without.j	population squared multiple correlation coefficient predicting the predictor variable of interest from the remaining p-1 predictor variables
RHO.XX	population correlation matrix for the p predictor variables
Rho.YX	population vector of correlation coefficient between the p predictor variables and the criterion variable
Cohen.f2	Cohen's (1988) definition for an effect size for a targeted regression coefficient: $(Rho2.Y_X - Rho2.Y_X.without.j) / (1 - Rho2.Y_X)$
which.predictor	identifies the predictor of interest when RHO.XX and Rho.YX are specified
Specified.N	sample size for which power should be evaluated
Print.Progress	if the progress of the iterative procedure is printed to the screen as the iterations are occurring

### Details

Determine the necessary sample size given a desired level of statistical power. Alternatively, determines the statistical power for a given a specified sample size. There are a number of ways that the specification regarding the size of the regression coefficient can be entered. The most basic, and often the simplest, is to specify Rho2.Y\_X and Rho2.Y\_X.without.j. See the examples section for several options.

**Value**

Sample.Size	either the necessary sample size or the specified sample size, depending if one is interested in determining the necessary sample size given a desired degree of statistical power or if one is interested in the determining the value of statistical power given a specified sample size, respectively
Actual.Power	Actual power of the situation described
Noncentral.t.Parm	value of the noncentral distribution for the appropriate t-distribution
Effect.Size.NC.t	effect size for the noncentral t-distribution; this is the square root of Cohen.f2, because Cohen.f2 is the effect size using an F-distribution

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

- Cohen, J. (1988). *Statistical power analysis for the behavioral sciences* (2nd ed.). Hillsdale, NJ: Erlbaum.
- Kelley, K. \& Maxwell, S. E. (2008). Sample Size Planning with applications to multiple regression: Power and accuracy for omnibus and targeted effects. In P. Alasuuta, J. Brannen, \& L. Bickman (Eds.), *The Sage handbook of social research methods* (pp. 166-192). Newbury Park, CA: Sage.
- Maxwell, S. E. (2000). Sample size for multiple regression. *Psychological Methods*, 4, 434–458.

**See Also**

ss.aipe.reg.coef, ss.power.R2, conf.limits.ncf

**Examples**

```
Cor.Mat <- rbind(
  c(1.00, 0.53, 0.58, 0.60, 0.46, 0.66),
  c(0.53, 1.00, 0.35, 0.07, 0.14, 0.43),
  c(0.58, 0.35, 1.00, 0.18, 0.29, 0.50),
  c(0.60, 0.07, 0.18, 1.00, 0.30, 0.26),
  c(0.46, 0.14, 0.29, 0.30, 1.00, 0.30),
  c(0.66, 0.43, 0.50, 0.26, 0.30, 1.00))

RHO.XX <- Cor.Mat[2:6,2:6]
Rho.YX <- Cor.Mat[1,2:6]

# Method 1
# ss.power.reg.coef(Rho2.Y_X=0.7826786, Rho2.Y_X.without.j=0.7363697, p=5,
# alpha.level=.05, Directional=FALSE, desired.power=.80)

# Method 2
# ss.power.reg.coef(alpha.level=.05, RHO.XX=RHO.XX, Rho.YX=Rho.YX,
# which.predictor=5,
```

```

# Directional=FALSE, desired.power=.80)

# Method 3
# Here, beta.j is the standardized regression coefficient. Had beta.j
# been the unstandardized regression coefficient, sigma.X and sigma.Y
# would have been the standard deviation for the
# X variable of interest and Y, respectively.
# ss.power.reg.coef(Rho2.Y_X=0.7826786, Rho2.j_X.without.j=0.3652136,
# beta.j=0.2700964,
# p=5, alpha.level=.05, sigma.X=1, sigma.Y=1, Directional=FALSE,
# desired.power=.80)

# Method 4
# ss.power.reg.coef(alpha.level=.05, Cohen.f2=0.2130898, p=5,
# Directional=FALSE,
# desired.power=.80)

# Power given a specified N and squared multiple correlation coefficients.
# ss.power.reg.coef(Rho2.Y_X=0.7826786, Rho2.Y_X.without.j=0.7363697,
# Specified.N=25,
# p=5, alpha.level=.05, Directional=FALSE)

# Power given a specified N and effect size.
# ss.power.reg.coef(alpha.level=.05, Cohen.f2=0.2130898, p=5, Specified.N=25,
# Directional=FALSE)

# Reproducing Maxwell's (2000, p. 445) Example
Cor.Mat.Maxwell <- rbind(
c(1.00, 0.35, 0.20, 0.20, 0.20),
c(0.35, 1.00, 0.40, 0.40, 0.40),
c(0.20, 0.40, 1.00, 0.45, 0.45),
c(0.20, 0.40, 0.45, 1.00, 0.45),
c(0.20, 0.40, 0.45, 0.45, 1.00),
c(0.20, 0.40, 0.45, 0.45, 1.00))

RHO.XX.Maxwell <- Cor.Mat.Maxwell[2:6,2:6]
Rho.YX.Maxwell <- Cor.Mat.Maxwell[1,2:6]
R2.Maxwell <- Rho.YX.Maxwell

RHO.XX.Maxwell.no.1 <- Cor.Mat.Maxwell[3:6,3:6]
Rho.YX.Maxwell.no.1 <- Cor.Mat.Maxwell[1,3:6]
R2.Maxwell.no.1 <-
Rho.YX.Maxwell.no.1

# Note that Maxwell arrives at N=113, whereas this procedure arrives at 111.
# This seems to be the case because of rounding error in calculations
# in Cohen (1988)'s tables. The present procedure is correct and contains no
# rounding error
# in the application of the method.
# ss.power.reg.coef(Rho2.Y_X=R2.Maxwell,
# Rho2.Y_X.without.j=R2.Maxwell.no.1, p=5,
# alpha.level=.05, Directional=FALSE, desired.power=.80)

```

---

**t.and.smd.conversion** *Conversion functions for noncentral t-distribution*

---

**Description**

Functions useful for converting a standardized mean difference to a noncentrality parameter, and vice versa.

**Usage**

```
lambda2delta(lambda, n.1, n.2)
delta2lambda(delta, n.1, n.2)
```

**Arguments**

lambda	noncentral value from a t-distribution
delta	population value of the standardized mean difference
n.1	sample size in group 1
n.2	sample size in group 2

**Details**

Although `lambda` is the population noncentral value, it can be regarded as the observed value of a t-statistics. Likewise, `delta` can be regarded as the observed standardized mean difference. Thus, the observed standardized mean difference can be converted to the observed t-value. These functions are especially helpful in the context of forming confidence intervals around the population standardized mean difference.

**Value**

Either the value of `delta` given `lambda` or `lambda` given `delta` (and the per-group sample sizes).

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**See Also**

`smd`, `ci.smd`, `ss.aipe.smd`

**Examples**

```
# lambda2delta(lambda=2, n.1=113, n.2=113)
# delta2lambda(delta=.266076, n.1=113, n.2=113)
```

---

`theta.2.Sigma.theta`      *Compute the model-implied covariance matrix of an SEM model*

---

## Description

Obtain the model-implied covariance matrix of manifest variables given a structural equation model and its model parameters

## Usage

```
theta.2.Sigma.theta(model, theta, latent.vars)
```

## Arguments

<code>model</code>	an RAM (reticular action model; e.g., McArdle & McDonald, 1984) specification of a structural equation model, and should be of class <code>mod</code> . The model is specified in the same manner as does the <code>sem</code> package; see <code>sem</code> and <code>specify.model</code> for detailed documentations about model specifications in the RAM notation.
<code>theta</code>	a vector containing the model parameters. The names of the elements in <code>theta</code> must be the same as the names of the model parameters specified in <code>model</code> .
<code>latent.vars</code>	a vector containing the names of the latent variables

## Details

Part of the codes in this function are adapted from the function `sem` in the `sem` R package (Fox, 2006). This function uses the same notation to specify SEM models as does `sem`. Please refer to `sem` and the example below for more detailed documentation about model specification and the RAM notation. For technical discussion on how to obtain the model implied covariance matrix in the RAM notation given model parameters, see McArdle and McDonald (1984).

## Value

<code>ram</code>	RAM matrix, including any rows generated for covariances among fixed exogenous variables; column 5 includes computed start values.
<code>t</code>	number of model parameters (i.e., the length of <code>theta</code> )
<code>m</code>	total number of variables (i.e., manifest variables plus latent variables)
<code>n</code>	number of observed variables
<code>all.vars</code>	the names of all variables (i.e., manifest plus latent)
<code>obs.vars</code>	the names of observed variables
<code>latent.vars</code>	the names of latent variables
<code>pars</code>	the names of model parameters
<code>P</code>	the $P$ matrix in RAM notation
<code>A</code>	the $A$ matrix in RAM notation
<code>Sigma.theta</code>	the model implied covariance matrix

**Author(s)**

Keke Lai (University of Notre Dame; <KLai1@ND.Edu>)

**References**

- Fox, J. (2006). Structural equation modeling with the sem package in R. *Structural Equation Modeling*, 13, 465-486.
- Lai, K., & Kelley, K. (in press). Accuracy in parameter estimation for targeted effects in structural equation modeling: Sample size planning for narrow confidence intervals. *Psychological Methods*.
- McArdle, J. J., & McDonald, R. P. (1984). Some algebraic properties of the reticular action model. *British Journal of Mathematical and Statistical Psychology*, 37, 234-251.

**See Also**

[sem](#); [specify.model](#)

**Examples**

```
## Not run:
# to obtain the model implied covariance matrix of Model 2 in the simulation
# study in Lai and Kelley (2010), one can use the present function in the
# following manner.

library(sem)

# specify a model object in the RAM notation
model.2<-specify.model()
xi1 -> y1, lambda1, 1
xi1 -> y2, NA, 1
xi1 -> y3, lambda2, 1
xi1 -> y4, lambda3, 0.3
eta1 -> y4, lambda4, 1
eta1 -> y5, NA, 1
eta1 -> y6, lambda5, 1
eta1 -> y7, lambda6, 0.3
eta2 -> y6, lambda7, 0.3
eta2 -> y7, lambda8, 1
eta2 -> y8, NA, 1
eta2 -> y9, lambda9, 1
xi1 -> eta1, gamma11, 0.6
eta1 -> eta2, beta21, 0.6
xi1 <-> xi1, phi11, 0.49
eta1 <-> eta1, psi11, 0.3136
eta2 <-> eta2, psi22, 0.3136
y1 <-> y1, delta1, 0.51
y2 <-> y2, delta2, 0.51
y3 <-> y3, delta3, 0.51
y4 <-> y4, delta4, 0.2895
y5 <-> y5, delta5, 0.51
y6 <-> y6, delta6, 0.2895
y7 <-> y7, delta7, 0.2895
```

```

y8 <-> y8, delta8, 0.51
y9 <-> y9, delta9, 0.51

# to inspect the specified model
model.2

theta <- c(1, 1, 0.3, 1, 1, 0.3, 0.3, 1, 1, 0.6, 0.6,
0.49, 0.3136, 0.3136, 0.51, 0.51, 0.51, 0.2895, 0.51, 0.2895, 0.2895, 0.51, 0.51)

names(theta) <- c("lambda1", "lambda2", "lambda3",
"lambda4", "lambda5", "lambda6", "lambda7", "lambda8", "lambda9",
"gamma11", "beta21",
"phi11", "psi11", "psi22",
"delta1", "delta2", "delta3", "delta4", "delta5", "delta6", "delta7",
"delta8", "delta9")

res<-theta.2.Sigma.theta(model=model.2, theta=theta,
latent.vars=c("xi1", "eta1", "eta2"))

Sigma.theta <- res$Sigma.theta

## End(Not run)

```

**Variance.R2***Variance of squared multiple correlation coefficient***Description**

Function to determine the variance of the squared multiple correlation coefficient given the population squared multiple correlation coefficient, sample size, and the number of predictors.

**Usage**

```
Variance.R2(Population.R2, N, p)
```

**Arguments**

Population.R2	population squared multiple correlation coefficient
N	sample size
p	the number of predictor variables

**Details**

Uses the hypergeometric function as discussed in section 28 of Stuart, Ord, and Arnold (1999) in order to obtain the *correct* value for the variance of the squared multiple correlation coefficient.

**Value**

Returns the variance of the squared multiple correlation coefficient.

**Note**

Uses package gsl and its hyperg\_2F1 function.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

**References**

Stuart, A., Ord, J. K., & Arnold, S. (1999). *Kendall's advanced theory of statistics: Classical inference and the linear model* (Volume 2A, 2nd Edition). New York, NY: Oxford University Press.

**See Also**

Expected.R2, ci.R2, ss.aipe.R2

**Examples**

```
# library(gsl)
# Variance.R2(.5, 10, 5)
# Variance.R2(.5, 25, 5)
# Variance.R2(.5, 50, 5)
# Variance.R2(.5, 100, 5)
```

**verify.ss.aipe.R2**      *Internal MBESS function for verifying the sample size in ss.aipe.R2*

**Description**

Internal function called upon by ss.aipe.R2 when verify.ss=TRUE. This function then calls upon ss.aipe.R2.sensitivity for the simulation study.

**Usage**

```
verify.ss.aipe.R2(Population.R2 = NULL, conf.level = 0.95, width = NULL,
Random.Predictors = TRUE, which.width = "Full", p = NULL, n = NULL,
degree.of.certainty = NULL, g = 500, G = 10000, print.iter=FALSE, ...)
```

## Arguments

Population.R2	value of the population multiple correlation coefficient
conf.level	confidence interval level (e.g., .95, .99, .90); 1-Type I error rate
width	width of the confidence interval (see <code>which.width</code> )
Random.Predictors	whether or not the predictor variables are random (set to TRUE) or are fixed (set to FALSE)
<code>which.width</code>	defines the width that <code>width</code> refers to
p	the number of predictor variables
n	starting sample size (i.e., from <code>ss.aipe.R2</code> )
degree.of.certainty	value with which confidence can be placed that describes the likelihood of obtaining a confidence interval less than the value specified (e.g., .80, .90, .95)
g	simulations for the preliminary sample size (much smaller than G)
G	number of replications for the actual Monte Carlo simulation (should be large)
print.iter	specify whether or not the internal iterations should be printed
...	additional arguments passed to internal functions

## Details

This function is internal to MBESS and is called upon when `verify.ss=TRUE` in the `ss.aipe.R2` function. Although users can use `verify.ss.aipe.R2` directly, it is not recommended.

## Value

Returns the exact (provided G is large enough) sample size necessary to satisfy the conditions specified.

## Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>)

---

## Description

A function to help visualize individual trajectories in a longitudinal (i.e., analysis of change) context.

## Usage

```
vit(id = "", occasion = "", score = "", Data = NULL, group = NULL,
subset.ids = NULL, pct.rand = NULL, number.rand = NULL,
All.in.One = TRUE, ylab = NULL, xlab = NULL, same.scales = TRUE,
plot.points = TRUE, save.pdf = FALSE, save.eps = FALSE,
save.jpg = FALSE, file = "", layout = c(3, 3), col = NULL,
pch = 16, cex = 0.7, ...)
```

## Arguments

<code>id</code>	string variable of the column name of id
<code>occasion</code>	string variable of the column name of time variable
<code>score</code>	string variable of the column name where the score (i.e., dependent variable) is located
<code>Data</code>	data set with named column variables (see above)
<code>group</code>	if plotting parameters should be conditional on group membership
<code>subset.ids</code>	id values for a selected subset of individuals
<code>pct.rand</code>	percentage of random trajectories to be plotted
<code>number.rand</code>	number of random trajectories to be plotted
<code>All.in.One</code>	should trajectories be in a single or multiple plots
<code>ylab</code>	label for the ordinate (i.e., y-axis; see <code>par</code> )
<code>xlab</code>	label for the abscissa (i.e., x-axis; see <code>par</code> )
<code>same.scales</code>	should the y-axes have the same scales
<code>plot.points</code>	should the points be plotted
<code>save.pdf</code>	save a pdf file
<code>save.eps</code>	save a postscript file
<code>save.jpg</code>	save a jpg file
<code>file</code>	file name and file path for the graph(s) to save, if <code>file=""</code> a file would be saved in the current working directory
<code>layout</code>	define the per-page layout when <code>All.in.One==FALSE</code>
<code>col</code>	color(s) of the line(s) and points
<code>pch</code>	plotting character(s); see <code>par</code>
<code>cex</code>	size of the points (1 is the R default; see <code>par</code> )
<code>...</code>	optional plotting specifications

## Details

This function makes visualizing individual trajectories simple. Data should be in the "univariate format" (i.e., the same format as `lmer` and `nlme` data.)

## Value

Returns a plot of individual trajectories with the specifications provided.

**Author(s)**

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>) and Po-Ju Wu (Indiana University; <pojwu@indiana.edu>)

**See Also**

par, nlme, vit.fitted,

**Examples**

```
data(Gardner.LD)

# Although many options are possible, a simple call to
# 'vit' is of the form:
# vit(id="ID", occasion= "Trial", score= "Score", Data=Gardner.LD)

# Now color is conditional on group membership.
# vit(id="ID", occasion= "Trial", score="Score", Data=Gardner.LD,
# group="Group")

# Now randomly selects 50% of the sample to plot
# vit(id="ID", occasion= "Trial", score="Score", Data=Gardner.LD,
# pct.rand=50, group="Group")

# Specified individuals are plotted (by group)
# vit(id="ID", occasion= "Trial", score="Score", Data=Gardner.LD,
# subset.ids=c(1, 4, 8, 13, 17, 21), group="Group")

# Now colors for groups are changed .
# vit(id="ID", occasion= "Trial", score="Score", Data=Gardner.LD,
# group="Group",subset.ids=c(1, 4, 8, 13, 17, 21), col=c("Green", "Blue"))

# Now each individual specified is plotted seperately.
# vit(id="ID", occasion= "Trial", score="Score", Data=Gardner.LD,
# group="Group",subset.ids=c(1, 4, 8, 13, 17, 21), col=c("Green", "Blue"),
# All.in.One=FALSE)
```

---

vit.fitted

*Visualize individual trajectories with fitted curve and quality of fit*

---

**Description**

A function to help visualize individual trajectories in a longitudinal (i.e., analysis of change) context with fitted curve and quality of fit after analyzing the data with lme, lmer, or nlme function.

### Usage

```
vit.fitted(fit.Model, layout = c(3, 3), ylab = "", xlab = "",
pct.rand = NULL, number.rand = NULL, subset.ids = NULL,
same.scales = TRUE, save.pdf = FALSE, save.eps = FALSE,
save.jpg = FALSE, file = "", ...)
```

### Arguments

fit.Model	lme, nlme object produced by nlme package or lmer object produced by lme4 package
layout	define the per-page layout when All.in.One==FALSE
ylab	label for the ordinate (i.e., y-axis; see par)
xlab	label for the abscissa (i.e., x-axis; see par)
pct.rand	percentage of random trajectories to be plotted
number.rand	number of random trajectories to be plotted
subset.ids	id values for a selected subset of individuals to be plotted
same.scales	should the y-axes have the same scales
save.pdf	save a pdf file
save.eps	save a postscript file
save.jpg	save a jpg file
file	file name and file path for the graph(s) to save, if file="" a file would be saved in the current working directory
...	optional plotting specifications

### Details

This function use the fitted model from nlme and lme functions in nlme package, and lmer function in lme4 package. It returns a set of plots of individual observed data, the fitted curves and the quality of fit.

### Author(s)

Ken Kelley (University of Notre Dame; <KKelley@ND.Edu>) and Po-Ju Wu (Indiana University; <pojwu@indiana.edu>)

### See Also

par, nlme, lme4, lme, lmer, vit.fitted

### Examples

```
# Note that the following example works fine in R (<2.7.0), but not in
# the development version of R-2.7.0 (the cause can be either in this
# function or in the R program)

# data(Gardner.LD)
```

```
# library(nlme)
# Full.grouped.Gardner.LD <- groupedData(Score ~ Trial|ID, data=Gardner.LD, order.groups=FALSE)

# Examination of the plot reveals that the logistic change model does not adequately describe
# the trajectories of individuals 6 and 19 (a negative exponential change model would be
# more appropriate). Thus we remove these two subjects.
# grouped.Gardner.LD <- Full.grouped.Gardner.LD[!(Full.grouped.Gardner.LD["ID"]==6 |
#   Full.grouped.Gardner.LD["ID"]==19),]

# G.L.nlsList<- nlsList(SSlogis,grouped.Gardner.LD)
# G.L.nlme <- nlme(G.L.nlsList)
# to visualize individual trajectories: vit.fitted(G.L.nlme)
# plot 50 percent random trajectories: vit.fitted(G.L.nlme, pct.rand = 50)
```

# Index

- \*Topic **datasets**
  - Cor.Mat.Lomax, 48
  - Cor.Mat.MM, 49
  - Gardner.LD, 56
  - HS.data, 57
  - prof.salary, 74
- \*Topic **design**
  - aipe.smd, 3
  - ancova.random.data, 5
  - ci.c, 7
  - ci.c.ancova, 9
  - ci.pvaf, 13
  - ci.R, 14
  - ci.rc, 19
  - ci.rmsea, 25
  - ci.sc, 26
  - ci.sc.ancova, 28
  - ci.sm, 30
  - ci.snr, 35
  - ci.src, 36
  - ci.srsnr, 38
  - conf.limits.nc.chisq, 40
  - conf.limits.ncf, 41
  - cor2cov, 51
  - cv, 53
  - Expected.R2, 54
  - F.and.R2.Noncentral.Conversion, 55
  - power.density.equivalence.md, 70
  - power.equivalence.md, 71
  - power.equivalence.md.plot, 73
  - s.u, 75
  - ss.aipe.c, 85
  - ss.aipe.c.ancova, 87
  - ss.aipe.c.ancova.sensitivity, 88
  - ss.aipe.cv, 91
  - ss.aipe.cv.sensitivity, 92
  - ss.aipe.pcm, 93
  - ss.aipe.R2, 95
  - ss.aipe.R2.sensitivity, 98
- ss.aipe.rc, 100
- ss.aipe.rc.sensitivity, 102
- ss.aipe.reg.coef, 104
- ss.aipe.reg.coef.sensitivity, 107
- ss.aipe.reliability, 109
- ss.aipe.rmssea, 111
- ss.aipe.rmssea.sensitivity, 112
- ss.aipe.sc, 118
- ss.aipe.sc.ancova, 119
- ss.aipe.sc.ancova.sensitivity, 122
- ss.aipe.sc.sensitivity, 124
- ss.aipe.sem.path, 127
- ss.aipe.sem.path.sensitiv, 129
- ss.aipe.sm, 133
- ss.aipe.sm.sensitivity, 134
- ss.aipe.smd, 137
- ss.aipe.smd.sensitivity, 139
- ss.aipe.src, 143
- ss.aipe.src.sensitivity, 145
- ss.power.pcm, 147
- ss.power.R2, 148
- ss.power.rc, 149
- ss.power.reg.coef, 152
- t.and.smd.conversion, 156
- Variance.R2, 159
- verify.ss.aipe.R2, 160
- \*Topic **device**
  - vit, 161
  - vit.fitted, 163
- \*Topic **dynamic**
  - vit, 161
  - vit.fitted, 163
- \*Topic **hplot**
  - vit, 161
  - vit.fitted, 163
- \*Topic **htest**
  - aipe.smd, 3
  - ci.cv, 11
  - ci.R2, 16

ci.reg.coef, 20  
 ci.reliability, 22  
 ci.reliability.bs, 24  
 ci.smd, 31  
 ci.smd.c, 33  
 conf.limits.nct, 43  
 conf.limits.nct.M1, 45  
 conf.limits.nct.M2, 46  
 conf.limits.nct.M3, 47  
 cv, 53  
 s.u, 75  
 signal.to.noise.R2, 81  
 smd, 82  
 smd.c, 84  
 ss.aipe.cv, 91  
 ss.aipe.cv.sensitivity, 92  
 ss.aipe.sm.sensitivity, 134  
 ss.aipe.smd, 137  
 ss.aipe.smd.sensitivity, 139  
**\*Topic models**  
 ci.cv, 11  
 ci.smd.c, 33  
 conf.limits.nct, 43  
 conf.limits.nct.M1, 45  
 conf.limits.nct.M2, 46  
 conf.limits.nct.M3, 47  
 signal.to.noise.R2, 81  
 smd, 82  
 smd.c, 84  
**\*Topic multivariate**  
 CFA.1, 6  
 ci.R2, 16  
 conf.limits.nc.chisq, 40  
 conf.limits.ncf, 41  
 covmat.from.cfm, 52  
 F.and.R2.Noncentral.Conversion, 55  
 mediation, 63  
 mediation.effect.bar.plot, 67  
 mediation.effect.plot, 68  
 Sigma.2.SigmaStar, 76  
 ss.aipe.pcm, 93  
 ss.aipe.rmsea.sensitivity, 112  
 ss.aipe.sem.path, 127  
 ss.aipe.sem.path.sensitiv, 129  
 theta.2.Sigma.theta, 157  
**\*Topic package**  
 MBESS, 63  
**\*Topic regression**  
 ci.R, 14  
 ci.R2, 16  
 conf.limits.nc.chisq, 40  
 conf.limits.ncf, 41  
 intr.plot, 59  
 intr.plot.2d, 61  
**\*Topic univar**  
 ci.smd, 31  
 aipe.smd, 3  
 ancova.random.data, 5  
 boot, 25  
 CFA.1, 6, 24, 25, 52, 110  
 ci.c, 7  
 ci.c.ancova, 9  
 ci.cv, 11  
 ci.pvaf, 13  
 ci.R, 14  
 ci.R2, 16  
 ci.rc, 19  
 ci.reg.coef, 20  
 ci.reliability, 22, 25, 110  
 ci.reliability.bs, 24  
 ci.rmsea, 25, 112  
 ci.sc, 26  
 ci.sc.ancova, 28  
 ci.sm, 30  
 ci.smd, 31  
 ci.smd.c, 33  
 ci.snr, 35  
 ci.src, 36  
 ci.srsnr, 38  
 conf.limits.nc.chisq, 40  
 conf.limits.ncf, 41  
 conf.limits.nct, 43  
 conf.limits.nct.M1, 45  
 conf.limits.nct.M2, 46  
 conf.limits.nct.M3, 47  
 Cor.Mat.Lomax, 48  
 Cor.Mat.MM, 49  
 cor2cov, 51  
 covmat.from.cfm, 52  
 cv, 53  
 delta2lambda(t.and.smd.conversion), 156  
 Expected.R2, 54

F.and.R2.Noncentral.Conversion, 55  
 F2Rsquare  
     (F.and.R2.Noncentral.Conversion), 55  
 Gardner.LD, 56  
 HS.data, 57  
 intr.plot, 59  
 intr.plot.2d, 61  
 lambda2delta(t.and.smd.conversion), 156  
 Lambda2Rsquare  
     (F.and.R2.Noncentral.Conversion), 55  
 MBES (MBESS), 63  
 mbes (MBESS), 63  
 MBESS, 63  
 mbess (MBESS), 63  
 mediation, 63, 68  
 mediation.effect.bar.plot, 66, 67, 68, 70  
 mediation.effect.plot, 66, 68, 70  
 nlm, 131  
 power.density.equivalence.md, 70, 71, 72, 74  
 power.equivalence.md, 71  
 power.equivalence.md.plot, 71, 72, 73, 74  
 prof.salary, 74  
 Rsquare2F  
     (F.and.R2.Noncentral.Conversion), 55  
 Rsquare2Lambda  
     (F.and.R2.Noncentral.Conversion), 55  
 s.u, 75  
 sem, 7, 24, 52, 76, 77, 110, 112–114, 127, 128, 130, 131, 157, 158  
 Sigma.2.SigmaStar, 76, 114  
 signal.to.noise.R2, 80  
 smd, 82  
 smd.c, 84  
 specify.model, 76, 77, 112, 114, 127, 128, 130, 131, 157, 158  
 ss.aipe.c, 85  
 ss.aipe.c.ancova, 87  
 ss.aipe.c.ancova.sensitivity, 88  
 ss.aipe.cv, 91  
 ss.aipe.cv.sensitivity, 92  
 ss.aipe.pcm, 93  
 ss.aipe.R2, 95  
 ss.aipe.R2.sensitivity, 98  
 ss.aipe.rc, 100  
 ss.aipe.rc.sensitivity, 102  
 ss.aipe.reg.coef, 104, 144  
 ss.aipe.reg.coef.sensitivity, 107  
 ss.aipe.reliability, 109  
 ss.aipe.rmsea, 111, 114  
 ss.aipe.rmsea.sensitivity, 112  
 ss.aipe.sc, 118  
 ss.aipe.sc.ancova, 119, 124  
 ss.aipe.sc.ancova.sensitivity, 121, 122  
 ss.aipe.sc.sensitivity, 124, 124  
 ss.aipe.sem.path, 127, 131  
 ss.aipe.sem.path.sensitiv, 128, 129  
 ss.aipe.sm, 133  
 ss.aipe.sm.sensitivity, 134  
 ss.aipe.smd, 137  
 ss.aipe.smd.full(aipe.smd), 3  
 ss.aipe.smd.lower(aipe.smd), 3  
 ss.aipe.smd.sensitivity, 139  
 ss.aipe.smd.upper(aipe.smd), 3  
 ss.aipe.src, 143  
 ss.aipe.src.sensitivity, 145  
 ss.power.pcm, 147  
 ss.power.R2, 148  
 ss.power.rc, 149  
 ss.power.reg.coef, 152  
 t.and.smd.conversion, 156  
 theta.2.Sigma.theta, 77, 114, 128, 131, 157  
 tost, 71, 72, 74  
 try, 131  
 Variance.R2, 159  
 verify.ss.aipe.R2, 160  
 vit, 161  
 vit.fitted, 163